



PACLOCK

THE FUTURE OF PADLOCKS™

Product Catalog



Why PACLOCK?

Catalog Overview

Introduction

Getting Started with PACLOCK.....2

Locks by Industry

Institutional Security4

Construction Security6

Transportation Security8

PACLOCK Fundamentals

Body Materials12

Shackles & Colors13

Keying Options14

Cylinder Technologies.....15

Featured Product Lines

PAC-BLU™ Access Control.....18

Universal Cylinder System™20

Rotating Disc Padlocks.....22

Safety Lockout Tagout24

Your Logo, Your Locks™26

All PACLOCK Products

Shackled Padlocks29

3/4" Cam Locks40

RVs & Trailers.....42

Shipping & Hauling.....58

Shutter Locks & Chain Security.....62

Hockey Puck & Hasps66

PAC-SHIELD™ (Add-On)75

Shrouded Single Post Padlocks.....76

Disc Padlock Pro80

PAC-KEEPER™ Key Control82

Military Padlocks

"PL951" High Security Lock86

General Field Service Padlocks88

Low Security Padlocks90

Distributor Resources

Identifying Your SKU96

Search Products by Cylinder Technology...108

Option Groups148

Every Lock, One Key™

1

The Every Lock, One Key™ (ELOK™) movement is redefining the security industry through smarter lock designs and a growing portfolio of innovations. PACLOCK offers one of the industry's broadest selections of padlock solutions—including trailer doors, jobsite boxes, cam locks, and block-locks for chain—engineered to operate on a single key. ELOK™ technology also allows customers to upgrade to PACLOCK bodies while keeping the keys they already use, creating a unified, scalable locking system without added complexity.

The PACLOCK Difference

2

At PACLOCK, a woman-owned, veteran-led company, we engineer, CNC machine, assemble, and quality test the majority of our product line in the USA as "Made in the USA with global components." The PACLOCK difference is faster lead times, U.S.-based manufacturing, and consistent, reliable quality, with new and innovative products developed in weeks—not months or years.

The Future of Padlocks

3

Since purchasing its first CNC machine in 2009, PACLOCK has expanded its manufacturing capabilities, product lines, and speed to market—driving the development of purpose-built padlock solutions for demanding applications. Today, PACLOCK is the only padlock manufacturer producing all three military-grade padlocks the U.S. government, while also supporting OEM partnerships and advancing new security solutions, including an expanding trailer-lock lineup. With innovations like PAC-BLU™ access control on the horizon, PACLOCK continues to push performance, reliability, and technology forward.

"How Do I Buy PACLOCKS?"

PACLOCKS should be purchased through local locksmiths or preferred security distributors. If a product is not available, customers are encouraged to request PACLOCK. PACLOCKS are also available on Amazon and at PACLOCK.com. For custom configurations, government quotes, or commercial accounts, customers may contact PACLOCK directly.

Community First

- **Multiple Certificates of Recognition** from the *California State Senate, California Legislature Assembly, and U.S. Congress* for contributions to manufacturing, small business leadership, and community impact.
- **Repeated Employer Honoree** by the *Santa Clarita Valley Mayor's Committee for Employment of Individuals with Disabilities*.

- **Local Business Awards**, including *City of Santa Clarita Small Business of the Month (2017)*.
- **Industry Associations**, including membership with the *Associated Locksmiths of America (ALOA), Northwest Locksmith Association (NWLTA)* and the *National Trailer Dealers Association (NTDA)*.

Award-Winning



Lockheed Martin® 2014 Supplier of the Year

In 2009, PACLOCK earned Lockheed Martin's trust as their primary sub-contractor in supplying padlocks for the Fleet Automotive Support Initiative (FASI) program. By 2017, PACLOCK produced and delivered 5 million padlocks with not one return for quality problems. PACLOCK delivered directly from our factory to the warfighter on more than a hundred and four-thousand orders all with a one to three-day turn-around time!



2020 WorldStar™ Marketing Award - Bronze Winner for Bi-Fold Clamshells


PACLOCK teamed up with PLACON® and Pratt Industries™ to create packaging for our UCS product line sold in stores. This unique clamshell packaging provides the consumer an ability to touch the product without the risk of theft prior to purchase. This design also provides 200% more marketing space over regular clamshells by opening the back panel revealing further product information.

Follow @PACLOCK_USA on social media – watch exclusive videos and tutorials on YouTube!


Industry & Brand Recognition



"200K Club" for Locksport




"PADDY the PACLOCK"



Tradeshow & Events



The "UCS-SK8" Skateboard with Braille Skateboarding and LockPickingLawyer (2019)



All trademarks, service marks and company names are the property of their respective owners.

Photo by Braille Skateboarding



Institutional Security

SECURITY SOLUTIONS TO MEET FACILITY MANAGEMENT DEMANDS

Commercial Cylinder Locks



The Most Diverse Solid Body Lineup

PACLOCK's Every Lock, One Key™ mentality delivers the industry's most diverse solid-body padlock lineup designed to accept an exceptional range of commercial cylinders. No other padlock manufacturer offers such a comprehensive portfolio of purpose-built padlocks engineered specifically for commercial cylinder compatibility. Secure everything on your site or facility—including jobsite boxes, trailer doors, trailer hitches, gates, and containers—using your existing SFIC, LFIC, FSIC, or KiK cylinders. Expand and unify your security system by selecting application-specific PACLOCKS, then customize each lock to meet your exact requirements. With PACLOCK's Your Logo, Your Locks™ program, your institution becomes the manufacturer—featuring YOUR logo stamped on every lock.



Key-in-Knob / Key-in-Lever (KiK)

- PACLOCK has the ONLY “KiK”-compatible padlocks that do not arrive in pieces
- The best “KiK” padlock design in the world, all the “guts” stay secure in the padlock. Place the barrel plug on the bible and secure the cylinder with a screw. You’ll never worry about loose drivers again!
- PACLOCK’s patented PAC-SLEEVE™ creates the ability for “KiK” cylinders to be compatible in any hidden-shackle PACLOCK
- Same padlock for “Screw-On Cap” and “Slotted” cylinder types – each version comes installed with the correct driver!



Small Format Interchangeable Core

- The largest variety of SFIC-compatible padlocks – including hidden-shackle “hockey pucks”
- PACLOCK’s SFIC solid-body padlocks accept major 5, 6, or 7-pin SFIC cores without using adapters
- Unique padlock design that retains the SFIC drivers and plates inside the padlock with a screw allows for immediate cylinder loading without having to reassemble the padlock
- Precision CNC machined insures a highly functional and long-lasting padlock for your critical areas

Large Format Interchangeable Core

- 6 and 7-pin compatible
- ¼” shackled padlocks compatible with LFIC cylinders
- Patented PAC-SLEEVE™ for hockey-puck-style and hidden-shackle padlocks – unique to PACLOCK
- Need an LFIC padlock compatible with something other than an ASSA®, Corbin Russwin®, Sargent®, Medeco®, or Yale® cylinder? Reach out to our team!



The “PAC-KEEPER” for Physical Key Control

- Manage your shared area keys by “trapping” the shared key, and then having users release the trapped key by inserting their own key
- User is forced to return the shared key in order to retrieve their key. Raised shoulders protect key heads from being destructively removed
- Optional cabinet allows the installation for up to ten PAC-KEEPERS
- Made with stainless steel, brass, and aluminum components

Pg. 82



Construction Security

SECURE YOUR JOBSITE WITH ONE KEY

Jobsite Security



PACLOCK's "17A-850-Series" Block-Lock

"We've Got a Lock for That!"

Job sites demand more than high security—they demand control. PACLOCK designed the Universal Cylinder System™ (UCS) for demanding environments where access changes frequently and downtime is costly—making it an ideal solution for construction sites. Use one key across your gates, jobsite boxes, trailers, and containers—and never let work stall because someone can't find the right key.

When a key becomes compromised, PACLOCK keeps your site secure without disruption. With PACLOCK's Emergency Cylinder Replacement (ECR) program, you don't replace padlocks—you replace cylinders and keys. Simply swap out the cylinders on-site and restore full security the same day, without drilling locks, waiting on shipments, or buying all new hardware.

Already using Master Lock® or American Lock® keys? Keep your keys—upgrade the padlock bodies. PACLOCK supports compatible commercial cylinders, letting you standardize and expand without starting over.


All trademarks, service marks and company names are the property of their respective owners.

Job Site/Gang Box Lock

- First lock designed to work with ANY jobsite box from companies like Ridgid®
- Shackle length engineered to ensure proper locking/unlocking
- Body width, thickness, and length form fitted for high security with less pry points

10-Series

Pg. 36



Hockey Puck and Hasp

- “7-Series”/PL810 puck and hasp kit is perfect for slide and swing van doors
- Never lose your lock again with our “Puck-to-Hasp™” fastening design
- The PL810 double-coated hasp is a direct replacement for competitors’ hasps

Hasp & Puck

Pg. 66



6-Series

Pg. 64

Chain Locking System

- Works with any length of 3/8” chain
- Easy-to-use mounting plate and one-handed “Pop-Top” lock operation
- Simple mounting for your gate, van, trailer, or generator



Container Door Lock

- Designed for ribbed handles on containers and conex boxes
- 6061 aircraft-grade aluminum body prevents bolt-cutter attacks with hidden-shackle design
- PAC-BAND™ keeps dirt, grime, and other elements out of your cylinder. PAC-TETHER™ ensures that you’ll never lose your lock!

82-Series

Pg. 58





Transportation Security

SECURITY SOLUTIONS FOR RV'S, CARGO SECURITY, AND EVERYDAY TRANSPORT

Trailer & RV Locks



Every Lock, One Key™ Security

PACLOCK delivers high-security, hidden-shackle padlocks engineered for trailers, RVs, haulers, swing doors, roll-up doors, latches, and hitches. For the first time, you can key RV storage cam locks to the same key as your trailer coupler, trailer door lock, block-locks for bikes, and chain—creating one unified system. PACLOCK's innovative designs minimize exposed access points, making them far more secure than common shackled padlocks that are easily cut, or puck-style locks that only fit a fraction of trailer doors. The result is superior protection, improved weather resistance, and true Every Lock, One Key™ convenience.



Trailer Door Padlock

- World's best padlock design for toy haulers, trailers, and swinging door latches
- Innovative hidden-shackle design removes the possibility of cutting the shackle
- Includes PAC-TETHER™ to keep padlock tethered on the door whenever it is unlocked

81-Series
Pg. 42

Locking Hitch Pin

- Built to handle any road trip, cross-country journey, or haul you take it on
- Pins are manufactured from stainless steel for strength and weatherability
- Features our PAC-BAND™ silicone cover that keeps dirt and grime out of your cylinder

80-Series
Pg. 52

3/4" Cam Locks

- Replace your OEM cam locks with PACLOCK's
- 6-Pin design offers more than 20,000 key options
- Keys can be removed from the locked or unlocked position

CL30-Series
Pg. 40

88-Series
Pg. 48

Trailer Coupler Lock

- Hidden shackle design provides ultimate security
- Ability to key your hitch padlock with any other PACLOCK using PO keyway
- Guarded shackle to protect the padlock from bolt cutters and grinders



PACLOCK **Fundamentals**

Body Materials

Shackle Materials

Color Options

Keying Options

Cylinder Compatibility

Body Materials

Aluminum



6061 Aircraft-Grade

Aluminum has quickly become PACLOCK's best-selling body material because of its weather resistance, light weight, and ability to stand up to grinders better than other materials. Laser engrave on one of eleven colors making aluminum the most customizable body material in our lineup.

360 Brass Alloy

PACLOCK's solid-body brass padlocks provide great weather resistance in high-corrosion environments along with a heavy weight associated with higher security. PACLOCKS brass padlocks begin as raw 360-grade brass before being machined and finally sanded to a smooth, attractive finish. Many customers are moving to aluminum as the raw material costs for brass continue to increase.

Brass



Stainless Steel



304 Stainless Steel

PACLOCK's 304 stainless-steel padlocks are the ultimate physical-security solution for all-weather environments. The American-Made stainless steel provides the highest combination of drilling resistance, cutting resistance, and weatherability. PACLOCK uses 304-grade stainless steel which is harder to machine, but gives customers the best product on the market.

Case-Hardened Steel

Case-hardened steel has been phased out of our standard product line. While PACLOCK can accommodate hardened steel for specific order requirements, we don't recommend it, as it no longer aligns with PACLOCK's standards for toughness.

Hardened Steel



Thermoplastic



Safety Lockout Tagout

PACLOCK's thermoplastic padlock bodies are precision molded in the United States, setting PACLOCK apart as the only thermoplastic-padlock manufacturer making domestic parts. This gives PACLOCK the advantage when you need short lead times or custom colors. Our two-tone LOTO locks provide over 36 unique color combinations to differentiate your departments or areas.

Shackle Materials

Available in select heights and shackle diameters depending on padlock type.



Hardened Stainless Steel

Strength meets weatherability

Made of stainless steel that has been hardened and plated

Available in 1", 1-3/16", 2-1/2", and 5" heights

Hardened Steel

High cut resistance

Plated to protect against environmental corrosion like saltwater or rain

Available in 3/4", 1", 1-3/16", 1-1/2", 2", 2-1/2", 3" and 5"

Stainless Steel

High corrosion resistance

Made from 316 stainless, the same material as most medical grade tools

Available in 1", 1-3/16", 2", and 3" heights

Solid Brass

High weatherability

Used for brass military locks or in non-conductive areas

Contact PACLOCK for availability

Colors

Call us about custom colors!

Standard Colors



Black



Blue



Silver/Clear



Red



Green

Specialty Colors



Brown



Gold



Purple



Orange



Pink



Yellow

Keying

Keyed Different - Keyed Alike - Master Keyed - Grand Master Keyed

✓ Keyed Different (KD)

Each padlock has its own unique key. This is the default keying for all standard rekeyable products unless requested otherwise.

✓ Master Keyed (MK)


Each padlock has a unique key that cannot be used to open the other padlocks, but there is a “master” key that can open all of the padlocks in the group.

✓ Keyed Alike (KA)


All padlocks in the group can be opened with the same key, offering convenience and eliminating multiple keys for those who use numerous padlocks.

✓ Grand-Master Keyed (GMK)

This system uses two or more “master” key sub-groups where all the padlocks can be opened by a “grand-master” key. However, the sub-groups remain independent of each other.



Keyway Profiles



PACLOCK produces cylinders with a variety of keyways. The P0 keyway is our standard keyway that matches up with the American Lock® AM3 allowing customers to easily key into current systems. We also offer two restricted keyways with PR1 and PR2 along with several Master Lock® or American Lock® keyways. Custom keyways available!

*Keys not included

Cylinder Technologies

Whatever cylinder style you have, we have a padlock series for it.



Standard Rekeyable

6-pin cylinder with stainless steel pins and 4,000 unique key combinations.



PACLOCK Pro

7-pin, high-security, key-retaining cylinder with 200,000+ unique key combinations for Lockout Tagout.



Master Lock®

Master Lock® compatible bodies for M1, M15, and 7000B cylinders.



CCL® Cabinet Locks

Lock bodies compatible with CCL® Cabinet Locks.



ASSA® LFIC

ASSA® LFIC compatible bodies for 6 or 7-pin Large Format Interchangeable Cylinders.



Medeco® LFIC

Medeco® LFIC compatible bodies for 6 or 7-pin Large Format Interchangeable Cylinders.



Yale® 6 & 7-Pin

Yale® LFIC compatible bodies for 6 and 7-pin Large Format Interchangeable Cylinder.



Key-in-Knob/Key-in-Lever

Key-in-Knob/Key-in-Lever compatible bodies with drivers for screw-on cap or slotted style cylinders.

Universal Cylinder System

Easy-to-change, high-performance cylinder with stainless-steel security pins, 20,000+ unique key combinations.



Rotating Disc

High-security rotating disc technology offers over two billion key combinations and strict key control.



American Lock®

American Lock® compatible bodies for AM3 and AM7 cylinders.



5/6/7-Pin SFIC

SFIC compatible bodies for 5, 6 or 7-pin Small Format Interchangeable Cylinders.



Corbin Russwin® LFIC

Corbin Russwin® LFIC compatible bodies for 6 or 7-pin Large Format Interchangeable Cylinders.



Sargent® LFIC

Sargent® LFIC compatible bodies for 6 or 7-pin Large Format Interchangeable Cylinders.



Schlage® FSIC

Schlage® FSIC compatible bodies for 6-pin Full Size Interchangeable Cylinders.



All trademarks, service marks and company names are the property of their respective owners.



Featured Product Lines

PAC-BLU™ Access Control

Universal Cylinder System™

High Security Rotating Disc Technology

Lockout Tagout

Your Logo, Your Locks™

Welcome to PAC-BLU™

The Future of Access Control



Simple & Quick Installation



Economical, Cloud- Based Access Control



Adaptable & Innovative System

The future of Access Control is built upon secure mobile credentials and simple-to-install devices – all connected together in a cloud-based ecosystem that enables complete management at your fingertips.

With PAC-BLU, that future becomes a reality.

Beginning with the installation process, PAC-BLU makes an installer's life simple by saving time and money. There's no need to pull Ethernet cables, connect or setup Wi-Fi networks, or install external readers. Simply run power to the PAC-BLU controller, connect it to your locking mechanism of choice, and complete the simple-to-use setup process. Whether you electrify one door, or thousands of doors, PAC-BLU keeps everything effortless and scalable.

PAC-BLU is more capable than any other access control system because it has the ability to control electric-strikes, drop-bolts, solenoids, electromagnetic locks, and even DC motors running forwards and backwards! If your application demands significant power, then connect PAC-BLU to a relay and in no time at all your large door is now controlled via a smartphone.

You can connect multiple sensors, auto-door openers, a secondary power source, or our "TFB2" and build the best access control setup simply and easily. Managing all of your users and devices, as well as seeing real-time auditing, is done through "Sentinel," PAC-BLU's Cloud-Based Management platform. Create an unlimited number of users, add an unlimited number of doors, and leverage "Device Groups" to simplify management tasks all within Sentinel. PAC-BLU's simple yet scalable design is perfect for small and large organizations alike.

Problems with users losing keys, sharing keys, or duplicating keys all go away! Smartphone credentials let you know exactly who is coming and going and when.

We're excited for the future of security. In the last 10 years, we've grown our American manufacturing footprint and are eager to continue supporting the American worker. We're reshaping and rethinking what true security means and how it's delivered to the masses.

Join us as we simplify security and usher in the Future of Access Control.

Gregory B. Waugh
President & CEO
gwaugh@paclock.com
Ext. 102

Ryan Martin
PAC-BLU Program Manager
rmartin@paclock.com
Ext. 101



PAC-BLU™ Simplified Access Control




PAC-BLU redefines industry standards by **lowering up-front system costs** and **simplifying installation**. With simplicity and security in mind, PAC-BLU is the easiest way to setup Cloud-Based Access Control for your company or organization.

Choosing PAC-BLU means **investing in a future** where access control is seamless, security is uncompromisable, and business operations are more efficient. It's an ideal solution for any organization looking to modernize their access control and embrace the digital transformation of security.

- Mobile Credentials
- Cloud-Based Management
- No Ethernet Required
- Detailed Audit Trails
- Unlimited Users & eKeys
- Customizable Access Levels
- Instant Access Revocation
- Time-Based eKeys
- Offline Access Mode
- AES-128 Bit Encryption
- Biometric Authentication
- Scalable System Design

How It Works





Universal Cylinder System™

EVERY LOCK DESERVES JUST ONE KEY

Welcome to the Power of UCS™



The UCS™ system is the simplest way to minimize the size of your key ring and unlock the full potential of your lock system.

With UCS™, keying convenience and high performance come together to produce the most innovative padlock system ever. Quick-change UCS™ cylinders can be removed and re-installed in less than a minute giving you the power to maximize your lockability – you can even build your own master-keyed or even grand-master-keyed system! Instead of replacing padlocks when your keys are compromised, just swap the cylinders to save the cost of buying a new lock! Best of all, you can easily re-pin your old cylinders to a new key number so you can re-use them the next time.

Never before has it been possible to key together padlocks built specifically for trailers, containers, jobsite boxes, chains, and more. Every UCS™ padlock can be opened using the same key, which is possible because of PACLOCK's extreme-machining precision and innovative padlock designs.



Quick-Change Technology

With UCS™, YOU become the locksmith. “Every Lock, One Key™” allows you to easily expand your locking system and buy different-styled padlocks all keyed to the same number. Have an employee walk off with your key? No problem! UCS™ gives you the ability to immediately change keying or easily re-pin your padlocks in a matter of minutes.



High-Performance Cylinders

The UCS™ high-security pick and bump-resistant, 6-pin cylinder with more than 20,000 unique key codes is unrivaled. Stainless-steel security pins resist drill attacks and create “false sets” making PACLOCKS extremely difficult to pick or drill. No lock provides a higher level of security. A lock with four pins is lucky to yield hundreds of key changes, meaning that it’s not uncommon that you share the same key with another owner of the same lock type. With 20,000 key codes – you’ll virtually never have the same key codes as your neighbor.

Every Lock, One Key™



Made in USA with Global Components

The majority of UCS™ padlocks are precision-CNC machined, hand-assembled, finished, and tested in the USA – our key differentiating factor. Every PACLOCK is built to set the standard in craftsmanship, reliability, and durability.

True "Marine Grade" Quality

Our UCS™ locks are marine grade from the inside out. Built with 6061 aircraft-grade aluminum or 304 stainless steel bodies, UCS™ locks are all-weather, rust-proof, and impervious to salt damage. UCS™ locks are machined from a solid block of material to provide maximum strength – delivering a lock built to last through the harshest environments.



Rotating Disc Padlocks


THE HIGHEST SECURITY CYLINDER TECHNOLOGY ON THE MARKET



High Security "RD-Series"

The "RD-Series" high-security cylinder technology offers over two BILLION key combinations.

The "RD-Series" brings cutting-edge rotating disc technology into PACLOCK's ecosystem. With more than two billion possible key combinations and a strict key-control system in place, the RD-Series' technology will be the best choice for uncompromising security of your high-value assets and critical areas. The RD655 & RD656 locks were formally tested by the DoD Lock Program against Federal Specification FF-P-2827A and approved for use by the U.S. Military. Both locks feature an electroless nickel-plated brass body with a medical-grade, 316-stainless steel shackle. PACLOCK's "RD-Series" is set to expand into its diverse product line, including transportation locks and PAC-BLU™, to further enhance innovative security options.



2+ Billion Combinations



Up to 14 Discs



Extreme Pick Resistance



Precision-Machined



Stainless-Steel, Anti-Drill Disc

The Best Cylinder Technology that is Made in the USA

The "RD-Series" is extremely resistant against dirt, freezing temperatures, saltwater, and wear over time. The "self-cleaning" rotating disc cylinder sweeps dirt out with every rotation. Picking and bumping are as close to impossible as you can get.



Cylinder Features



- Anti-Drill Spin Plate
- Anti-Bump
- Industry-Leading Twelve Cut Positions for over 2 Billion Combinations
- Precision Manufacturing
100% Made in the USA



Strictest Level of Key Control

Additional cut keys or padlocks made to match existing keys are controlled by the manufacturer using a "System Card" where, at the time of order, the customer must provide the authorized system code to re-order. Without this code, additional keys or padlocks cannot be produced.




Master Keying Capabilities

Locks can be purchased keyed different, alike, or even master-keyed. Talk to your local distributor or PACLOCK directly to build "your" system.

The "System Code" from your "System Card" is required to order more locks or keys.

"RD-Series" Expandability

"RD" cylinders are available in PACLOCK's trailer locks, hockey pucks, and shackled locks. Upgrade your PACLOCK system today!



Approved by the DoD Lock Program

PACLOCK's RD655 and RD656 locks were rigorously tested and approved by the Department of Defense (DoD) Lock Program against Federal Specification FF-P-2827A. This places PACLOCK alongside Assa Abloy as the only companies meeting these stringent standards, highlighting the RD-Series' exceptional security for high-value assets and critical areas. The RD655's key-retained, shackle-spring-free design further enhances its robustness, making it ideal for military and high-security applications.

See Military Padlocks for more information on the "RD655" and "RD656" General Field Service Padlocks.



Safety Lockout Tagout

INDUSTRY-LEADING SAFETY LOCKOUT PADLOCKS

PL410-PRO & 90A-PRO



"The new standard of GROWTH and EXPANSION in LOTO"

200,000+ Key Changes

When the LOTO safety industry came to PACLOCK with a major problem — too few key combinations for lockout/tagout padlocks — we had one condition: we'd solve it our way. The result set a new benchmark for growth and flexibility in LOTO systems.

PACLOCK's PL410-PRO delivers over 200,000 possible key combinations, five times more than what customers typically get from a standard safety lockout padlock. It's available in a wide variety of colors, shackle lengths, and even two-tone options, creating more than 36 color combinations for industries that demand clear safety distinction. To top it off, the PL410-PRO is one of the only thermoplastic padlocks made in the USA with global components.



7-Pin "PRO" Technology

This advanced design increases security and eliminates the key breakage issues common in 8-pin or higher cylinders. Built for longevity and designed for flexibility, PACLOCK's LOTO locks can be keyed-alike, master-keyed, or even grand-master-keyed to meet the demands of any safety program.



*Custom, reserved keyways
can be manufactured for
large LOTO operations*



**The "PL410-PRO" and "90A-PRO"
Are Manufactured in the USA with
Global Components**

Color and Shackle Options

The PL410-PRO comes in a variety of standard colors, with extensive two-tone combinations for clear safety distinction. Both the PL410-PRO and 90A-PRO are offered with seven different shackle lengths: 3/4", 1-3/16", 1-1/2", 2", 2-1/2", 3", and 5". Each shackle is engineered for safe operation and built to meet OSHA requirements.



Variety of Color Options

7 Shackle Lengths



Two-Tone Colors Available



More Custom Capabilities

Custom colors are available for projects requiring more color combinations.

Tell us what color you need!



Your Logo, Your Locks™

FINALLY A BRAND YOU CAN SELL WITH NO COMPETITION. YOUR BRAND.

Elevate your brand and secure customer loyalty with PACLOCK's "Your Logo Your Locks™" program. Stamp or engrave your logo directly onto PACLOCKS and create a unique identity as the manufacturer of your own locks. Custom-branded locks and packaging set you apart from big-box retailers and online giants like Amazon, ensuring that customers return exclusively to you. Your company's name becomes synonymous with top-notch security solutions, fostering lasting relationships and repeat business. Say goodbye to selling generic products and start promoting YOUR locks today.



Name Your Cylinder Type



PACLOCK's cylinder compatibility icons



***Being part of YLYL means
your company can put its
logo on any PACLOCK.***

3 Ways to Customize Your Locks



Hard Die Stamping

Our 100-ton hydraulic press permanently hard stamps your logo into the solid lock body.

- ✓ Stand out as a manufacturer with your company logo stamped into your lock
- ✓ Custom locks – for life. If the stamp ever gets dull or damaged, we'll produce you a new one free of charge
- ✓ Offer your customers their logo stamped onto their locks



Laser Engraving

Our high-powered, precision laser permanently etches your logo or other info into the solid lock body.

- ✓ No Minimum Quantity
- ✓ No Set-Up Fee
- ✓ Custom engrave just about anything onto the face, back, even sides of the lock
- ✓ Logos, Consecutive Serial Numbers, "Property Of...", #MSTRSX, etc.



Custom Retail Packaging

Our marketing team will design custom packaging using your logo and color scheme.

- ✓ Display your branded locks in custom retail packaging
- ✓ Durable clam shell housing
- ✓ Product-specific information provided
- ✓ "Made in USA with Global Components" prominent on the front of packaging

Stop Selling Padlocks. Start Selling Solutions.

Customize your solutions to address specific customer needs beyond basic padlocks. PACLOCK excels in developing industry-specific solutions, providing superiorly crafted products tailored to your clients' requirements. From job boxes to utility trailers and fences, PACLOCK's expertise in addressing diverse security challenges ensures effective solutions for every scenario.

Stamp Out The Competition

Forge lasting partnerships through personalized locks featuring the customer's logo or name. This customization sets you apart as their preferred supplier, enhancing your competitive advantage. With PACLOCK's ability to produce locks in small batches, it's a mutually beneficial solution that enhances brand identity and strengthens business ties.

A green metal padlock is shown with a blue circular label on its right side. The label has the text "UCS-84A" at the top, "PACLOCK" in the middle, and "USA" at the bottom. A silver metal shackle is attached to the bottom of the padlock. The background is a dark, textured surface.

All PACLOCK Products



Shackled Padlocks

Hidden-Shackle Padlocks

Hockey Puck & Hasps

Cam Locks & More!

1/4" Diameter Shackle



Light-Duty, All-Purpose Shackle

PACLOCK's 1/4" shackled padlocks are a perfect low-security option for a multitude of general-purpose applications. Some of the most popular places to use 1/4" PACLOCK's are gates, fences, lockers, and sheds. PACLOCK's "Every Lock, One Key" mantra allows all your locks to be opened using your unique key or to incorporate it into your own master-keyed or grand-master-keyed system. Our 1/4" shackles range from 3/4" to 5" tall, ensuring you'll have the perfect padlock for any application. For "Lock Out, Tag Out" applications, PACLOCK's "90A-PRO" and "PL410-PRO's" are undeniably the new standard of growth and expansion, offering 200,000 unique key combinations.

LFIC & FSIC Compatible - Only at PACLOCK

No other padlock manufacturer offers Large-Format-Interchangeable-Core and Full-Size-Interchangeable-Core-style padlocks with a 1/4" diameter shackle. Without PACLOCK, it is impossible to keep every lock keyed into a LFIC or FSIC system especially when 1/4" diameter shackled locks are necessary. Because of PACLOCK's commitment to offer greater varieties of solid-body padlocks than any other padlock manufacturer, you can keep everything locked up with your LFIC or FSIC cores.

The PACLOCK Way


Wide variety of shackle heights for increased weather and bolt-cutting resistance.

PACLOCK's rekeyable padlocks come standard with 6-pin cylinders.

Choose to key your locks different, alike, master or grand-master keyed.



Take advantage of our "Your Logo, Your Locks"™ program for ultimate customization.



	Series	Body	Width	Thickness	Options (Pg. 148)	PAC-BAND
	UCS-1A	Aluminum	2"	1"	1A	•
	UCS-1S	Stainless Steel	2"	1"	1A	•
	SR-1A	Aluminum	2"	1"	1B	•
	SR-1B	Brass	2"	1"	1B	•
	90A-PRO	Aluminum	1-1/2"	3/4"	1C	
	PL410-PRO	Thermoplastic	1-1/2"	3/4"	1C	
	SFIC-1A	Aluminum	2"	1"	1D	•
	SFIC-1B	Brass	2"	1"	1D	•
	LFIC-ASA-1A	Aluminum	2"	1"	1D	•
	LFIC-ASA-1B	Brass	2"	1"	1D	•
	LFIC-ASA-1S	Stainless Steel	2"	1"	1D	•
	LFIC-COR-1A	Aluminum	2"	1"	1D	•
	LFIC-COR-1B	Brass	2"	1"	1D	•
	LFIC-COR-1S	Stainless Steel	2"	1"	1D	•
	LFIC-M32-1A	Aluminum	2"	1"	1D	•
	LFIC-M32-1B	Brass	2"	1"	1D	•
	LFIC-M32-1S	Stainless Steel	2"	1"	1D	•
	LFIC-SGT-1A	Aluminum	2"	1"	1D	•
	LFIC-SGT-1B	Brass	2"	1"	1D	•
	LFIC-SGT-1S	Stainless Steel	2"	1"	1D	•
	LFIC-Y6-1A	Aluminum	2"	1"	1D	•
	LFIC-Y6-1B	Brass	2"	1"	1D	•
	LFIC-Y6-1S	Stainless Steel	2"	1"	1D	•
	LFIC-Y7-1A	Aluminum	2"	1"	1D	•
	LFIC-Y7-1B	Brass	2"	1"	1D	•
	LFIC-Y7-1S	Stainless Steel	2"	1"	1D	•
	KiK-1A	Aluminum	2"	1"	1D	•
	KiK-1B	Brass	2"	1"	1D	•
	KiK-1S	Stainless Steel	2"	1"	1D	•
	FSIC-1A	Aluminum	2"	1"	1D	•
	FSIC-1B	Brass	2"	1"	1D	•
	FSIC-1S	Stainless Steel	2"	1"	1D	•
See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.						

5/16" Diameter Shackle



Medium-Duty Security

PACLOCK's 5/16"-diameter shackled padlocks are a step up in security over their 1/4" counterparts. The shackle is thick enough to repel most bolt cutter attacks, all the while being able to work in many applications. Commonly referred to as the "jack-of-all-trades" this shackle size is one of the most common shackled padlock sizes available. PACLOCK has sold millions of padlocks with this shackle diameter directly to the U.S. Military – safeguarding our warfighters equipment. If you are currently using a "#1" padlock, replace it with a PACLOCK and gain the keying convenience of PACLOCK's "Every Lock, One Key".

Most Versatile Padlock

PACLOCK's "100" and "2-Series" padlocks provide good security and can be used on almost any application. Because of the 5/16" shackle's low-profile and tough-to-cut profile, this shackle works perfectly to secure almost any general-purpose location effectively. Because all solid body PACLOCK's feature easy-change shackles, it's easy to get the right shackle for your application.




Shackle Quick-Change "How-To"

Switching out shackles is easy!



- Step 1** Remove shackle retaining screw with 2.5 mm Allen wrench.
- Step 2** Insert your locks key and rotate so the shackle opens. ***Hold shackle so it doesn't spring out!**
- Step 3** Ensure ball bearings are still in place.
- Step 4** Insert new shackle with key turned into open position. Once shackle is in place, rotate key to closed position.
- Step 5** Re-insert shackle retaining screw and turn clockwise until snug.
- Step 6** Insert key and open lock to ensure proper operation of the lock.



	Series	Body	Width	Thickness	Options (Pg. 149)	PAC-BAND
	UCS-2A	Aluminum	2"	1"	2A	•
	UCS-2S	Stainless Steel	2"	1"	2A	•
	SR-2A	Aluminum	2"	1"	2B	•
	SR-2B	Brass	2"	1"	2B	•
	SFIC-2A	Aluminum	2"	1"	2C	•
	SFIC-2B	Brass	2"	1"	2C	•
	LFIC-ASA-2A	Aluminum	2"	1"	2C	•
	LFIC-ASA-2B	Brass	2"	1"	2C	•
	LFIC-ASA-2S	Stainless Steel	2"	1"	2C	•
	LFIC-COR-2A	Aluminum	2"	1"	2C	•
	LFIC-COR-2B	Brass	2"	1"	2C	•
	LFIC-COR-2S	Stainless Steel	2"	1"	2C	•
	LFIC-M32-2A	Aluminum	2"	1"	2C	•
	LFIC-M32-2B	Brass	2"	1"	2C	•
	LFIC-M32-2S	Stainless Steel	2"	1"	2C	•
	LFIC-SGT-2A	Aluminum	2"	1"	2C	•
	LFIC-SGT-2B	Brass	2"	1"	2C	•
	LFIC-SGT-2S	Stainless Steel	2"	1"	2C	•
	LFIC-Y6-2A	Aluminum	2"	1"	2C	•
	LFIC-Y6-2B	Brass	2"	1"	2C	•
	LFIC-Y6-2S	Stainless Steel	2"	1"	2C	•
	LFIC-Y7-2A	Aluminum	2"	1"	2C	•
	LFIC-Y7-2B	Brass	2"	1"	2C	•
	LFIC-Y7-2S	Stainless Steel	2"	1"	2C	•
	KiK-2A	Aluminum	2"	1"	2C	•
	KiK-2B	Brass	2"	1"	2C	•
	KiK-2S	Stainless Steel	2"	1"	2C	•
	FSIC-2A	Aluminum	2"	1"	2C	•
	FSIC-2B	Brass	2"	1"	2C	•
	FSIC-2S	Stainless Steel	2"	1"	2C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

3/8" Diameter Shackle



High-Security Shackle

If you need a padlock that's the strongest link in your chain or a thick shackle that you won't have a second thought about someone cutting off, PACLOCK's 3/8" shackles will fit the bill – and then some. Lock up your construction site, secure your boat, or make sure your generator doesn't run off with a "200" or "3-Series" padlock. With PACLOCK, all your locks can be opened using your unique key, keyed alike in groups with one master key, or even grandmaster keyed.



Check Out These Add-Ons!

PAC-SHIELD™

Turn a 1, 2, or 3-Series lock into a shrouded beast with the PAC-SHIELD!



Page 75



PAC-COVER™


Protect your valuables from scuffs with the one-size PAC-COVER.



Page 81

Customer Testimonial

"Was looking for a very sturdy lock for the roll-up door on my van body and this definitely fit the bill. It can be re-keyed at will as well as changing the shackle if you would want. The CNC work is top-notch and the color is super bright. Will be buying my locks from PACLOCK only from now on."



	Series	Body	Width	Thickness	Options (Pg. 150)	PAC-BAND
	UCS-3A	Aluminum	2"	1"	3A	•
	UCS-3S	Stainless	2"	1"	3A	•
	SR-3A	Aluminum	2"	1"	3B	•
	SR-3B	Brass	2"	1"	3B	•
	SFIC-3A	Aluminum	2"	1"	3C	•
	SFIC-3B	Brass	2"	1"	3C	•
	LFIC-ASA-3A	Aluminum	2"	1"	3C	•
	LFIC-ASA-3B	Brass	2"	1"	3C	•
	LFIC-ASA-3S	Stainless	2"	1"	3C	•
	LFIC-COR-3A	Aluminum	2"	1"	3C	•
	LFIC-COR-3B	Brass	2"	1"	3C	•
	LFIC-COR-3S	Stainless	2"	1"	3C	•
	LFIC-M32-3A	Aluminum	2"	1"	3C	•
	LFIC-M32-3B	Brass	2"	1"	3C	•
	LFIC-M32-3S	Stainless	2"	1"	3C	•
	LFIC-SGT-3A	Aluminum	2"	1"	3C	•
	LFIC-SGT-3B	Brass	2"	1"	3C	•
	LFIC-SGT-3S	Stainless	2"	1"	3C	•
	LFIC-Y6-3A	Aluminum	2"	1"	3C	•
	LFIC-Y6-3B	Brass	2"	1"	3C	•
	LFIC-Y6-3S	Stainless	2"	1"	3C	•
	LFIC-Y7-3A	Aluminum	2"	1"	3C	•
	LFIC-Y7-3B	Brass	2"	1"	3C	•
	LFIC-Y7-3S	Stainless	2"	1"	3C	•
	KiK-3A	Aluminum	2"	1"	3C	•
	KiK-3B	Brass	2"	1"	3C	•
	KiK-3S	Stainless	2"	1"	3C	•
	FSIC-3A	Aluminum	2"	1"	3C	•
	FSIC-3B	Brass	2"	1"	3C	•
	FSIC-3S	Stainless	2"	1"	3C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

"10-Series" for Jobsite Boxes



Purpose Built Padlocks

PACLOCK's "10-Series" Jobsite Box Lock is the first padlock specifically designed to secure job boxes and tool chests. Its 2"x 1" design ensures a perfect fit in KNAACK®, RIDGID®, and other jobsite boxes, making it extremely hard to pry out. The shackle length is engineered for proper locking and unlocking of the job box. Precision-machined in the USA, the aluminum body is much more difficult to melt compared to diecast zinc used by other manufacturers. This padlock can be opened using the same key as all your other PACLOCKS. Additionally, its stainless-steel, dual-ball-bearing design provides smooth, continuous operation, eliminating the need for slamming or hammering.



**10-Series 2"x 1" Body
Size is a Perfect Fit**

Keying Convenience For Your Entire Jobsite

PACLOCK's UCS system revolutionizes job site security by allowing you to secure every point of entry with a single key. Whether it's the jobsite box lock, cam locks for tool chests, pucks for vans, or shipping container locks, PACLOCK offers a comprehensive range of padlocks that can all be keyed alike under UCS. This system simplifies management and boosts convenience, enabling you to control access across your entire job site with just one key. Concerned about security after a fired employee takes off with your key? With UCS, there's no need to replace all your padlocks—simply swap out the cylinders and order new keys to maintain control without disrupting your existing setup.



"10-Series"
for Jobsite Boxes

"PL810 Hasp/7-Series"
for Vans

"CL30-Series"
for Tool Chests

"82-Series"
for Container Doors

"6-Series"
for Mounted Chain

Don't carry around five different keys ~ JUST USE ONE!

All trademarks, service marks and company names are the property of their respective owners.

Additional Security Options for Jobsite Boxes

For jobsite boxes that can't support a 10-Series job site box lock due to wear or damage, PACLOCK offers the PL773 hasp as a secure alternative. Designed with "K" and "R" indicators for easy installation on KNAACK and RIDGID-style boxes, the PL773 works with any of PACLOCK's flat back pucks. While not necessary for boxes that can use the 10-Series lock, this hasp and puck combo provides added protection for older boxes. All these locks can be keyed alike under UCS, allowing you to secure your entire job site with a single key.

Buy two "10-Series" padlocks, get one jobsite box tamper-free!



The PL773 Hasp includes "K" and "R" stamped indications for simple installation depending on your jobsite box type (KNAACK® or RIDGID®).

A Hasp Designed for Boxes



The PL773 hasp fits various job site boxes like KNAACK and RIDGID. It installs with 3/8" carriage bolts, including a hidden bolt under the puck for extra security against intruders trying to grind off the visible bolts.

Pair the PL773 hasp with PACLOCK's "7-Series" hockey puck or "9-Series" cone puck, available in aluminum or stainless steel. You can also customize these pucks with your logo through PACLOCK's "Your Logo, Your Locks" program, adding a personalized touch to your security.



	Series	Body	Options (Pg. 150)	PAC-BAND
	UCS-10A	Aluminum	3D	•
	UCS-10S	Stainless Steel	3D	•
	SR-10A	Aluminum	3E	•
	SR-10S	Stainless Steel	3E	•
	SFIC-10A	Aluminum	3F	•
	SFIC-10S	Stainless Steel	3F	•
	LFIC-ASA-10A	Aluminum	3F	•
	LFIC-ASA-10S	Stainless Steel	3F	•
	LFIC-COR-10A	Aluminum	3F	•
	LFIC-COR-10S	Stainless Steel	3F	•
	LFIC-M32-10A	Aluminum	3F	•
	LFIC-M32-10S	Stainless Steel	3F	•
	LFIC-SGT-10A	Aluminum	3F	•
	LFIC-SGT-10S	Stainless Steel	3F	•
	LFIC-Y6-10A	Aluminum	3F	•
	LFIC-Y6-10S	Stainless Steel	3F	•
	LFIC-Y7-10A	Aluminum	3F	•
	LFIC-Y7-10S	Stainless Steel	3F	•
	KiK-10A	Aluminum	3F	•
	KiK-10S	Stainless Steel	3F	•
	FSIC-10A	Aluminum	3F	•
	FSIC-10S	Stainless Steel	3F	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

All trademarks, service marks and company names are the property of their respective owners.

7/16" Diameter Shackle




Ultra Heavy-Duty Security Shackle

When used to secure chain, PACLOCK's 7/16" shackled padlocks become the strongest link in the chain. Using a hidden-shackle design would eliminate the possibility of a bolt-cutter attack, but on applications where a hidden-shackle design doesn't work, the nearly 1/2" diameter shackle gets the job done and then some. PACLOCK's "600/4-Series" Series of padlocks are compatible with 11 cylinder types and are quite frankly overkill. For ultimate security, choose PACLOCK's UCS-4S padlock – a 304 stainless-steel body featuring the UCS™ cylinder that has 20,000 unique key combinations and stainless-steel pins.




Cylinder Protection - The PAC-BAND™

- Field replaceable silicone cover
- Keeps dirt, grime, and other damaging elements out of the cylinder
- Offered across virtually all PACLOCK product series
- Tapped holes keep cover in locked in place



Retiring an Outdated Design


PACLOCK's "600/4-Series" replaces the outdated "900-Series" 7/16" diameter shackle padlock design with a rectangular design instead of a round one. Why was the original design round? No one really knows. PACLOCK's new design allows for the PAC-BAND™ to be outfitted onto every 7/16" PACLOCK and adds more material to the already beefy padlock body.



900-Series



600-Series



Shackle Highlight



7/16" Diameter Hardened Stainless Steel Shackle

PACLOCK's 7/16" diameter hardened stainless steel shackle is the best in class by far. Introduced in 2019, PACLOCK manufactured a stainless-steel shackle, hardened it and then nickel-plated it to give customers the best of both worlds – exceedingly high cut resistance and high rust resistance.

	Series	Body	Width	Thickness	Options (Pg. 151)	PAC- BAND
	UCS-4A	Aluminum	2-1/4"	1"	4A	•
	UCS-4S	Stainless Steel	2-1/4"	1"	4A	•
	SR-4A	Aluminum	2-1/4"	1"	4B	•
	SFIC-4A	Aluminum	2-1/4"	1"	4C	•
	SFIC-4B	Brass	2-1/4"	1"	4C	•
	LFIC-ASA-4A	Aluminum	2-1/4"	1"	4C	•
	LFIC-ASA-4B	Brass	2-1/4"	1"	4C	•
	LFIC-ASA-4S	Stainless Steel	2-1/4"	1"	4C	•
	LFIC-COR-4A	Aluminum	2-1/4"	1"	4C	•
	LFIC-COR-4B	Brass	2-1/4"	1"	4C	•
	LFIC-COR-4S	Stainless Steel	2-1/4"	1"	4C	•
	LFIC-M32-4A	Aluminum	2-1/4"	1"	4C	•
	LFIC-M32-4B	Brass	2-1/4"	1"	4C	•
	LFIC-M32-4S	Stainless Steel	2-1/4"	1"	4C	•
	LFIC-SGT-4A	Aluminum	2-1/4"	1"	4C	•
	LFIC-SGT-4B	Brass	2-1/4"	1"	4C	•
	LFIC-SGT-4S	Stainless Steel	2-1/4"	1"	4C	•
	LFIC-Y6-4A	Aluminum	2-1/4"	1"	4C	•
	LFIC-Y6-4B	Brass	2-1/4"	1"	4C	•
	LFIC-Y6-4S	Stainless Steel	2-1/4"	1"	4C	•
	LFIC-Y7-4A	Aluminum	2-1/2"	1"	4C	•
	LFIC-Y7-4B	Brass	2-1/2"	1"	4C	•
	LFIC-Y7-4S	Stainless Steel	2-1/2"	1"	4C	•
	KiK-4A	Aluminum	2-1/4"	1"	4C	•
	KiK-4B	Brass	2-1/4"	1"	4C	•
	KiK-4S	Stainless Steel	2-1/4"	1"	4C	•
	FSIC-4A	Aluminum	2-1/4"	1"	4C	•
	FSIC-4B	Brass	2-1/4"	1"	4C	•
	FSIC-4S	Stainless Steel	2-1/4"	1"	4C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.



3/4" Cam Locks



"No other company has ever engineered 'real' 6-pin security into a 3/4" cam lock!"

A New Security Standard in Cam Locks


Introducing the groundbreaking "CL30-Series" Cam Locks from PACLOCK, the first company put 6-pins of awesomeness into a compact, 3/4" cam lock. This latest innovation fills a crucial market gap: providing customers with a ubiquitous lock design, used everywhere, with PACLOCK's "Every Lock, One Key" capability. With a solid brass body construction and nickel-plated finish, the "CL30-Series" offers unmatched strength and durability, free from die-casted parts. This is the real deal!



PAC-BAND™

The only cam lock that integrates a silicone cover into the lock itself.

The "CL30-Series" includes a first-of-its-kind PAC-BAND, which is designed with two teeth to seamlessly integrate with the lock. The field replaceable silicone cover keeps dirt, grime, and other elements out of the cylinder, multiplying the lifespan of the lock to help maintain effortless operation.



Office Desk Drawers

Imagine the Places You'll Lock Up


Everyone knows that OEM cam locks are of poor quality and lack keying capabilities. They are easy to defeat, or simply all share the same key number. And these cam locks are everywhere! From desk drawers to filing cabinets to RV storage and vending machines, better 3/4" cam locks have been desperately needed. PACLOCK has stepped up to that challenge and has hit a homerun! Using proprietary "hollow top pins" and a unique pin locking system, customers can upgrade to a UCS cam lock and reap the benefits of 6-pin security and every lock on one key!



RV Storage Compartments




Vending Machines



Cabinets




Machine Panels




"Lazy Cam" Design

The "CL30-Series" cam locks feature "lazy cam" technology allowing the cam to remain stationary while the core of the lock rotates. This full 360-degree of rotation allows for "non-key retaining" capabilities in this high security cam lock. Whether the cam lock is in the locked or unlocked position, the keys can be removed. Out RV camping? With the CL30 you can unlock your storage bin, remove the keys, and close the bin cover!



**360-degree rotation
to lock & unlock**

**Keys can be removed
from the locked or
unlocked position!**



Keyed-Alike and Master Keying Available

The "CL30-Series" can be keyed-alike and integrated into your existing PACLOCK UCS or Standard Rekeyable systems. Master and grand master keying options are available as well. Talk with your local security professional or PACLOCK directly to help determine the most effective keying strategy for your application.

Included with the "CL30" Cam Lock Series


Variety of Cams

A variety of cams are included that support a range of applications. If you have a specific application that doesn't fit one of the included cams, please call PACLOCK so we can better understand your application and work to develop a solution.



Mounting Bezel


A bezel is included to elevate the lock from the application when needed, providing installation flexibility.



Cover Plate



Use the mounting plate anytime where the anti-spin disc will not embed into a hard surface. Includes a single screw hole to mount the plate.



Trailer Door Lock



U.S. Patent 10,745,936



The BEST Lock for Trailer Doors

- Form-fitting design for swing-door trailer handles
- Open all your trailer locks with the same key
- Bolt cutter proof, hidden-shackle technology
- Unique PAC-TETHER™ keeps the lock attached via cable to your trailer

No Shackle to Cut!

PACLOCK's patented, hidden-shackle design makes the "81-Series" the best padlock design for your swing-door truck trailers, reefer trailers, toy haulers, car trailers, horse trailers, and equipment trailers. After years of testing, PACLOCK introduced the trailer door padlock – a high security solution for trailer doors – that fits consistently, unlike hockey-puck-style designs.

The form-fitting 6061 aircraft-grade aluminum body leaves no shackle to cut and renders the "81-Series" impervious to bolt cutters and hacksaws. Beyond increased security, the "81-Series" of padlocks feature the PAC-TETHER™ – a cable that can be crimped to keep the lock fastened to your trailer door so you'll never leave it behind.



	Series	Body	Options (Pg. 152)	PAC BAND
	UCS-81A	Aluminum	5A	•
	SR-81A	Aluminum	5B	•
	SFIC-81A	Aluminum	5C	•
	LFIC-ASA-81A	Aluminum	5C	•
	LFIC-COR-81A	Aluminum	5C	•
	LFIC-M32-81A	Aluminum	5C	•
	LFIC-SGT-81A	Aluminum	5C	•
	LFIC-Y6-81A	Aluminum	5C	•
	LFIC-Y7-81A	Aluminum	5C	•
	KiK-81A	Aluminum	5C	•
	FSIC-81A	Aluminum	5C	•
See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.				

Engineered to Fit Better Than Hockey Pucks

Engineered to fit 95% of trailer doors, PACLOCK's "81-Series" Trailer Door Lock takes the guesswork and hassle out of securing your cargo. Unlike traditional hockey-puck style locks that fit only about 40% of trailer doors, the "81-Series" offers an ideal fit and superior security, making it a favorite among customers for over five years. PACLOCK collaborates closely with trailer manufacturers to ensure the "81-Series" meets the latest industry standards and tolerances. Choose the "81-Series" Trailer Door Lock and go shackleless – the purpose built solution for securing your trailer doors.

"81-Series"

Wicked engineering and CNC machining for a form fitting design.



Standard "Pucks"

30-year old "generic" design that often does not fit trailers.



Your Trailer & RV Security System on ONE KEY!

PACLOCK's "UCS" one-key system revolutionizes trailer and RV security by providing the ultimate in convenience and peace of mind. With UCS, you can key different styles of padlocks to a single key, eliminating the need to travel with a bulky keychain. Whether you're on the move or securing your trailer or RV at a campsite, PACLOCK offers a comprehensive range of application-specific products to meet your needs. Our 81-series trailer door lock has quickly become a customer favorite, praised for its robust design and reliability. Building on this success, PACLOCK has recently introduced cam locks and a trailer coupler lock, which are set to become must-haves in the trailer and RV community.



"81-Series"
for Trailer Doors

"88-Series"
for Coupler Latches

"CL30-Series"
for Cam Locks

"80-Series"
for Tow Hitches

"77-Series"
for Trailer Couplers

Don't Have the Same Key as Your Trailer Neighbor

Almost every motorhome, camper, or RV comes with the same storage compartment keys. When it comes time for maintenance, some RV shops won't ask for your keys because they have sets readily available.

Heavy-Duty Trailer Coupler Lock



U.S. Patent D930,458 S

U.S. Patent-Pending



Patented & Patent-Pending Design

The "77-Series" introduces advanced trailer security for a variety of trailer couplers, featuring PACLOCK's robust, patented stainless steel cone puck that resists frontal drilling attacks. The innovative 2-piece construction simplifies installation and enhances security by securing chains, unlike the more complex 3-piece systems of competitors. This series boasts a heavy-duty steel outer shield, double-protected with zinc plating and powder coating for exceptional durability against elements and tampering. With PACLOCK's Universal Cylinder System™ (UCS™), users can key alike various camping and RV locks, such as trailer door locks, shrouded coupler locks, RV storage locks, and cam locks, streamlining access and improving efficiency with a single key.



Unique 2-Piece Design!



The Newest Addition to Your UCS Trailer System!

Key alike the "77-Series" lock with one of PACLOCK's shrouded coupler locks, trailer door locks, and more!



Effortless Installation Due to Cutting-Edge Innovation



Integrated Stainless Cone Puck

Protected from Frontal Drilling Attacks

Features PACLOCK's patented stainless steel cone puck to withstand frontal drilling attacks. The cone puck is integrated into the outer shield for easy application.



Double-Protected Steel Shield

Zinc Plated and Powder Coated

This robust construction ensures resistance against the elements, corrosion, and tampering attempts, providing longevity to your investment.



Chain Compatible

Additional Security Against Trailer Theft

The "77-Series" hasps allow chains to be securely fastened to help prevent trailer theft; however, larger chain hooks may not fit depending on the coupler model.


Enhancing Product Excellence: The Trailer Hitch Lock Design



In the 1960s, engineer R. G. "Griff" Chamberlain revolutionized the towing industry by developing the original trailer hitch lock, providing a new level of security and peace of mind for trailer owners. In 1999, Gary J. Bonvillain and Herbert P. Stanley conceived of a unique and innovative device used for securing trailer hitch locks, patented as #6,244,614. This advanced invention built on the principles established by Chamberlain, incorporating improved mechanisms and user-friendly features that addressed contemporary security challenges. GusHill Industries further influenced the market by continually refining and enhancing trailer hitch lock designs.

GusHill's contributions helped establish higher standards for quality and reliability, ensuring that trailer hitch locks remained effective and user-friendly.

Building on this legacy of innovation, PACLOCK introduces a new trailer coupler lock that integrates seamlessly with the latest security features. By securing the lock into the shield, PACLOCK has streamlined the traditional three-piece design into a more efficient two-piece model. Additionally, customers can key this product alike with all their other trailer locks, enhancing PACLOCK's renowned cutting-edge security and underscoring the commitment to innovative, cohesive solutions while honoring foundational industry designs.



"77-Series" Trailer Coupler Locks

Standard Trailer Couplers

Standard 2" and 2-5/16" coupler styles include straight-tongue, adjustable, channel tongue, A-frame, and more couplers with the trigger latch.

"77S-2178"

For Standard 2" Trailer Couplers

"77S-2516"

For Standard 2-5/16" Trailer Couplers

Compatible with UCS, Standard Rekeyable, KiK, SFIC, LFIC, FSIC



Standard 2" Couplers



Standard 2-5/16" Couplers



These are only a few examples of compatible trailer couplers. Be sure to double check your coupler size.

All trademarks, service marks and company names are the property of their respective owners.

Additional "77-Series" Trailer Coupler Locks

Bulldog Trailer Couplers

Bulldog® 2" and 2-5/16" coupler styles may include straight-tongue, adjustable, A-frame, and more. The Bulldog® coupler must look like one of the styles to the right to be compatible with this lock.


"77S-BUL-2178"

For 2" Bulldog Trailer Couplers

"77S-BUL-2516"

For 2-5/16" Bulldog Trailer Couplers

Bulldog® Trailer Couplers



Check to make sure you select the right size fit.

Images provided by BULLDOG®.

Underslung Trailer Couplers

An underslung trailer coupler mounts underneath the trailer tongue with different styles including straight tongue, A-frame, and adjustable, each designed to accommodate various trailer and towing setups.

"77S-UND-2178"

For 2" Underslung Trailer Couplers

"77S-UND-2516"

For 2-5/16" Underslung Trailer Couplers

Underslung Trailer Couplers



Example shown is a 2516 Jayco coupler.

Airstream Trailer Couplers

A 2-5/16" Airstream trailer coupler is a heavy-duty hitch component designed to connect Airstream trailers to a towing vehicle. The coupler is known for its strength and stability in towing larger and heavier trailers.

"77S-AIR-2516"

For 2-5/16" Airstream Trailer Couplers

Airstream Trailer Couplers



Not sure which lock is compatible with your trailer coupler? Reach out to sales@paclock.com for more information.

All trademarks, service marks and company names are the property of their respective owners.

Atwood Trailer Couplers

An Atwood trailer coupler is a specific type of trailer hitch component designed by Atwood. Couplers come in various styles, straight tongue couplers, A-frame couplers, and gooseneck couplers, each designed to suit different types of trailers and towing requirements.

"77S-ATW-2178"

For 2" Atwood Trailer Couplers

"77S-ATW-2516"

For 2-5/16" Atwood Trailer Couplers

Demco Trailer Couplers

Demco trailer couplers come in a variety of styles, including A-frame couplers, straight tongue couplers, eZ-Latch couplers, gooseneck couplers, and adjustable couplers, catering to different trailer configurations and towing needs.

"77S-DEM-2178"

For 2" Demco Trailer Couplers

"77S-DEM-2516"

For 2-5/16" Demco Trailer Couplers

UFP Trailer Couplers

UFP (Unique Functional Products) trailer couplers come in several styles, including A-frame couplers, straight tongue couplers, gooseneck couplers, and surge brake couplers, each designed to meet specific towing and braking requirements for various trailer types.

"77S-UFP-2178"

For 2" UFP Trailer Couplers

"77S-UFP-2516"

For 2-5/16" UFP Trailer Couplers

Atwood Trailer Couplers



Check to make sure you select the right size fit.

Images provided by eTrailer.com®.

Demco Trailer Couplers



Check to make sure you select the right size fit.

UFP Trailer Couplers



Example shown is a 2516 Dexter coupler.

These are only a few examples of compatible trailer couplers. Be sure to double check your coupler size.

All trademarks, service marks and company names are the property of their respective owners.

Shrouded Coupler Lock



"U-Shaped design virtually eliminates bolt cutter attacks!"

High Security Coupler Latch Padlock

- Fits 0.90" wide trailer latches on utility trailers, RV's, flatbed trailers, and more
- "U-shaped" design prevents bolt cutter attacks
- Thin-shackle design specifically engineered to fit trailer couplers
- The only coupler lock on the market with the ability to key other trailer locks into it and order more locks keyed to the same key
- 2 anti-saw, stainless-steel pins are machine pressed into the padlock in order to stop sawing and grinding attacks



Innovative Hidden Shackle Design

PACLOCK's shrouded coupler lock, the "88-Series," has every feature you could ask for in a padlock. The unique "U-shaped", hidden-shackle design essentially makes the "88-Series" bolt-cutter proof by minimizing the amount of exposed shackle. In addition, two stainless-steel pins are machined-pressed into the 6061 aircraft-grade aluminum body to deter any type of sawing or grinding attack.

Not only can the "88-Series" accept the same key as other PACLOCKS, but it also has a few quality-of-life features to increase the lifespan of the lock and make day-to-day use easy. The PAC-BAND™ weather cover – the light blue cover shown below – protects the cylinder from dirt, rain, and debris and the PAC-TETHER™ gives you the ability to securely fasten the lock to your coupler so you'll never leave it behind.



Available in stainless steel!

The shrouded design and 2 stainless-steel Anti-Saw pins protect the lock from grinding attacks.

PAC-TETHER™
Securely fasten the lock to the coupler, and never lose it when its unlocked



Cylinder Options

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-88A	Aluminum	5A	•
	UCS-88S	Stainless Steel	5A	•
	SR-88A	Aluminum	5B	•
	SR-88S	Stainless Steel	5B	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.


Universal Coupler Lock



"High-performance lock fits essentially every coupler size out there!"

Adjustable and Extremely Versatile

From the success of the "88-Series", the shrouded coupler lock, PACLOCK found a few ways to broaden universality with the "79-Series". PACLOCK's universal coupler lock is built to secure boat trailers, kayak trailers, moving trailers, and more. The "79-Series" uses a stainless-steel pin that locks coupler latches up to 3" wide. Another adjustment made was with the distance between the base of the coupler and the lock body. With the pin diameter being 1/4" it has more clearance to be closer to the coupler base. With the unique locking grooves and adjustability, the "79-Series" becomes the best option to secure what's important.



Additional Uses

- Ice chests
- Cargo cases
- Flag poles
- Horse trailers
- Teardrop trailers
- Bike racks
- Camping trailers
- Storage trailers

PAC-BAND™
removable cover,
protects lock
from debris!

**Machined from
stainless steel
with locking
grooves to adjust
between 1"-3"**

Features

- Variety of pin sizes available depending on your application needs
- Aluminum body makes this lock resistant to rust and corrosion
- PAC-BAND™ removable cover for cylinder protection

Cylinder Options

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-79A	Aluminum	5A	•
	UCS-79S	Stainless Steel	5A	•
	SR-79A	Aluminum	5B	•
	SR-79S	Stainless Steel	5B	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Available Pins for the 79-Series


What Size is Your Application?

Going a step further in security, PACLOCK has chosen to use stainless steel, which is tougher than typical industry-standard materials, like hardened steel, to machine its locking pins. This enhancement provides extra security against sawing attacks, ensuring that the lock remains robust under extreme conditions. Additionally, the "79-Series" is constructed with all stainless steel, brass, and aluminum components, rendering it weatherproof and capable of withstanding the elements. This combination of materials not only enhances durability but also ensures long-lasting protection for your valuable trailers, making the "79-Series" an unparalleled choice in trailer security.

0.275" Diameter Pins

79 "Standard" Pin


- Six lockable positions from 1/2" to 2.9"



"UCS-79S" coupler lock with the
"UCS-77S-BUL-2178" trailer coupler lock.


79-DEM328 Pin for Demco® Couplers

- Two lockable positions at 2.9" to 3.4"



79-286ST Pin


- For thinwall, 1/4" applications



0.313" Diameter Pins for 1Up® Bike Racks


79-338 Pin for 1Up®

- 1UP® Super and Heavy Duty bike racks
- Three lockable positions from 2.6" to 3.5"
- 2" receivers




79-383 Pin 1Up® Wheel Lock

- 1UP® Wheel Lock Replacement




79-196 Pin for 1Up®

- Fits 1UP® Add-On
- 1/2" - 13 Thread to Replace Security Bolt




79-512 1Up® Wheel Lock (EQ)

- 1UP® Equip'd (EQ) Wheel Lock Replacement




79-553 1Up® Wheel Lock (Long)

- 1UP® Quik Rack, Equip'D, Heavy Duty, Super Duty (Pre 4/24) with Fat Tire Spacer Kits, or Super Duty (Post 4/24)



79-266 for UFP Couplers

- Fits UFP-style couplers for boats and trailers




1/2" Diameter Pins for Thule® Racks

79-TH-1 Pin

- For 2.5" receivers


M12 - 1.75 Thread



79-TH-2 Pin

- For 2.5" receivers


1/2" - 13 Thread



79-TH-3 Pin

- For 1.5" receivers

1/2" - 13 Thread



All trademarks, service marks and company names are the property of their respective owners.

High-Performance Locking Hitch Pin



"Toughest, most rust-resistant, locking hitch pin in the world!"

"80-Series" Features

- Stainless-steel pin and stainless body make this combination more resilient than anything else
- Use one lock body with any of the interchangeable stainless-steel pins
- 6061 aircraft-grade aluminum lock body available at a lower price and works with all stainless-steel locking pins
- PAC-BAND™ and cotter pin included for peace-of-mind security
- Tie the keying of our "80-Series" locks into any other PACLOCKS



"80-250" Series

Fits 2-1/2" Receivers


- 5/8" diameter pin designed for 2-1/2" receivers
- Fits Toyota® Tundra, Ford® F-150/250, GMC®/Chevy® 2500/3500, Dodge® trucks, and many other vehicles with hitch receivers




"80-400" Series

Fits 4" Receivers

- 5/8" diameter pin designed for 4" hitch receivers
- The extended length works for drop-down hitches
- Secure chain with the pin when not towing





"80-YK-1" Series

For Threaded Bike Racks


- 1/2" diameter pin works with Yakima® bike racks
- Compatible Yakima® models: FourTimer, FullSwing, OnRamp, HoldUp, LongHaul, BackSwing, DoubleDown 4, and RoadTrip
- Easily secures E-Bikes, mountain bikes, threaded bike racks, and the Yakima® bike rack itself!



"80-125" Series

Fits 1-1/4" Receivers

- 1/2" diameter pin designed for 1-1/4" hitch receivers
- Excellent for locking up smaller trailers, bikes, coolers, and more!
- Works with cars, crossovers, and vans that have a 1-1/4" trailer hitch receiver



Why the Cotter Pin?

Added insurance! Many customers shared horror stories of other locks simply "falling off" while towing. Although that will never happen with PACLOCK, "80-Series" purchases do include a cotter pin for customers' peace of mind. This also supports the benefit of not needing to lock up when moving the trailer around the yard.



Cylinder Options

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-80A	Aluminum	5A	•
	UCS-80S	Stainless Steel	5A	•
See the next page for additional pin sizes.				
	SR-80A	Aluminum	5B	•
	SR-80S	Stainless Steel	5B	•
See the next page for additional pin sizes.				
See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.				

All trademarks, service marks and company names are the property of their respective owners.


Available Pin Sizes for the 80-Series

What Size is Your Receiver?


PACLOCK's "80-Series" stands out for its flexibility and versatility, thanks to its range of different pin sizes. Currently available in 1/2", 5/8", 3/4", and Yakima® threaded bike rack pins, this system caters to various receiver sizes and applications. The interchangeable design of the "80-Series" body with all pin sizes showcases PACLOCK's expertise in addressing diverse security challenges and meeting customer needs effectively. This adaptability ensures that customers can find the perfect fit for their specific hitch locking requirements, enhancing overall security and convenience.

The Most Flexible System for Fitting Various Receiver Types!


1/2" Diameter Pins




125-Series




130-Series



135-Series




350-Series




450-Series

All trademarks, service marks and company names are the property of their respective owners.


Yakima® Threaded Bike Rack Pins




YK1-Series




YK2-Series




YK3-Series




YK4-Series



YK5-Series



YK6-Series



YK7-Series

The Yakima® Series

PACLOCK offers a range of threaded pins for Yakima® bike racks, each designed for specific rack models and applications—simply check the required pin length and thread size to ensure you choose the correct "YK-Series" pin for your setup.




Available Pin Sizes for the 80-Series (Cont.)

What If I Don't See the Pin I Need?


If you don't see the pin size or style you need in the "80-Series," start by measuring your receiver and checking whether one of PACLOCK's existing options—standard, oversized, threaded, or specialty-diameter pins—matches your setup.

If nothing fits after comparing your measurements, take clear photos or a short video of your application and email them, along with your measurements, to Sales@PACLOCK.com. Our team will review the details and advise on the best path forward if there's no compatible pin already available.


5/8" Diameter Pins




202-Series




200-Series




225-Series



250-Series




300-Series




400-Series


5/8" Diameter Pins (Cont.)



455-Series




500-Series




600-Series

3/4" Diameter Pins




325-Series



475-Series

7/8" Diameter Pins



478-Series

B&W® Continuum Hitch Lock

PACLOCK's "478-Series" pin is engineered specifically for B&W® hitches that require a 7/8" diameter pin, delivering a precise fit and upgraded security for Continuum-style setups—contact PACLOCK for additional sizes or fitment questions.

Container Doors



The Best Lock for Container Doors

- Patented, form-fitting, 6061 aircraft-grade aluminum body built to secure containers
- Built with rust-resistant components to withstand harsh weather conditions
- One-piece locking system – no extra hasp or mounting required
- Keep your lock secured to your container with the PAC-TETHER™
- Key into all of your PACLOCKS – Every Lock, One Key™



U.S. Patent 10,745,936

No Shackle to Cut!

A hidden-shackle padlock eliminates the possibility of a bolt-cutter attack and keeps your cargo secured. For decades, the industry norm for "high security" has been thick-shackled, shrouded padlocks. Our engineering team put years into developing hidden-shackled padlocks for trailer doors and couplers, containers, roll-up doors, and other applications where shackled padlocks have always been the standard in physical security.

The hidden-shackle design of the "82-Series" makes it far easier to install and remove than other bolt-on solutions. Never worry about sticking your hand up into a web of spiders again because your container has a box with a padlock tucked away. To make the "82-Series" even easier to use, the included PAC-TETHER™ cable allows you to fasten your lock directly onto your container door, so you'll never lose it.



Designed to Fit Standard Door Handles

The "82-Series" is engineered to fit standard-style container door handles. Container doors with an Easy Open door handle will need a "81-Series" padlock.

	Series	Body	Options (Pg. 152)	PAC BAND
	UCS-82A	Aluminum	5A	•
	SR-82A	Aluminum	5B	•
	SFIC-82A	Aluminum	5C	•
	LFIC-ASA-82A	Aluminum	5C	•
	LFIC-COR-82A	Aluminum	5C	•
	LFIC-M32-82A	Aluminum	5C	•
	LFIC-SGT-82A	Aluminum	5C	•
	LFIC-Y6-82A	Aluminum	5C	•
	LFIC-Y7-82A	Aluminum	5C	•
	KiK-82A	Aluminum	5C	•
	FSIC-82A	Aluminum	5C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Utility 3000R® Trailer Lock



The Pinnacle of Transportation Security

The "89-Series" is specifically designed and manufactured for Utility 3000R® refrigerated trailer door handles and prevents any type of bolt-cutter attack. Whether you're hauling cargo through a port or running meat on a delivery route, the "89-Series" trailer lock keeps your load sealed and secure – satisfying two requirements with just one padlock. Additionally, the lock's recessed keyway design makes it more resistant to picking attacks than other padlocks.

As with all aluminum PACLOCKS, the "89-Series" of locks can be anodized with a choice of 10 colors. It can be laser engraved with your logo or other information, and they can even come with your logo hard stamped. Keying options vary from keying all of your PACLOCKS together to building a complex grand-master-keying system across your PACLOCK line of padlocks.



U.S. Patent 10,745,936

Key Features

- Form-fitting design for the Utility 3000R® trailer door handles
- Additional hole allows for a seal to be used
- Lock can't be opened without breaking the seal
- With only one moving part, the lock continues operating smooth – even in harsh climates



The seal feature takes security one step further as it combines the security features of a padlock with the tamper resistance of a seal.

	Series	Body	Options (Pg. 152)	PAC BAND
	UCS-89A	Aluminum	5A	•
	SR-89A	Aluminum	5B	•
	SFIC-89A	Aluminum	5C	•
	LFIC-ASA-89A	Aluminum	5C	•
	LFIC-COR-89A	Aluminum	5C	•
	LFIC-M32-89A	Aluminum	5C	•
	LFIC-SGT-89A	Aluminum	5C	•
	LFIC-Y6-89A	Aluminum	5C	•
	LFIC-Y7-89A	Aluminum	5C	•
	KiK-89A	Aluminum	5C	•
	FSIC-89A	Aluminum	5C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

All trademarks, service marks and company names are the property of their respective owners.

Roll-Up Door Padlock



U.S. Patent 10,745,936

Protect Your Hook

- The only padlock specifically engineered for Todco® and Whiting® roll-up truck doors
- Same padlock works with both handle types – just install a different hasp
- High-security, bolt-cutter proof, hockey-puck-style design
- Includes mounting hardware to easily install the hasp
- One-handed design makes it easy to lock and unlock




There's NO Shackle to Cut!

PACLOCK's "84-Series" is the only high-security solution that protects and defends the most critical point of your roll-up truck door's latching system – the hook. If the hook cannot be moved, then the door cannot be opened. In the past, Todco® and Whiting® handles have been locked with shackled padlocks that only protect the handle. Within seconds, a grinder could cut through the pot-metal handle and completely bypass the regular shackled padlock. The solid-body design of the "84-Series" directly blocks the hook from moving and – since it doesn't use the typical locking area – it also allows for a seal to be utilized.

Built for Todco® & Whiting®



"84A-TDC" for Todco® Handles



"84A-WTG" for Whiting® Handles

3 Easy Steps to Install

With the handle in the closed position, slide the hasp under the handle, then mark and drill the bolt hole. Install the carriage bolt. Continue by opening the handle, marking, and drilling the second hole. Install the flathead bolt. With the hasp installed, close the handle and install the lock onto the hasp.

All trademarks, service marks and company names are the property of their respective owners.

	Series	Body	Options (Pg. 152)
	UCS-84A-TDC UCS-84A-WTG	Aluminum	5A
	SR-84A-TDC SR-84A-WTG	Aluminum	5B
	SFIC-84A-TDC SFIC-84A-WTG	Aluminum	5C
	LFIC-ASA-84A-TDC LFIC-ASA-84A-WTG	Aluminum	5C
	LFIC-COR-84A-TDC LFIC-COR-84A-WTG	Aluminum	5C
	LFIC-M32-84A-TDC LFIC-M32-84A-WTG	Aluminum	5C
	LFIC-SGT-84A-TDC LFIC-SGT-84A-WTG	Aluminum	5C
	LFIC-Y6-84A-TDC LFIC-Y6-84A-WTG	Aluminum	5C
	LFIC-Y7-84A-TDC LFIC-Y7-84A-WTG	Aluminum	5C
	KiK-84A-TDC KiK-84A-WTG	Aluminum	5C
	FSIC-84A-TDC FSIC-84A-WTG	Aluminum	5C
See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.			

Sealed Trailer Door Lock




U.S. Patent 10,745,936



High Security Cargo Lock

- Designed for swing trailer door handles
- Don't choose between a padlock or a seal – get both.
- Bolt-cutter proof, hidden-shackle technology
- Unique PAC-TETHER™ keeps the lock attached via cable to your trailer



There's A Seal Too!™

When delivering cargo through shipping ports, grocery stores, or anywhere where a seal is required, the seal variant of the "81-Series" trailer door lock provides the best of both worlds – high security along with room for a seal. The "81-SEAL-Series" cylinder cannot be opened without removing the seal. The design of the "81-SEAL-Series" shows off the huge advantage PACLOCK has from manufacturing the padlock bodies in the USA: being able to quickly alter an existing product to meet specific requests from customers.



Keep your lock affixed to your trailer door with the PAC-TETHER™

Form-fitting 6061 aircraft-grade aluminum body

Install a seal to comply with regulations.

Choose to key your locks differently or alike. Restricted keyways are also available.

	Series	Body	Options (Pg. 152)	PAC BAND
	UCS-81A-Seal	Aluminum	5A	•
	SR-81A-Seal	Aluminum	5B	•
	SFIC-81A-Seal	Aluminum	5C	•
	LFIC-ASA-81A-Seal	Aluminum	5C	•
	LFIC-COR-81A-Seal	Aluminum	5C	•
	LFIC-M32-81A-Seal	Aluminum	5C	•
	LFIC-SGT-81A-Seal	Aluminum	5C	•
	LFIC-Y6-81A-Seal	Aluminum	5C	•
	LFIC-Y7-81A-Seal	Aluminum	5C	•
	KiK-81A-Seal	Aluminum	5C	•
	FSIC-81A-Seal	Aluminum	5C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Shutter Locks



Upgrade Your Chain Security

PACLOCK's "17-Series" doesn't deviate from the PACLOCK way of challenging the existing, low security padlock designs like shackled padlocks. Designed with feedback from two of the most well-known names in lockpicking, the "17-Series" of locks provide considerably more security than a regular shackled padlock thanks to their hidden-shackle design. Chains, sheds, and even various trailer hitch locks can be secured using one of 3 "Block Lock" sizes. When locked, the U-shaped design protects the shackle from being cut – one of the most common ways padlocks is defeated.



The ideal fit for underbody storage boxes!

Solid 6061 aircraft-grade aluminum body

PAC-BAND™ silicone weather seal



Stainless-steel security pin machine-pressed into the body to stop sawing

PAC-TETHER™ cable included to secure lock to application

3 Lock Sizes for Various Applications



Storage containers, motorcycles, gates, and sheds are just a few of the possible places where Block Locks can be used to upgrade your security game. With three sizes available, it's easy to choose the perfect lock to fit your specific application. The "17-600-Series" fits snug on motorcycle wheels, the "17-850-Series" works best on containers, and the "17-1100-Series" is the perfect lock to use on the back of U-Haul® truck or trailer handles!






	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-17A-600	Aluminum	5A	•
	UCS-17A-850	Aluminum	5A	•
	UCS-17A-1100	Aluminum	5A	•
	SR-17A-600	Aluminum	5B	•
	SR-17A-850	Aluminum	5B	•
	SR-17A-1100	Aluminum	5B	•
	SFIC-17A-600	Aluminum	5C	•
	SFIC-17A-850	Aluminum	5C	•
	SFIC-17A-1100	Aluminum	5C	•
	LFIC-ASA-17A-600	Aluminum	5C	•
	LFIC-ASA-17A-850	Aluminum	5C	•
	LFIC-ASA-17A-1100	Aluminum	5C	•
	LFIC-COR-17A-600	Aluminum	5C	•
	LFIC-COR-17A-850	Aluminum	5C	•
	LFIC-COR-17A-1100	Aluminum	5C	•
	LFIC-M32-17A-600	Aluminum	5C	•
	LFIC-M32-17A-850	Aluminum	5C	•
	LFIC-M32-17A-1100	Aluminum	5C	•
	LFIC-SGT-17A-600	Aluminum	5C	•
	LFIC-SGT-17A-850	Aluminum	5C	•
	LFIC-SGT-17A-1100	Aluminum	5C	•
	LFIC-Y6-17A-600	Aluminum	5C	•
	LFIC-Y6-17A-850	Aluminum	5C	•
	LFIC-Y6-17A-1100	Aluminum	5C	•
	LFIC-Y7-17A-600	Aluminum	5C	•
	LFIC-Y7-17A-850	Aluminum	5C	•
	LFIC-Y7-17A-1100	Aluminum	5C	•
	KiK-17A-600	Aluminum	5C	•
	KiK-17A-850	Aluminum	5C	•
	KiK-17A-1100	Aluminum	5C	•
	FSIC-17A-600	Aluminum	5C	•
	FSIC-17A-850	Aluminum	5C	•
	FSIC-17A-1100	Aluminum	5C	•

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.



Dimensions

3/8" Diam. Shackle



Chain Security



Upgraded Chain Security Solutions

PACLOCK offers two upgraded chain-security systems—the "5-Series" PAC-LINK™ and the "6-Series" Puck-Link™—both engineered to defeat the common weaknesses found in cable locks and traditional chain-and-padlock setups. Cable locks can be snipped with basic cutters, and even high-strength chains become vulnerable when a padlock's exposed shackle can be attacked.

Together, they provide secure solutions for ladders, motorcycles, bikes, generators, tools, gates, vans, trailers, and more—allowing you to choose the system that best fits your application and environment.



Patented PUCK-LINK™ "6-Series"



"5-Series" PAC-LINK


Stainless Steel 1/2" Chain Locking System

- Ideal when you need a fully stainless-steel, corrosion-resistant chain-lock solution that delivers high, reliable performance—especially for permanent installations or harsh environments.
- The PAC-LINK is made from all brass, aluminum and stainless-steel components rendering it rustproof – the 304 stainless steel puck leaves no shackle to cut
- The housing is made from investment-cast 17-4 PH stainless steel, delivering exceptional strength, impact resistance, and corrosion performance for long-lasting security.
- Chain can be easily removed and swapped – buy any length of USA-Made 1/2" hardened steel square chain



PAC-LINK "5-Series"

***Insert the two chain links
then place the "5-Series"
puck to secure!***



To mount the PAC-LINK, you'll need two 3/8" screws and one 5/16" screw for securing the puck to the housing.

Mounting hardware is not included.



U.S. Patent 10,047,547

"6-Series" PUCK-LINK™

Patented "Pop-Up" 3/8" Chain Security

- Ideal for ladder racks, gates, motorcycles, bikes, generators - wherever chain security is needed
- Easy one-handed, pop-top operation with powder coated mounting plate
- Buy with any length of USA Made 5/16" hardened steel square chain
- The 6061 aircraft-grade aluminum solid body's shackle-less design leaves no shackle to cut
- Puck-Link™ made from all brass, aluminum and stainless-steel components rendering it rustproof
- Tested to over 3,600 lbs. of pull resistance
- Chain can be easily removed and swapped - the lock accepts 5/16" chain of any length

Easy-to-Unlock

- 1 Turn key 1/4 turn clockwise. Top half of padlock will "pop" up.
- 2 Remove the chain from the right lock post and loop through desired application.
- 3 Re-install chain link into the lock post. (Install any link in the chain for a snug fit)
- 4 Turn key 1/4 turn counter-clockwise and remove.
- 5 Press down on the top of the padlock until it locks and does not "pop" back up.

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-5S	Stainless Steel	5A	
	UCS-6A	Aluminum	5A	
	SR-5S	Stainless Steel	5B	•
	SR-6A	Aluminum	5B	•
	SFIC-5S	Stainless Steel	5C	
	SFIC-6A	Aluminum	5C	
	LFIC-ASA-5S	Stainless Steel	5C	
	LFIC-ASA-6A	Aluminum	5C	
	LFIC-COR-5S	Stainless Steel	5C	
	LFIC-COR-6A	Aluminum	5C	
	LFIC-M32-5S	Stainless Steel	5C	
	LFIC-M32-6A	Aluminum	5C	
	LFIC-SGT-5S	Stainless Steel	5C	
	LFIC-SGT-6A	Aluminum	5C	
	LFIC-Y6-5S	Stainless Steel	5C	
	LFIC-Y6-6A	Aluminum	5C	
	LFIC-Y7-5S	Stainless Steel	5C	
	LFIC-Y7-6A	Aluminum	5C	
	KiK-5S	Stainless Steel	5C	
	KiK-6A	Aluminum	5C	
	FSIC-5S	Stainless Steel	5C	
	FSIC-6A	Aluminum	5C	

See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Buy USA-Made, High Security Chain



8mm
(5/16")

10mm
(3/8")

13mm
(1/2")


To complement high-security padlocks, PACLOCK sells high-security, Made in the USA, square chain. Available in 8, 10, and 13mm sizes and any length by the foot. Hardened, high-security chain can be customized to fit your exact application. Chain sleeve not included.

Besides the "5" and "6-Series" chain solutions, PACLOCK's security chain works great when used with the "17-Series" of padlocks by hiding the shackle from bolt cutters and making the chain the weakest link.

Cone-Shaped Hockey Pucks




U.S. Patents 8,776,557
8,978,426 & D930,458 S



Impervious to Frontal Drill Attacks

The patented "9-Series" of hidden-shackle padlocks from PACLOCK are one of a kind. Instead of having a flat front, the "9-Series" has a cone-shaped front that makes it nearly impervious to drill attacks. The cone shape was designed in response to a customer's request to stop thieves from drilling into the front of a hockey puck while the puck is recessed in a deep tunnel. PACLOCK designed and produced the cone shape, which has completely stopped that sort of a drilling attack. Invest in PACLOCK's 304-grade stainless steel for the toughest, most corrosion-resistant solution out there. While others charge a premium for lower-grade stainless, we deliver real security backed by better materials.



The PAC-SLEEVE™

With PACLOCK's patented PAC-SLEEVE™ technology, PACLOCK has the ability to put any cylinder into a hockey-puck style padlock. The PAC-SLEEVE™ brings high-security or commercial cylinders and hidden-shackle designs together, letting you use hidden-shackled padlocks and keep the same cylinders you've always used. If you ever change cylinder types, PACLOCK sleeves can easily be swapped out instead of switching out the lock body – saving you the cost of a new lock.

Never Lose Your Lock Again

Every time you unlock and remove your hockey puck from its hasp, there's a chance you'll scratch your hasp, drop the lock, or even forget to put it back on. PACLOCK hockey puck and hasp kits come with Puck-to-Hasp Mounting™ capabilities – meaning you'll never need to remove your hockey puck.



	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-9A	Aluminum	5A	
	UCS-9S	Stainless Steel	5A	
	SR-9A	Aluminum	5B	•
	SR-9S	Stainless Steel	5B	•
	SFIC-9A	Aluminum	5C	
	SFIC-9S	Stainless Steel	5C	
	LFIC-ASA-9A	Aluminum	5C	
	LFIC-ASA-9S	Stainless Steel	5C	
	LFIC-COR-9A	Aluminum	5C	
	LFIC-COR-9S	Stainless Steel	5C	
	LFIC-M32-9A	Aluminum	5C	
	LFIC-M32-9S	Stainless Steel	5C	
	LFIC-SGT-9A	Aluminum	5C	
	LFIC-SGT-9S	Stainless Steel	5C	
	LFIC-Y6-9A	Aluminum	5C	
	LFIC-Y6-9S	Stainless Steel	5C	
	LFIC-Y7-9A	Aluminum	5C	
	LFIC-Y7-9S	Stainless Steel	5C	
	KiK-9A	Aluminum	5C	
	KiK-9S	Stainless Steel	5C	
	FSIC-9A	Aluminum	5C	
	FSIC-9S	Stainless Steel	5C	


See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Quick Puck Facts



17+ Cylinder Options Available
6061 Aluminum or 304 Stainless Body
Puck-to-Hasp™ Mounting
Bolt-Cutter Proof
Frontal Attack Proof
Body Width: 2-7/8"

Dimensions



Flat Back Hockey Pucks



U.S. Patent 8,776,557
U.S. Patent 8,978,426




High-Security Hockey Pucks

The "2173/UCS-7" Series by PACLOCK is more than your general-purpose, high-security, hidden-shackle padlock line. PACLOCKS "2173/UCS-7" Series is the most diverse hockey-puck-style padlock line in the world with options for interchangeable cores, 10 colors, 3 material types and completely customizable keying options to fit your needs.

When you need ultimate security, a hockey-puck-style padlock mounted to a steel hasp is the best way to go. Most commonly used on van doors – including sliding van doors – PACLOCK pucks can also be found securing warehouse doors and even explosive ordinance bunkers. Our puck locks shine when they're used with our "PL810" or "PL770" hasps. Precision CNC machines drill and tap holes into the back of our locks so that they can easily be mounted to any PACLOCK hasp. When mounted, you'll never have to worry about leaving your puck lock behind.

Which Style Best Suits Your Application??

PACLOCK manufactures 3 unique hockey-puck-style designs: a flat-back, stepped-back, and cone-shaped design, each built for a unique purpose. Flat-back pucks – the "2173/UCS-7" and "2177/UCS-9" Series – work great mounted on hasps so you'll never lose your puck! For added security, we developed a patent-pending, cone-shaped design – the "2177/UCS-9" Series – to prevent frontal drilling attacks. Finally, our stepped-back, hockey-puck-style padlock – the "400/UCS-8" Series – features a step back, or ledge, on the back of the padlock that allows it to work with certain bar style hasps. 6061 aircraft-grade aluminum puck locks are superior to die-cast zinc and, for higher security, we manufacture puck locks using 304 stainless steel.



"400/8-Series"

"2173/7-Series"

"2177/9-Series"



Perfect for Sliding Van Doors

Combine any flat-back "puck lock" with a PL810 or PL811 hasp to secure your sliding van doors. The unique design allows the puck and hasp to remain attached to the door while sliding open. Choose from a variety of hasp and puck colors to meet your needs or "blend in" with your van. Have a fleet of vans that needs master-keying or grand-master keying? Call PACLOCK to get set started.

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-7A	Aluminum	5A	
	UCS-7S	Stainless Steel	5A	
	SR-7A	Aluminum	5B	•
	SR-7S	Stainless Steel	5B	•
	SFIC-7A	Aluminum	5C	
	SFIC-7S	Stainless Steel	5C	
	LFIC-ASA-7A	Aluminum	5C	
	LFIC-ASA-7S	Stainless Steel	5C	
	LFIC-COR-7A	Aluminum	5C	
	LFIC-COR-7S	Stainless Steel	5C	
	LFIC-M32-7A	Aluminum	5C	
	LFIC-M32-7S	Stainless Steel	5C	
	LFIC-SGT-7A	Aluminum	5C	
	LFIC-SGT-7S	Stainless Steel	5C	
	LFIC-Y6-7A	Aluminum	5C	
	LFIC-Y6-7S	Stainless Steel	5C	
	LFIC-Y7-7A	Aluminum	5C	
	LFIC-Y7-7S	Stainless Steel	5C	
	KiK-7A	Aluminum	5C	
	KiK-7S	Stainless Steel	5C	
	FSIC-7A	Aluminum	5C	
	FSIC-7S	Stainless Steel	5C	


See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Quick Puck Facts



17+ Cylinder Options Available
6061 Aluminum or 304 Stainless Body
Puck-to-Hasp™ Mounting
Bolt-Cutter Proof
Flat-Back Design
Body Width: 2-7/8"

Dimensions



3/8" Diam. Shackle



Stepped Back Hockey Pucks



U.S. Patent 8,776,557

U.S. Patent 8,978,426


Forget About "Torque Attacks"

The "400/UCS-8" Series from PACLOCK is your classic "stepped-back" version of a hidden-shackle, hockey-puck-style padlock. When circular-shaped, hidden-shackle padlocks were introduced years ago, there weren't any shrouded hasps. Instead, customers tried to find ways to use these tough padlocks to replace a traditional shackled padlock. The problem was that a flat-back puck lock installed on a bar-style hasp was prone to a "torque attack" – an attack where you grip the side of the lock with a large pipe wrench and literally torque off the cheap staple of the hasp. To prevent this style of attack, the stepped-back puck was introduced.



Great for Bar-Style Hasps

The $\frac{1}{4}$ " step in the back of the puck was deliberately engineered to mate up and overlap with the bottom of a bar hasp. This overlap effectively protected against a torque attack because the entire padlock body was now pushed up against the hasp. But with the advent of "shrouded" hasps in the past ten years, stepped-back pucks are becoming obsolete. Using a stepped-back puck in a shrouded hasp is less secure because of the gaps created by the wobble from the puck not being flat against the base of the hasp.



See the 81-Series for swing-door style handles.

Trailer Door Security of the Past

Planning on using the "400/8-Series" of padlocks for you swinging trailer latch? Use the "81-Series" instead! Here's what one of our customers said about the "81-Series":

The TL81A trailer lock is going to change trailer security forever. The lock units themselves are solid. You wouldn't expect such a compact package to have this much heft. The locking mechanism is solid as well, the shackle itself is very sturdy and completely protected from attack when locked on the trailer hasps. I will take some pictures when I can and post them up to this review. The way this fits on the hasps and handle become exceptionally hard to target for entry.

I have these mounted on Look® and Stealth® trailers, no issues with fit for either. I will note that I did have to get the trailer handle positioned in the cut-out of the locks before they could be locked, but that makes sense. I really don't want any "slop" in the fit that opens an avenue for attack.

–Bryant

	Series	Body	Options (Pg. 152)	PAC-BAND
	UCS-8A	Aluminum	5A	
	UCS-8S	Stainless Steel	5A	
	SR-8A	Aluminum	5B	•
	SR-8S	Stainless Steel	5B	•
	SFIC-8A	Aluminum	5C	
	SFIC-8S	Stainless Steel	5C	
	LFIC-ASA-8A	Aluminum	5C	
	LFIC-ASA-8S	5C Stainless Steel	5C	
	LFIC-COR-8A	Aluminum	5C	
	LFIC-COR-8S	Stainless Steel	5C	
	LFIC-M32-8A	Aluminum	5C	
	LFIC-M32-8S	Stainless Steel	5C	
	LFIC-SGT-8A	Aluminum	5C	
	LFIC-SGT-8S	Stainless Steel	5C	
	LFIC-Y6-8A	Aluminum	5C	
	LFIC-Y6-8S	Stainless Steel	5C	
	LFIC-Y7-8A	Aluminum	5C	
	LFIC-Y7-8S	Stainless Steel	5C	
	KiK-8A	Aluminum	5C	
	KiK-8S	Stainless Steel	5C	
	FSIC-8A	Aluminum	5C	
	FSIC-8S	Stainless Steel	5C	


See "Distributor Resources" pages for more Cylinder Technologies like M1, M15, 7000B, AM3, AM7, or CR.

Quick Puck Facts



17+ Cylinder Options Available
6061 Aluminum or 304 Stainless Body
Puck-to-Hasp™ Mounting
Bolt-Cutter Proof
Torque-Proof Design
Body Width: 2-7/8"

Dimensions



3/8" Diam. Shackle

High Security Hasps

Pair any hasp with a PACLOCK puck lock for ultimate security.

The Next Generation Of Hasps

PACLOCKS high-security hasps are built to withstand both physical and environmental attacks. Manufactured from ¼" steel plates, PACLOCK hasps are zinc plated and then powdered coated to provide ultimate protection from rain, snow, or the beating sun. Hidden mounting bolts, Puck-To-Hasp™ mounting, and custom hasp styles are a few reasons why PACLOCK truly is "The Future of Padlocks." Improving existing designs and removing weak points from security systems makes criminals pass up on PACLOCK hasps and attack weaker, easier-to-defeat padlocks. Need to weld your hasp? Ask us about our non-powder-coated hasps. Just weld and paint!

Puck-To-Hasp™ Mounting

Designed with the customer in mind, every PACLOCK hasp comes standard with special tapped holes allowing PACLOCK's hockey-puck-style padlocks to be mounted directly onto one side of the hasp.


If you need a puck and a hasp, order a kit! PACLOCK hasp and hockey puck kits come affixed to one another with two stainless-steel screws. A mounted puck means you'll never lose your puck – it's always secured to the hasp.

Hidden Bolt Security

Shrouded style hasps for hockey pucks haven't seen innovation in a long time – until PACLOCK's versions of these hasps were released. One of the primary attack points on older shrouded hasps are the carriage bolt heads holding the hasp to the door. Any 18V cordless grinder can go through those in a matter of minutes. And once one side is ground off, the entire solution is defeated.

With PACLOCK's innovative design, there is an additional mounting point hidden underneath the puck itself. Now once the three or six exposed carriage bolts are defeated, the perpetrator will be perplexed as to why the hasp isn't falling off the door!

Extra Bolt Hidden Under Puck




Puck-To-Hasp™ Mounting Feature



Hasp Backplates

Backplates are available to add stability to weaker mounting applications such as plastic sheds. It can also be used to strengthen the opposite side of the door where the hasp is mounted. Use one or more backplates to mount hasps on uneven surfaces.

Hasps Compatible with PACLOCK Puck Locks



PL770

- Most common high-security hasp design
- Compatible with all 2-7/8" diameter flat-back hockey-puck locks
- Hidden bolts prevent common attack of grinding off exposed bolt heads



PL773

- Designed specifically for jobsite boxes like KNAACK® or RIDGID®
- "K" and "R" indications included for simple fitting instructions
- Ideal for jobsite boxes or storage chests that cannot support a "10-Series" padlock



PL774

- Short design allows for high security in a wider variety of limited spaces
- Ideal for gates, vans, trucks, doors, and other limited installation environments
- Same design as the PL770, but the short side measures 2" x 2.5" to fit in tight spaces




PL775

- Shorter design allows for high security in limited spaces.
- See PL774 for PACLOCK's recommended short hasp.
- Same design as the PL770, but the short side measures 2" x 4.5" to fit in tight spaces



PL779

- Unique right-angle for left-side bends
- 90-degree bend allows the hasp to wrap around corners
- Ideal for cabinets, electrical boxes, fences or any corner applications



PL781


- Unique right-angle for right-side bends (opposite of PL779)
- 90-degree bend allows the hasp to wrap around corners
- Ideal for cabinets, electrical boxes, fences or any corner applications

Hasps Compatible with PACLOCK Puck Locks



A Stronger Security Solution for Sheds!

PACLOCK's "PL782" hasp includes all the same hidden security features found in PACLOCK's hasps – all while accommodating inward-swinging or roll-up doors.



PL782

- Designed for inward-swinging or roll-up doors
- Compatible with all 2-7/8" diameter flat-back hockey-puck locks
- Hidden bolts prevent common attack of grinding off exposed bolt heads



PL783

- Shorter hasp variation of the PL779 right-angle hasp for left-side bends
- 90-degree bend allows the hasp to wrap around corners
- Ideal for cabinets, electrical boxes, fences or any corner applications with limited mounting space.



PL810

- Works with **right side** sliding van doors
- Only retail hasp that is coated with zinc then powder coated second for superior rust protection
- When the door opens, pops out enough to slide over the hasp



PL811

- Works with **left side** sliding van doors
- Like the PL810, the 811 series is zinc plated, then powder coated for superior rust protection
- When the door opens, pops out enough to slide over the hasp



Hasps for Both Sides on Sliding Van Doors

The "PL810" and "PL811" are designed for right- and left-side sliding van doors. Be sure to check the hasp descriptions to order the correct model for your doors!

PAC-SHIELD™

FROM EXPOSED TO GUARDED!

PAC-SHIELD

by PACLOCK

Create Your Own Shrouded Padlocks

The PAC-SHIELD is the answer to the problem of “I want shrouded security, but I either can’t find manufacturers producing shrouded locks or they are just too expensive.” This ingenious double-coated 304 stainless steel shroud is field installable onto any UCS-1, 2 or 3-Series PACLOCK. It installs in less than a minute by sliding the PAC-SHIELD over the shackled padlock and then hammering the extended tab at the bottom to “grip” the bottom of the padlock. Even with the shroud installed, the PACLOCK can be rekeyed! Smart, effective, and affordable ~ the PAC-SHIELD proves PACLOCK listens to customers and gets the job done!



*Simply hammer the tab
against the screw to complete
the installation.*

As simple as 1 + 1 = 3...



Shackle Protection

- The PAC-SHIELD is made of 304 stainless steel for ultimate weather-proof protection
- Shrouded design protects the shackle from attacks and cutting attempts



All trademarks, service marks and company names are the property of their respective owners.

Shrouded Single Post Padlocks "445 & 446-Series"

Hidden Shackle Padlocks

PACLOCK
THE FUTURE OF PADLOCKS™

3/4" Shrouded Post Padlocks

FOR PELICAN™, STORAGE UNITS, AND OTHER HARD CASES



Shoulder Eliminates Cutting Attacks

Introducing PACLOCK's innovative 445-Series and 446-Series hard case padlocks, tailored for robust carrying cases like Pelican™, Milwaukee®, Apache™, and other leading brands. Both series feature a protective shoulder design that prevents shackle attacks, ensuring your items remain secure. The 445-Series suits most Pelican™ cases with a 1" vertical locking clearance and is equally suitable for storage units. The 446-Series is the same shackle height, but has a thinner "neck" shroud in order to fit applications with limited space to rotate the shackle. Seamlessly integrate both locks into your PACLOCK system for unparalleled security while on the go.

445-Series

For hard cases with 3/4" vertical locking clearance:

- Pelican™ (Air Case Series, Protector Cases* with the stainless steel hasp, and Storm Cases)
- Milwaukee® PACKOUTS™ (Deep Organizer, First Aid Kits, & most clear covers)
- Apache™ (2800, 3800, 4800, 5800, 9800)
- Makita® MAKTRAK™ Tool Storage & Organization
- Storage units

*Select Pelican™ Protector Cases only. See 447-Series for taller or limited-space applications.

The "446-Series" features a slim "shoulder" for applications with limited-rotation!



446-Series

For hard cases with limited rotation clearance:

- Milwaukee® PACKOUTS™ (Compact Tool Box, most tool boxes with a black cover)
- Pelican™ (Protector Cases without stainless steel hasp)



All trademarks, service marks and company names are the property of their respective owners.



1-1/2" Shrouded Post Padlocks

FOR YETI®, MILWAUKEE®, AND OTHER HARD CASES

ONE KEY For Coolers, PACKOUTS™, and Large Storage



PACLOCK's 447-Series, an extension of the 445-Series, is built for applications that require increased vertical clearance. It features the same protective shoulder design that helps deter cutting attacks. The 447-Series is the only purpose-built padlock designed specifically for unique applications such as YETI® Hard Coolers—making it a top choice for food vendors, campers, and outdoor enthusiasts. Its taller profile also makes it well-suited for Milwaukee® PACKOUT™ rolling and other large storage compartments. Depending on the PACKOUT™ model, a 445- or 446-Series shrouded post padlock may be more appropriate. Refer to PACLOCK's online technical data sheets or contact us for assistance in determining the correct lock size.



447-Series

For hard cases with 1-1/2" vertical locking clearance:

- YETI® Hard Coolers
- Milwaukee® PACKOUTS™ (Rolling drawers, chests, & other large storage)
- Pelican™ (Vault Cases, Protector Cases* 1170, 1120, 1150)
- Apache™ 1800

*Select Pelican™ Cases only. See 445-Series or 446-Series for shorter applications.

**You may need
all three sizes
(445, 446, & 447)
for Milwaukee®
PACKOUTS™!**

Single Post Padlocks "443 & 444-Series"

Hidden Shackle Padlocks

PACLOCK
THE FUTURE OF PADLOCKS™

Single Post Padlocks

FOR UTILITY METERS AND OTHER SINGLE POST APPLICATIONS

Eliminates the Exposed Shackle

The 443-Series and 444-Series padlock are PACLOCK's original single post padlocks, and the only ones of its kind. The unique design of the 443-Series allows for it to be used in tight spaces where larger diameter shackles won't fit, while still deterring the threat of bolt-cutter attacks. Similar to the shrouded single post padlock series (445 and 447), the 444-Series is purpose-built padlock for rugged, heavy-duty carrying cases featuring a hidden stainless steel pin and protected shoulder design. The 444-Series is also a great padlock for certain 2-5/16" trailer couplers.

SFIC-PL443



Call us for more cylinder options!



Ideal for Vending and Meters

- Raised shoulder of the lock protects shackle from bolt-cutter attacks (444-Series)
- Features a stainless steel pin to prevent sawing or cutting attacks
- Ideal for vending machines, utility meter shut-offs, storage units, sheds and workshops, etc.
- Use wherever a less accessible shackle is desired
- Key compatible with your other PACLOCKS

444-Series



The 444-Series is compatible with certain 2-5/16" trailer couplers! Call for information on coupler fitting.



UCS-KiK Cylinder

INCORPORATE UCS INTO KEY-IN-KNOB & LEVER STYLE LOCKS

Doors, Storage Units, & Deadbolts

For years customers have been asking for a solution to lock doors and keyways with a UCS-compatible key. With PACLOCK's UCS-KiK cylinder, users can now have any KiK-style cylinder as part of their one-key UCS system. This includes doors, storage units, cabinets, deadbolts, and much more. Similar to traditional KiK cylinders, the UCS-KiK features a versatile screw-on cap, making it compatible with three different backside configurations.





Easily Key into Your PACLOCK System

For added convenience, pinning kits are available, allowing you to quickly re-pin the cylinder to match your customer's specific key number, providing a tailored security solution. The UCS-KiK is the easiest cylinder to re-key because of the threaded screws for each hole. Compatible with UCS and Standard Rekeyable technologies.



Includes Tail Pieces

Tail pieces are included to ensure compatibility with deadbolts, making installation simple and seamless.





Disc Padlock Pro

STAINLESS STEEL 70MM DISC PADLOCK


What a Difference 2 Pins Make!

PACLOCK's "Disc Padlock Pro" stands out above other disc locks. Most disc padlocks cut costs and offer only 4-pin cylinders. When combined with low manufacturing precision, these cheap locks offer less than a few-hundred unique key combinations. PACLOCK's 6-pin cylinders and precision manufacturing provide MORE THAN 20,000 unique key combinations – a 2,000% increase over standard disc locks.



Manufactured to be Tough

- Polished stainless-steel exterior with welded seams
- Lock casing manufactured with progressive die stamping technology for consistently superior part tolerance
- Ultrasonic cleaning eliminates debris and manufacturing residue



No Key Interchange Guarantee

This lock can only be opened by a key with the same code. If a key with a different code opens this lock, PACLOCK will replace your lock AND give you \$100.

PAC-COVER™

FIELD INSTALLABLE PACLOCK PROTECTOR

Protect Your Valuables From Scratches

The PAC-COVER™ provides complete coverage for the padlock, ensuring that valuable items like boats, gates, or trailers are protected from scuffs and scratches possibly caused by the padlock itself. The PAC-COVER™ and PAC-BAND™ are innovative silicone protectors designed to enhance the customer's experience with PACLOCK's 1, 2, and 3-Series padlocks. Both can be replaced in seconds.



- Keep inventory costs down with the one-size PAC-COVER™ for three different lock sizes
- Soft rubber is easier on the hands, making the lock more ADA compliant
- Helps keep the padlock cool to the touch in hot weather months

Easy Installation for the 1, 2, & 3-Series!

Simply slide the PAC-COVER™ onto a 1, 2, or 3-Series padlock to secure. Tabs on the bottom keep the PAC-COVER™ in place. Easily replaceable should the cover become worn.



Works with the PAC-BAND™

The PAC-COVER™ and PAC-BAND™ can be used in tandem to provide comprehensive protection for the padlock and its cylinder.



Key Control Systems

REVOLUTIONARY KEY CONTROL MANAGEMENT THAT WORKS

PAC-KEEPER™ Available in SFIC & KiK

The PAC-KEEPER is a revolutionary key management system that virtually guarantees something that other, non-electrified key control devices cannot – that the key will get returned. With the PAC-KEEPER™, the “controlled key” is locked into the device and can only be removed if a user has an approved “user key.” That user can insert their user key and slide the body sideways to expose and, ultimately, remove the controlled key.

The real genius of the PAC-KEEPER™ design is that the user key cannot be retrieved without first replacing the controlled key. If you permanently tether this user key to the user’s car keys, you can be rest assured that your controlled key won’t go missing again. If it does, simply go to the PAC-KEEPER™ and determine which of your users left their key in the device.



No Broken Keyheads!

- Raised shoulder design protects trapped key head from breaking or being tampered with
- Built to last outdoors due to a combination of aluminum, stainless steel, and brass components
- Heavy-duty stainless-steel outer shroud protects the inner, hard-anodized-aluminum body




Compatible with Magnetic Sensors


- The PAC-KEEPER™ accepts magnetic sensors so you can connect it into your own access-control system
- With the PAC-KEEPER™ tied into your access-control system, you'll know when someone removes the controlled key
- Place an access-controlled camera near the PAC-KEEPER™ and snap a photo every time your controlled key is taken or returned!



How to Use the PAC-KEEPER



Military Padlocks



"PL951" High Security Padlock

General Field Service Padlocks

Low Security Padlocks



PACLOCK's DoD-Approved "PL951" High Security Lock



PACLOCK is now authorized to manufacture the High Security Padlock for the U.S. Government, marking a historic milestone in our industry.

From Defending the Nation to Defending What's Yours

Designed to secure nuclear weapons systems, government labs, arms rooms, and other critical assets.

The "PL951" is a true military-grade powerhouse — officially qualified by the Department of Defense after passing the rigorous Government First Article Test (GFAT) and meeting the demanding MIL-DTL-43607J standard. This model is restricted for sale to the U.S. military through the Defense Logistics Agency (DLA).

For commercial use, PACLOCK offers the "PL951C," built to the same exacting specifications but with alternate body markings and a non-military keyway. The "PL951-Series" is engineered to survive the toughest environments. Proudly manufactured in the U.S.A. with global components, under PACLOCK's veteran-led and woman-owned leadership.



Restricted Keyways Not Available to the Public

High security padlocks and cylinders must be purchased through <https://www.fedmall.mil> or call the DLA Contact Center at (877) 352-2255.

NSN #5340-01-217-5068

For use by DoD personnel and active duty U.S. military

NSN #5340-01-449-4346

For use by all other Federal agencies and DoD contractors

NSN #5340-01-585-7691

For use by Foreign Military Sales and the general public

All trademarks, service marks and company names are the property of their respective owners.



PACLOCK Sets the Standard in Military Locks. One Name Across Every Grade.

PACLOCK is the only manufacturer certified to produce all three grades of military padlocks — High Security, Medium Security (General Field Service Padlock), and Low Security — delivering across the full spectrum of defense requirements. We've secured and expanded contracts once held by legacy suppliers, breaking monopolies with superior quality, faster lead times, and U.S.-based support that ensures unmatched reliability.

As a veteran-led manufacturer, our mission goes beyond meeting specifications. We are committed to supporting the men and women in uniform with locks that perform when failure is not an option.

"PL951/PL951C" High Security Padlocks



America's Highest Standard in High-Security Padlocks

The military-only "PL951" employs a restricted Department of Defense keyway — unauthorized duplication or possession is a federal felony under 18 U.S.C. §1386. But classification alone doesn't define this lock.

Built from corrosion-resistant stainless steel and precision-engineered components, the "PL951" is designed to perform under the harshest conditions — from deep freeze to searing heat, and against brute-force attempts. Its advanced cylinder technology offers exceptional resistance to picking, drilling, and chemical attacks, delivering uncompromising protection where failure is not an option.


A Local Manufacturer Closing the Gap

"The Department of War's approval of the 'PL951' isn't just a milestone for PACLOCK - it's a milestone for national security. For too long, warfighters went without the locks they needed to secure sensitive sites. Today, a family-run business in Santa Clarita has stepped up to close that gap, proving that small-business manufacturing can deliver quickly, reliably, and with uncompromising quality."

—Greg Waugh, PACLOCK President & CEO



"GFSP" General Field Service Padlocks



Built for gates, fences, and outdoor assets, the GFSP delivers rugged protection with over two billion unique key combinations.


The Strictest Level of Key Control

PACLOCK's rotating-disc cylinder technology delivers the strictest level of key control. Each new order is assigned a unique "System Code" that must be provided to purchase additional padlocks or keys. All codes are manufacturer-controlled to prevent unauthorized duplication and ensure total system integrity.



Department of War-Certified, FF-P-2827A

With twelve industry-leading cut positions and more than two billion possible key variations, each customer receives a unique key code that is never duplicated across padlocks. The design has been formally evaluated and certified by the DoD Lock Program, meeting Federal Specification FF-P-2827A. Its self-cleaning rotating-disc cylinder removes debris during each turn, supporting dependable performance in outdoor environments. The lock features an electroless nickel-plated brass body and a 316 medical-grade stainless steel shackle for enhanced durability and corrosion resistance.



All trademarks, service marks and company names are the property of their respective owners.

Two Shackle Diameters



"RD655" with 3/8" Shackle Diameter



"RD656" with 1/2" Shackle Diameter

Ordering Information for the "GFSP"

Model	NSN	Description
"RD655"	5340-01-380-9430	Single Lock, 3/8" shackle, with 2 Keys
	5340-01-449-6575	Padlock Set, Keyed Alike, 3/8" Shackle, Quantity 10 ea.
	5340-01-497-2305	Padlock Set, Keyed Alike, 3/8" Shackle, Quantity 16 ea.
"RD656"	5340-01-380-9432	Single Lock, 1/2" shackle, with 2 Keys
	5340-01-449-6583	Padlock Set, Keyed Alike, 1/2" Shackle, Quantity 10 ea.
	5340-01-449-6585	Padlock Set, Keyed Alike, 1/2" Shackle, Quantity 20 ea.

For any other variants, call PACLOCK directly at (661) 294-3707.

Locking Up More Than Just Gates With Your GFSP Keys!



PACLOCK's "RD-Series" rotating-disc technology is expanding beyond the GFSP, bringing high-security performance to a wider range of padlocks for trailers, containers, chains, gates, and other applications. As the RD platform grows, organizations can standardize on one key across more lock bodies and use cases.

PACLOCK also provides full Abloy® compatibility: our GFSP padlocks and keys work seamlessly with existing Abloy systems, and we can manufacture additional keys or padlocks keyed to your current Abloy GFSP codes. The GFSP was deliberately engineered for backward compatibility, making it easy for offices and agencies to transition without changing existing infrastructure. For added flexibility, PACLOCK can also design custom master-key systems to meet your operational and access-control needs.


Low Security Padlocks



Built to meet the Department of War's Commercial Item Description (CID) standards, these padlocks deliver dependable, everyday security for containers, cages, sheds, and storage units.

Supplying the U.S. Military Since 2009

PACLOCK has delivered over five million PACLOCKS to the US military since 2009, with a remarkable greater than 99% on-time delivery record and very few returns due to defects. PACLOCK's latest offering, the "RD-Series," boasts cutting-edge cylinder technology, offering more than two billion potential key combinations and a rigorous key-control system for unmatched security. Specifically designed for safeguarding high-value assets and critical areas, the RD655 lock has been rigorously tested by the DoD Lock Program against Federal Specification FF-P-2827A and is approved for use by the U.S. Military.



"95G" Low Security Padlock (Laminated)

PACLOCK's Direct-to-Vendor Delivery to Warfighters

PACLOCK's success earned Lockheed Martin "Supplier of the Year" award as their primary sub-contractor for the Fleet Automotive Support Initiative (FASI) program. During the FASI program, PACLOCK was a "direct-to-vendor delivery" (DVD) supplier – PACLOCK delivered directly from our factory to the warfighter on more than a hundred and four-thousand orders all with a one to three-day turn-around time!

A Huge Array of NSN Configurations, CID A-A59486/59487

PACLOCK's low security padlocks come in a variety of NSNs and sizes for different applications. Don't see what you need? Contact PACLOCK directly, or visit the DLA website to learn more.

90GL



- 1/4" diameter shackle
- 1-1/2" wide, 3/4" thickness
- Zinc-plated, hardened steel body

95G



- 1/4" diameter brass shackle
- 1-1/2" wide, 3/4" thickness
- Laminated brass body

95GL



- 1/4" diameter brass shackle
- 1-1/2" wide, 3/4" thickness
- Solid brass body

100G



- 5/16" diameter shackle
- 1.71" wide, 0.81" thickness
- Laminated steel body

100GL



- 5/16" diameter shackle
- 1-3/4" wide, 3/4" thickness
- Zinc-plated, hardened steel body

150GL



- 5/16" diameter shackle
- 1-3/4" wide, 3/4" thickness
- Solid brass body

103AS-KD



*Aluminum-body
configurations are also
available!*

- 5/16" diameter shackle
- 1-3/4" wide, 3/4" thickness
- Aluminum body

Search Low Security Padlocks By NSN On The Next Page!

PACLOCK's low security padlocks come in a variety of NSNs and sizes for different applications. Don't see what you need? Contact PACLOCK directly, or visit the DLA website to learn more.

Padlock Guide by NSN

NSN	CID/Federal Spec	Total # of	Qty/Set	Material	Shackle Length	Keyed	Keys/Lock	Keys/Set	Chain	Body Type	Item Name
5340-00-158-3805	A-A-59487-2S	1		Steel	Std.	KD	2		N	Laminated	100G
5340-00-158-3807	A-A-59487-2SC	1		Steel	Std.	KD	2		Y	Laminated	100G
5340-00-291-4204	A-A-59486-1IB100	100		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4207	A-A-59486-1IB60	60		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4209	A-A-59486-1IB40	40		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4210	A-A-59486-1IB50	50		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4211	A-A-59486-1IB20	20		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4212	A-A-59486-1IB30	30		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4213	A-A-59486-1IB05	5		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-291-4214	A-A-59486-1IB10	10		Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-292-0902	A-A-59486-1IB13050503	13	5-5-3	Brass	Std.	MK	2	2	N	Solid	95G
5340-00-292-0904	A-A-59486-1IB30151005	30	15-10-5	Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-292-0906	A-A-59486-1IB50202010	50	20-20-10	Brass	Std.	MK	2	2	Y	Solid	95G
5340-00-406-6496	A-A-59486-2IB55351010L	55	35-10-10L	Brass	Long	MK	2	2	Y	Solid	150GL
5340-00-409-3246	A-A-59486-1IB301510L05	30	15-10L-5	Brass	Long	MK	2	2	Y	Solid	95G
5340-00-409-3247	A-A-59486-2IB804520L15	80	45-20L-15	Brass	Long	MK	2	2	Y	Solid	150GL
5340-00-409-3248	A-A-59486-2IB80501515L	80	50-15-15L	Brass	Long	MK	2	2	Y	Solid	150GL
5340-00-421-9382	A-A-59486-1IB4020L1505	40	20L-15-5	Brass	Long	MK	2	2	Y	Solid	95G
5340-00-682-1505	A-A-59486-1AB05S2E1	5		Brass	Std.	KA	1	2	Y	Solid	95G
5340-00-682-1506	A-A-59486-2IB80303020	80	30-30-20	Brass	Std.	MK	2	2	Y	Solid	150GL
5340-00-682-1508	A-A-59487-1BC	1		Brass	Std.	KD	2		Y	Solid	95G
5340-00-682-1645	A-A-59487-1BL	1		Brass	Long	KD	2		N	Solid	95G
5340-00-838-5266	A-A-59486-1AB10S2	10		Brass	Std.	KA	2	2	Y	Solid	95G
5340-00-838-5267	A-A-59486-1AB20S2	20		Brass	Std.	KA	n/a	2	Y	Solid	95G
5340-00-838-5268	A-A-59486-1AB30S3	30		Brass	Std.	KA	2	3	Y	Solid	95G
5340-00-838-5275	A-A-59486-1AB100S10	100		Brass	Std.	KA	2	10	Y	Solid	95G
5340-00-838-6986	A-A-59486-1AB40S4	40		Brass	Std.	KA	2	4	Y	Solid	95G
5340-00-838-6987	A-A-59486-1AB50S5	50		Brass	Std.	KA	2	5	Y	Solid	95G
5340-00-912-4089	A-A-59486-1IB06S3	6		Brass	Std.	MK	2	3	Y	Solid	95G
5340-01-004-5180	A-A-59487-1BCL	1		Brass	Long	KD	2		Y	Solid	95G
5340-01-050-7059	A-A-59486-1AB05S2	5		Brass	Std.	KA	2	2	Y	Solid	95G
5340-01-151-4203	A-A-59486-1AB25S2E1	25		Brass	Std.	KA	1	2	Y	Solid	95G
5340-01-158-1998	A-A-59486-2AS01LE2	1		Steel	Long	KA	2	n/a	Y	Laminated	100G
5340-01-269-9345	A-A-59486-1AB05LS2E1	5		Brass	Long	KA	1	2	Y	Solid	95G
5340-01-340-8871	A-A-59486-1IB15	15		Brass	Std.	MK	2	2	Y	Solid	95G
5340-01-380-9430	5340-01-380-9430	1		Brass	Std.	KD	2		N	Solid	RD655
5340-01-380-9432	5340-01-380-9432	1		Brass	Std.	KD	2		N	Solid	RD656
5340-01-408-8434	A-A-59487-2IS01L	1		Steel	Long	KD	2		N	Laminated	100G
5340-01-408-8450	A-A-59486-2IB01	1		Brass	Std.	MK	n/a	n/a	Y	Solid	150GL
5340-01-408-8452	A-A-59486-2AS10S0E2	10		Steel	Std.	KA	2	0	N	Laminated	100G
5340-01-408-8454	A-A-59487-1S	1		Steel	Std.	KD	2		N	Solid	90GL
5340-01-437-0625	A-A-59486-2AS06S0E2	6		Steel	Std.	KA	2	0	N	Laminated	100G

NSN	CID/Federal Spec	Total # of	Qty/Set	Material	Shackle Length	Keyed	Keys/ Lock	Keys/ Set	Chain	Body Type	Item Name
5340-01-437-0627	A-A-59486-2AS24S48	24		Steel	Long	KA	2	48	N	Laminated	100G
5340-01-437-0630	A-A-59486-2AS06LS12	6		Steel	Long	KA	n/a	12	N	Laminated	100G
5340-01-449-6575	5340-01-449-6575	10		Brass	Std	KA	2		N	Solid	RD655
5340-01-449-6583	5340-01-449-6583	10		Brass	Std	KA	2		N	Solid	RD656
5340-01-449-6585	5340-01-449-6585	20		Brass	Std	KA	2		N	Solid	RD656
5340-01-463-5841	A-A-59486	10		Steel	Std	KA	2	1	N	Solid	90GL
5340-01-484-8654	A-A-59486-1AB03S2	3		Brass	Std	KA	0	2	N	Solid	95G
5340-01-497-2305	5340-01-497-2305	16		Brass	Std	KA	2		N	Solid	RD655
5340-01-588-1010	A-A-59487-2SCS	1		Steel	Std	KD	2		Y	Laminated	100GL
5340-01-588-1031	A-A-59486-1IB100S	100		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1036	A-A-59487-2SS	1		Steel	Std	KD	2		N	Laminated	100GL
5340-01-588-1044	A-A-59486-1IB40S	40		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1063	A-A-59486-1IB50S	50		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1091	A-A-59486-1IB20S	20		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1563	A-A-59486-1IB30S	30		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1567	A-A-59486-1IB05S	5		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1582	A-A-59486-1IB10S	10		Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1592	A-A-59486-1IB130S0503S	13	5-5-3	Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1596	A-A-59486-1IB30151005S	30	15-10-5	Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1641	A-A-59486-1IB50202010S	50	20-20-10	Brass	Std	MK	2	2	Y	Solid	95G
5340-01-588-1646	A-A-59486-2IB55351010LS	55	35-10-10L	Brass	Long	MK	2	2	Y	Solid	150GL
5340-01-588-1652	A-A-59486-1IB301510L05S	30	15-10L-5	Brass	Long	MK	2	2	Y	Solid	95G
5340-01-588-1657	A-A-59486-1IB4020L1505S	40	20L-15-5	Brass	Long	MK	2	2	Y	Solid	95G
5340-01-588-1664	A-A-59486-2IB804520L15S	80	45-20L-15	Brass	Long	MK	2	2	Y	Solid	150GL
5340-01-588-1676	A-A-59486-1AB05S2E1S	5		Brass	Std	KA	1	2	Y	Solid	95G
5340-01-588-1687	A-A-59486-2IB80303020S	80	30-30-20	Brass	Std	MK	2	2	Y	Solid	150GL
5340-01-588-1709	A-A-59487-1BLS	1		Brass	Long	KD	2		N	Solid	95G
5340-01-588-1819	A-A-59487-1BCS	1		Brass	Std	KD	2		Y	Solid	95G
5340-01-588-1827	A-A-59486-1AB10S2S	10		Brass	Std	KA	2	2	Y	Solid	95G
5340-01-588-1831	A-A-59486-1AB20S2S	20		Brass	Std	KA	2	2	Y	Solid	95G
5340-01-588-1838	A-A-59486-1AB30S3S	30		Brass	Std	KA	2	3	Y	Solid	95G
5340-01-588-1841	A-A-59486-1AB100S10S	100		Brass	Std	KA	2	10	Y	Solid	95G
5340-01-588-1846	A-A-59486-1AB06S3S	6		Brass	Std	KA	2	3	Y	Solid	95G
5340-01-588-1863	A-A-59487-1BCLS	1		Brass	Long	KD	2		Y	Solid	95G
5340-01-588-1891	A-A-59486-1AB05S2S	5		Brass	Std	KA	2	2	Y	Solid	95G
5340-01-588-1895	A-A-59486-1AB25S2E1S	25		Brass	Std	KA	1	2	Y	Solid	95G
5340-01-588-1905	A-A-59486-2AS01LE2S	1		Steel	Long	KA	2		Y	Laminated	100GL
5340-01-588-1911	A-A-59486-1AB05LS2E1S	5		Brass	Long	KA	1	2	Y	Solid	95G
5340-01-588-1916	A-A-59486-2IS01LS	1		Steel	Long	MK	2	2	Y	Laminated	100GL
5340-01-588-1924	A-A-59486-2IB01S	1		Brass	Std	MK	2	2	Y	Solid	150GL
5340-01-588-1928	A-A-59486-2AS10S0E2S	10		Steel	Std	KA	2		Y	Laminated	100GL
5340-01-588-1954	A-A-59486-2AS06S0E2S	6		Steel	Std	KA	2		N	Laminated	100GL
5340-01-588-1960	A-A-59486-2AS24S48S	24		Steel	Std	KA	2	48	Y	Laminated	100GL
5340-01-600-9012	A-A-59487-1SS	1		Steel	Std	KD	2		N	Solid	90GL
5340-01-611-8130	A-A-59486-2AS06LS12S	6		Steel	Long	KA	2	12	Y	Laminated	100GL

Distributor Resources



Build Your PACLOCK

***Search Products by
Cylinder Technology***

Product Option Groups

Identifying Your SKU



Step #1: Select Your Product Type

Every PACLOCK begins with choosing the right Product Type. Once you've selected the appropriate product, the following pages will guide you through each available configuration option until you've built the complete PACLOCK SKU.

Notes: Hyphens separate SKU fields except before Body Material, Shackle Height, and the "KA" Key Number.
Refer to page 106 for cylinders, sleeves, keys, and other replacement components sold separately.

Red text = Default (not shown in SKU)

— = Available, not selected (not shown in SKU)

N/A = Not available

Shackled Padlocks

"90, 1, 2, 3, 4, & 10-Series"

Cylinder Tech	Padlock Type	Body Material	Body Color	Stamp	Shackle Material	Shackle Height	Keyway	Key Retention	PAC-BAND	Keys	Engraving	Keying	"KA" Key Number	SKU
UCS	3	A	GRN	PLC	S	02	P0	NKR	NB	2K	—	KD	—	UCS-3A-GRN-S02-NB-KD
KIK-SC	1	S	N/A	SLC	P	25	N/A	KR	YB	N/A	—	N/A	N/A	KIK-SC-1S-SLC-25-KR
M1	10	A	BLK	PLC	P	00	M1	NKR	YB	NK	E21	KA	2201	M1-10A-BLK-NK-E21-KA2201
7000B	2	A	YLW	PLC	H	25	7000B	NKR	YB	2K	—	KA	403K726	7000B-2A-YLW-H25-KA403K726
LFIC-ASA	1	S	N/A	SLC	P	01	N/A	NKR	NB	N/A	E10	N/A	N/A	LFIC-ASA-1S-SLC-NB-E10

Shackled Padlocks – "PRO-Series" for Lockout Tagout

"90A-PRO" & "PL410-PRO" SKUs List Cylinder Technology After Body Material

Padlock Type	Body Material	Cylinder Tech	Body Color	Stamp	Shackle Material	Shackle Height	Keyway	Key Retention	Keys	Engraving	Keying	"KA" Key Number	SKU
90	A	PRO	RED	PLC	H	01	PR1	KR	1K	—	KD	—	90A-PRO-RED-KD
90	A	PRO	BLK	SLC	P	25	PR1	KR	2K	E10	KD	—	90A-PRO-BLK-SLC-P25-2K-E10-KD
PL410	T	PRO	GRN	N/A	S	25	PR1	KR	NK	—	KA	B2317	PL410-PRO-GRN-S25-NK-KAB2317
PL410	T	PRO	PRP	N/A	H	25	PR1	KR	1K	E11	KD	—	PL410-PRO-PRP-25-E11-KD

Hidden-Shackle Padlocks

"5, 6, 7, 8, 9, 17, 444, 445, 446, 447, 77, 81, 82, 83, 84, 88, & 89-Series"

Cylinder Tech	Padlock Type	Body Material	Subtype	Body Color	Stamp	Keyway	PAC-BAND	Keys	Engraving	Chain By Inch	Keying	"KA" Key Number	SKU
UCS	7	S	N/A	N/A	PLC	P0	N/A	NK	—	N/A	KA	63221	UCS-7S-NK-KA63221
LFIC-Y6	82	A	N/A	RED	SLC	N/A	YB	N/A	E01	N/A	N/A	N/A	LFIC-Y6-82A-SLC-E01
SFIC	17	A	600	BLK	PLC	N/A	NB	N/A	—	N/A	N/A	N/A	SFIC-17A-600-BLK-NB
AM3	77	S	DEM-2516	N/A	N/A	AM3	N/A	2K	—	N/A	KA	22411	AM3-77S-DEM-2516-KA22411
UCS	445	A	N/A	SLV	PLC	P0	YB	1K	—	N/A	KD	—	UCS-445A-SLV-1K-KD
M1	6	A	N/A	BLU	PLC	M1	N/A	2K	—	36	KD	—	M1-6A-BLU-KD

Hitch Pin Style Padlocks

"79 & 80-Series"

Cylinder Tech	Padlock Type	Body Material	Subtype	Body Color	Stamp	Keyway	PAC-BAND	Keys	Engraving	Keying	"KA" Key Number	SKU
UCS	79	S	383	N/A	PLC	P0	YB	NK	—	KA	47819	UCS-79S-383-NK-KA47819
CR	80	A	250	ORG	SLC	N/A	NB	2K	E01	KD	—	CR-80A-250-ORG-SLC-NB-E01-KD
RD	80	S	600	N/A	PLC	N/A	YB	N/A	—	KD	—	RD-80S-600-KD

Hasps

Hasp Type	Hasp Finish	Backplates	SKU
PL770	S	N	PL770-S
PL779	GRY	B	PL779-GRY-B
PL810	BLK	B	PL810-BLK-B

PACLOCK Kits

Hockey Puck & Hasps or Block-Lock & Chain

Kit Identifier	Padlock SKU	Kit SKU	SKU
KT	UCS-7A-BLU-KA61881	PL770-GRY-B	KT-UCS-7A-BLU-KA61881-PL770-GRY-B
KT	RD-9S-2K-KD	PL811-WHT	KT-RD-9S-2K-KD-PL811-WHT
KT	M1-17A-850-BLK-KA3702	Chain38-36	KT-M1-17A-850-BLK-KA3702-Chain38-36
KT	M32-17A-1100-SLV-KD	Chain12-120	KT-M32-17A-1100-SLV-KD-Chain12-120

Step #2: SKU Attributes

Every PACLOCK SKU is built from a series of SKU attributes. Use the charts on the following pages to identify available options and understand how each attribute contributes to the final SKU.

Cylinder Technology

UCS	Universal Cylinder System, 6-Pin
RD	Rotating Disc Technology, High
PRO	200K Pro-Series, 7-Pin
SR	Standard Rekeyable, 6-Pin
DL	Disc Padlock Pro (1000PRO-70)
M1	Master Lock®
M15	Master Lock®
6000B	Master Lock®
7000B	Master Lock®
AM3	American Lock®
AM7	American Lock®
CR	CCL® Cabinet Locks
SFIC	Small Format Interchangeable Core

KIK-SC	Key-in-Knob (Screw-On Cap Driver)
KIK-SL	Key-in-Knob (Slotted Driver)
KIK-SGT	Key-in-Knob, Sargent®
KIK-CLQ	Key-in-Knob, Medeco® CLIQ™
FSIC	Full Size Interchangeable Core
LFIC-ASA	Large Format IC, Assa® 6/7-Pin
LFIC-COR	Large Format IC, Corbin Russwin®
LFIC-M31	Large Format IC, Medeco® 6-Pin
LFIC-M32	Large Format IC, Medeco® 7-Pin
LFIC-SGT	Large Format IC, Sargent® 6/7-Pin
LFIC-Y6	Large Format IC, Yale® 6-Pin
LFIC-Y7	Large Format IC, Yale® 7-Pin
BDY	Lock Body Only – No Sleeve

UCS-3A-GRN-S02-KA51290

AM3-7A-RED-KA

Padlock Type

1	1/4" Shackled Padlock
2	5/16" Shackled Padlock
3	3/8" Shackled Padlock
4	7/16" Shackled Padlock
5	PAC-LINK Chain Solution
6	PUCK-LINK Chain Solution
7	Flat Back Hockey Puck
8	Stepped Back Hockey Puck
9	Patented Cone Puck
10	Universal Jobsite Box Lock
17	Block-Locks for Gates & Chain*
77	Trailer Coupler Lock*
79	Universal Coupler Lock*
80	Hitch Receiver Lock*

81	Patented Trailer Door Lock
82	Patented Container Door Lock
83	Trailer Lock for Todco® & Whiting®*
84	Roll-Up Door Lock for Todco® & Whiting®*
88	Shrouded Coupler Lock
89	Utility 3000R® Trailer Lock
441	0.215" Shackle Dia. Single Post Padlock
442	0.325" Shackle Dia. Single Post Padlock
445	1" Shrouded Single Post Padlock
446	1" Shrouded Single Post Padlock
447	2" Shrouded Single Post Padlock
CL30	3/4" Cam Lock

*See "Subtypes" on Page 103 for product variations.

All trademarks, service marks and company names are the property of their respective owners.

"Legacy Series" Padlock Type

90	1/4" Shackled Padlock, Hardened Steel
90A	1/4" Shackled Padlock, Aluminum
95	1/4" Shackled Padlock, Brass
100	5/16" Shackled Padlock, Hardened Steel
100A	5/16" Shackled Padlock, Aluminum
150	5/16" Shackled Padlock, Brass
200	3/8" Shackled Padlock, Hardened Steel
200A	3/8" Shackled Padlock, Aluminum
250	3/8" Shackled Padlock, Brass
400	Stepped Back Puck, Hardened Steel

400A	Stepped Back Puck, Aluminum
400S	Stepped Back Puck, Stainless Steel
600	7/16" Shackled Padlock, Hardened Steel
600A	7/16" Shackled Padlock, Aluminum
2173	Flat Back Hockey Puck, Hardened Steel
2173A	Flat Back Hockey Puck, Aluminum
2173S	Flat Back Hockey Puck, Stainless Steel
2177	Patented Cone Puck, Hardened Steel
2177A	Patented Cone Puck, Aluminum
2177S	Patented Cone Puck, Stainless Steel

Legacy padlock types are available upon request. The Legacy "IC" and "IC2" designations for Small Format Interchangeable Core padlocks have been standardized to the "SFIC-" prefix.

UCS-3A-GRN-S02-KA51290

SR-150-H02-KD

Body Material

A	6061-Grade Aluminum
S	304-Grade Stainless Steel
B	360 Brass Alloy
T	Thermoplastic (Only applies to the "PL410-PRO" LOTO padlocks)

This option does not apply to "Legacy Series" padlock types.

UCS-1A-BLU-KD

SFIC-95-KD

Body Color

Standard	
BLU	Blue
BLK	Black
SLV	Silver/Clear
RED	Red
GRN	Green

Specialty	
PRP	Purple
GLD	Gold
YLW	Yellow
BRN	Brown
ORG	Orange
PNK	Pink

Only for Aluminum and Thermoplastic padlocks. Contact PACLOCK for custom or duo-tone colors for Thermoplastic.

Stainless and Brass body materials omit color from SKUs.

UCS-9A-SLV-KD

CR-17A-1100-YLW-KA

Stamped

PLC	"PACLOCK" Stamped Logo*
SLC	No Stamped Logo

"PLC" is the standard configuration for all padlocks. Use the "SLC" designation for padlocks without the hard-stamp PACLOCK logo.

UCS-3A-GRN-SLC-E12-02-KA51290

Shackle Material

P	Hardened Stainless Steel*
S	Stainless Steel
H	Hardened Steel**
B	Brass

KIK-SL-1A-BLU-S02

Shackle Height

1/4" Dia. Shackled Padlocks		
75	3/4"	
01	1-3/16"	*
15	1-1/2"	**
02	2"	
25	2-1/2"	
03	3"	
05	5"	

5/16" Dia. Shackled Padlocks		
01	1-3/16"	*
02	2"	
25	2-1/2"	
03	3"	
05	5"	

3/8" Dia. Shackled Padlocks		
00	1"	***
01	1-3/16"	*
02	2"	
25	2-1/2"	
03	3"	

7/16" Dia. Shackled Padlocks		
01	1-3/16"	*
25	2-1/2"	

RD-3A-SLV-S02-KD

Keyway

P0	Standard (AM3/AM7)*
PR1	PACLOCK Restricted #1**
PR2	PACLOCK Restricted #2

Restricted keyways apply only to "UCS," "SR," and "PRO" cylinder technologies.

UCS-3A-GRN-PR1-02-KA51290

90A-PRO-RED-P25-KD (Keyway omitted)

Standard configuration options are omitted from SKUs. * All cylinder technologies except "PRO-Series";
** "PRO-Series"; *** "10-Series" Jobsite Box Lock.

Key Retention

NKR	Non-Key Retaining*
KR	Key Retaining

Only for shackled padlocks "1-," "2-," "3-," "4-," and "10-Series".

UCS-3A-GRN-PR1-KR-02-KA51290
SR-80A-YK1-RED-KD (*NKR omitted*)

PAC-BAND

YB	PAC-BAND Included*
NB	No PAC-BAND Included

Does not apply to the "5-Series," "83-Series," "84-Series," "90-Series," "PRO-Series," hockey pucks, or military padlocks.

UCS-1S-02-NB-KD
RD-2A-BLK-KD (*YB omitted*)

Keys Included

NK	No Keys
1K	One Key**
2K	Two Keys*

Only for cylinder technologies manufactured by PACLOCK. Any "Additional Keys" SKUs listed will be added to the standard key count.

UCS-3A-GRN-02-NK-KA51290

Laser Engraving

Padlock	Key	Engraving Setup
E1	0	1 Side of Lock (No Keys)
E1	1	1 Side of Lock w/ 1 Key(s) Side
E1	2	1 Side of Lock w/ 2 Key(s) Sides
E2	0	2 Sides of Lock (No Keys)
E2	1	2 Sides of Lock w/ 1 Key(s) Side

Orders requesting laser engraving must include an engraving SKU consisting of an "E" followed by two numbers. The first number indicates how many sides of the padlock body will be engraved, and the second number indicates how many sides of the keys will be engraved.

UCS-88A-ORG-E10-KD

Keying

KD	Keyed Different
KA	Keyed Alike
MKD	Master Keyed Different
MKA	Master Keyed Alike
GMKD	Grand Master Keyed Different
GMKA	Grand Master Keyed Alike
KZ	Zero Bitted
WO	Less Cylinder

Only for cylinder technologies manufactured by PACLOCK. "Keyed-Alike" locks may include the designated key number.

Commercial cylinder padlocks (KIK, LFIC, FSIC, & SFIC) exclude Keying options.

UCS-2A-PRP-S03-GMKD
M1-8A-BLU-KA2201
KIK-SL-8A-BLU (*Keying omitted*)

Standard configuration options are omitted from SKUs. * All cylinder technologies except "PRO-Series"; ** "PRO-Series" and "RD-Series."

Product Subtypes

Certain Product Types include Product Subtypes that distinguish application-specific variations. Use the following reference charts to identify the correct subtype for your application before completing the SKU.

"17-Series" Block-Locks

600	0.600" Spread; Motorcycle Wheels & Gates
850	0.850" Spread; Up to 3/8" (10mm) Chain
1100	1.100" Spread; Up to 1/2" (13mm) Chain



UCS-17A-850-SLV-KD

AM7-17A-600-RED-GMKA

"83-Series" Roll-Up Door Handles

TDC	Todco® Handles
WTG	Whiting® Handles



SR-83A-WTG-BLU-KD

M1-83A-TDC-BLK-KA2201

"84-Series" Roll-Up Door Handles

TDC	Todco® Handles
TDC-O	Todco® Handles w/ Offset Hasp
WTG	Whiting® Handles




UCS-84A-WTG-BLK-KA51290

SR-84A-TDC-O-BLU-MKD


The body material "A" is appended after the Product Type for trailer and Block-Locks shown above.

"77-Series" Coupler Lock Models


PACLOCK's "77-Series" offers multiple shroud sizes supporting a wide range of trailer couplers.



This lock includes PACLOCK's patented stainless steel "S" cone puck as standard.



Standard SKU rules apply to keyways, "KiK-Series" tailpieces, or additional keys.




2178	Standard 2"
2516	Standard 2-5/16"
2178-XL	Standard 2" (Larger Size)
2516-XL	Standard 2-5/16" (Larger Size)
BUL-2178	Bulldog® 2"
BUL-2516	Bulldog® 2-5/16"
UND-2178	Underslung 2"
UND-2516	Underslung 2-5/16"
AIR-2178	Airstream® 2"
AIR-2516	Airstream® 2-5/16" (Models prior to 2019)
DEM-2178	Demco® 2"
DEM-2516	Demco® 2-5/16" & Airstream® 2-5/16" (Models after 2020)
UFP-2178	UFP 2"
UFP-2516	UFP 2-5/16"
ATW-2178	Atwood® 2"
ATW-2516	Atwood® 2-5/16"
BCH-2178	Bulldog® Cast Head
BCH-2516	Bulldog® Cast Head
BWF-2516	Buyers® & Wallace Forge®
KNK	Kingpin Hitch Pin
GSE	Gooseneck
PIN	Pintle Hook
Contact PACLOCK for additional coupler sizes.	




All trademarks, service marks and company names are the property of their respective owners.

"79 & 80-Series" Hitch Pin Locks


PACLOCK's "79-" and "80-Series" locks offer interchangeable pin sizes, maximizing flexibility across different applications.



Both the "79-" and "80-Series" are offered in aluminum and stainless steel padlock bodies.



Use the following SKU when ordering loose pins:



Series	SKU	Diameter	Size
"79-Series"	—	0.275"	Standard Pin
	266	5/16"	UFP® Couplers
	196	1/2"	1UP® Add-On
	286	0.275"	286ST Thinwall
	328	0.275"	Demco® Couplers
	338	5/16"	1UP® Super Duty & Heavy Duty Racks
	383	5/16"	1UP® Wheel Lock
	512	5/16"	1UP® Wheel Lock (EQ)
	553	5/16"	1UP® Wheel Lock (Long)
	TH1	1/2"	Thule® Racks
	TH2	1/2"	Thule® Racks
	TH3	1/2"	Thule® Racks
"80-Series"	125	1/2"	
	130	1/2"	
	135	1/2"	
	350	1/2"	
	450	1/2"	
	YK1	1/2"	Yakima® Bike Racks
	YK2	1/2"	Yakima® Bike Racks
	YK3	1/2"	Yakima® Bike Racks
	YK4	1/2"	Yakima® Bike Racks
	YK5	1/2"	Yakima® Bike Racks
	YK6	1/2"	Yakima® Bike Racks
	YK7	1/2"	Yakima® Bike Racks
	202	5/8"	2" Receivers (Short)
	200	5/8"	2" Receivers
	225	5/8"	
	250	5/8"	2-1/2" Receivers
	300	5/8"	3" Receivers
	400	5/8"	4" Receivers
	455	5/8"	
	500	5/8"	5" Receivers
	600	5/8"	6" Receivers
	325	3/4"	
	475	3/4"	
	478	7/8"	B&W® Continuum

Contact PACLOCK for additional pin sizes.

All trademarks, service marks and company names are the property of their respective owners.

Additional SKU Attributes

The following product types include SKU attributes that apply only to those specific products. Use these reference charts when configuring hasps, backplates, or chain.

Hasps & Backplates

Hasp Types	
PL770	Master Lock® Direct Replacement
PL773	Knaack® & Ridgid® Boxes
PL774	Short Hasp (2 Short Sides)
PL775	Short Hasp (1 Short Side)
PL779	Right-Angle for Left-Side Bends
PL781	Right-Angle for Right-Side Bends
PL782	Inward-Swinging or Roll-Up Doors
PL783	Short Version of PL779
PL810	Right-Side Sliding Van Doors
PL811	Left-Side Sliding Van Doors

Backplates	
N	No Backplates*
B	With Backplates
Standard configuration option is omitted from SKU.*	

Hasp Finish	
GRY	Grey
WHT	White
BLK	Black
ZNC	Zinc
S	Stainless Steel

PACLOCK hasps are manufactured from either zinc-plated steel or stainless steel. Grey, White, and Black finishes receive an additional powder-coated finish over zinc-plated steel for enhanced durability. Zinc and Stainless Steel models are not powder-coated.

PL770-S-B

PL779-ZNC

PL810-GRY-B

Chain

Shackle Chain	
Chain1	Shackle Chain for 1/4" Dia. Shackles
Chain2	Shackle Chain for 5/16" Dia. Shackles
Chain3	Shackle Chain for 3/8" Dia. Shackles

Shackle Chain Finish	
ZNC	Zinc
B	Brass

Chain1-B

High Security Chain	
Chain56	5/16" USA-Made Square Chain (8mm)
Chain38	3/8" USA-Made Square Chain (10mm)
Chain12	1/2" USA-Made Square Chain (13mm)

PACLOCK's chain is sold by the inch – the desired length of chain should be added to the end of the SKU.

Chain56-36

Parts List

Cylinders

Cylinders with a "P0" keyway will not show the keyway in the SKU.

CYL-UCS-KD	Keyed-Different
CYL-UCS-KA	Keyed-Alike
CYL-UCS-MKD	Master Keyed-Different
CYL-UCS-MKA	Master Keyed-Alike
CYL-UCS-GMKD	Grand Master Keyed-Different
CYL-UCS-GMKA	Grand Master Keyed-Alike
CYL-UCS-KZ	Zero Bitted

Replace the Cylinder Technology prefix for "SR," "PRO," "M1," "M15," "7000B," "AM3," "AM7," or "CR."

PACLOCK does not manufacture cylinders from other commercial manufacturers.

Restricted Cylinders

"PR1" Keyway	CYL-UCS-PR1-KD	Keyed-Different
	CYL-UCS-PR1-KA	Keyed-Alike
	CYL-UCS-PR1-MKD	Master Keyed-Different
	CYL-UCS-PR1-MKA	Master Keyed-Alike
	CYL-UCS-PR1-GMKD	Grand Master Keyed-Different
	CYL-UCS-PR1-GMKA	Grand Master Keyed-Alike
	CYL-UCS-PR1-KZ	Zero Bitted
	CYL-PRO-KD	Keyed-Different
	CYL-PRO-KA	Keyed-Alike
	CYL-PRO-MKD	Master Keyed-Different
	CYL-PRO-MKA	Master Keyed-Alike
	CYL-PRO-GMKD	Grand Master Keyed-Different
	CYL-PRO-GMKA	Grand Master Keyed-Alike
	CYL-PRO-KZ	Zero Bitted
"PR2" Keyway	CYL-UCS-PR2-KD	Keyed-Different
	CYL-UCS-PR2-KA	Keyed-Alike
	CYL-UCS-PR2-MKD	Master Keyed-Different
	CYL-UCS-PR2-MKA	Master Keyed-Alike
	CYL-UCS-PR2-GMKD	Grand Master Keyed-Different
	CYL-UCS-PR2-GMKA	Grand Master Keyed-Alike
	CYL-UCS-PR2-KZ	Zero Bitted

PACLOCK's "PR1" and "PR2" keyways are available with SR and UCS™ cylinder technology. "PR1" is standard for the PRO-Series and is therefore omitted from the SKU.

Sleeves

Compatible Padlocks	SKU
"5, 7, 8, 9, 17-600, 83, & 84-Series"	Sleeve-UCS-25
	Sleeve-RD-25
	Sleeve-SFIC-25
	Sleeve-KIK-SC-25
	Sleeve-KIK-SL-25
	Sleeve-LFIC-SGT-25
	Sleeve-LFIC-M31-Y6-25
	Sleeve-LFIC-M31-Y7-25
	Sleeve-LFIC-M32-25
	Sleeve-LFIC-COR-25
	Sleeve-LFIC-ASA-25
	Sleeve-FSIC-25
	Sleeve-UCS-30
	Sleeve-RD-30
"17-850-Series" Block-Lock	Sleeve-SFIC-30
	Sleeve-KIK-SC-30
	Sleeve-KIK-SL-30
	Sleeve-LFIC-SGT-30
	Sleeve-LFIC-M31-Y6-30
	Sleeve-LFIC-M31-Y7-30
	Sleeve-LFIC-M32-30
	Sleeve-LFIC-COR-30
	Sleeve-LFIC-ASA-30
	Sleeve-FSIC-30
	Sleeve-UCS-38
	Sleeve-RD-38
	Sleeve-SFIC-38
	Sleeve-KIK-SC-38
"81, 82, & 17-1100-Series"	Sleeve-KIK-SL-38
	Sleeve-LFIC-SGT-38
	Sleeve-LFIC-M31-Y6-38
	Sleeve-LFIC-M31-Y7-38
	Sleeve-LFIC-M32-38
	Sleeve-LFIC-COR-38
	Sleeve-LFIC-ASA-38
	Sleeve-FSIC-38
	Sleeve-RD-80
	Sleeve-UCS-88
	Sleeve-SFIC-88
"RD-79/80-Series"	
"88-Series"	

Parts List

Shackles

1/4" Diameter	Hardened Stainless Steel	Shackle1-P01
		Shackle1-P25
	Hardened Steel	Shackle1-H75
		Shackle1-H01
		Shackle1-H15
		Shackle1-H02
		Shackle1-H25
		Shackle1-H03
		Shackle1-H05
	Stainless Steel	Shackle1-S01
Shackle1-S02		
Shackle1-S03		
5/16" Diameter	Hardened Stainless Steel	Shackle2-P01
		Shackle2-P25
		Shackle2-P05
	Hardened Steel	Shackle2-H01
		Shackle2-H02
		Shackle2-H03
	Stainless Steel	Shackle2-S01
		Shackle2-S02
Shackle2-S03		
3/8" Diameter	Hardened Stainless Steel	Shackle3-P00
		Shackle3-P01
		Shackle3-P25
	Hardened Steel	Shackle3-H01
		Shackle3-H02
		Shackle3-H03
	Stainless Steel	Shackle3-S00
		Shackle3-S01
		Shackle3-S02
Shackle3-S03		
7/16" Diameter	Hardened Stainless Steel	Shackle4-P01
		Shackle4-P25

Call for availability on all Brass "B" shackles.

Keys

Keys with a "P0" keyway will not show the keyway in the SKU.

KEY-UCS-B	Key Blank
KEY-UCS-C	Cut Key
KEY-UCS-M	Master Key
KEY-UCS-G	Grand Master Key


Replace the Cylinder Technology prefix for "SR," "PRO," "M1," "M15," "7000B," "AM3," "AM7," or "CR."

PACLOCK does not manufacture cylinders from other commercial manufacturers.

Restricted Keys

"PR1" Keyway	KEY-UCS-PR1-B	Key Blank
	KEY-UCS-PR1-C	Cut Key
	KEY-UCS-PR1-M	Master Key
	KEY-UCS-PR1-G	Grand Master Key
	KEY-PRO-B	Key Blank
	KEY-PRO-C	Cut Key
	KEY-PRO-M	Master Key
	KEY-PRO-G	Grand Master Key
"PR2" Keyway	KEY-UCS-PR2-B	Key Blank
	KEY-UCS-PR2-C	Cut Key
	KEY-UCS-PR2-M	Master Key
	KEY-UCS-PR2-G	Grand Master Key

PACLOCK's "PR1" and "PR2" keyways are available with SR and UCS™ cylinder technology. "PR1" is standard for the PRO-Series and is omitted from the SKU.



Universal Cylinder System™

PACLOCK's high-performance 6-pin cylinders with stainless steel pins and industry-leading Quick-Change technology.



Cylinder Technology



SKU Example: **UCS-77S-2178-KD**



Padlock Type

Cylinder Technology



SKU Example: **UCS-81A-BLK-KA51290**



Padlock Type

Available Keyways



P0 (Standard)



PR1
(Restricted)



PR2
(Restricted)

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"UCS-90A"

1/4" Diameter
Shackled Padlock



"UCS-1A"

1/4" Diameter
Shackled Padlock




"UCS-2A"

5/16" Diameter
Shackled Padlock



"UCS-3A"

3/8" Diameter
Shackled Padlock



"UCS-4A"

7/16" Diameter
Shackled Padlock



"UCS-10A"

Universal Jobsite
Box Lock

Hockey Pucks



"UCS-7S"

Flat Back
Hockey Puck




"UCS-8A"

Stepped Back
Hockey Puck



"UCS-9S"

Patented
Cone Puck



PACLOCK offers one of the largest hasp-style varieties in the industry, featuring innovative designs like puck-to-hasps mounting and hidden-bolt security for extreme protection against attacks.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"UCS-77S"
High Security Trailer
Coupler Lock



"UCS-79A"
Universal
Coupler Lock



"UCS-80A"
Hitch Receiver
Padlock



"UCS-81A"
Patented Trailer
Door Lock



"UCS-88A"
Shrouded
Coupler Lock



"UCS-CL30"
3/4" Cam Lock

Cargo Transportation



"UCS-82A"
Patented Container
Door Lock



"UCS-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"UCS-84A-TDC"
Roll-Up Door Padlock
for Todco®



"UCS-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"UCS-89A"
Utility 3000R® Refrigerated
Door Handles



"UCS-445A"
1" Shrouded Single
Post Padlock



"UCS-446A"
1" Shrouded Single
Post Padlock




"UCS-447A"
2" Shrouded Single
Post Padlock



The "79-Series" Universal Coupler Padlocks offer a variety of interchangeable pins to work with an array of applications.

Chain Security



"UCS-5S"
PAC-LINK™
(Puck & Chain Device)



"UCS-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"UCS-17A-600"
Block-Locks for
Gates & Chain




"UCS-17A-850"
Block-Locks for
Gates & 3/8" Chain



"UCS-17A-1100"
Block-Locks for
Gates & 1/2" Chain


Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Rotating Disc Technology

PACLOCK's high-security rotating disc cylinder offering extreme pick-resistance, strict level of key control, and 2+ billion key combinations.



Cylinder Technology

SKU Example: **RD-655**-KD

Padlock Type

Cylinder Technology

SKU Example: **RD-84A**-TDC-SLV-KD

Padlock Type

General Field Service Padlocks



"RD-655"

3/8" Diameter GFSP Padlock



"RD-656"

1/2" Diameter GFSP Padlock

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"RD-90A"

1/4" Diameter
Shackled Padlock*



"RD-1A"

1/4" Diameter
Shackled Padlock




"RD-2A"

5/16" Diameter
Shackled Padlock



"RD-3A"

3/8" Diameter
Shackled Padlock



"RD-4A"

7/16" Diameter
Shackled Padlock



"RD-10A"

Universal Jobsite
Box Lock

Hockey Pucks



"RD-7S"

Flat Back
Hockey Puck



"RD-8A"

Stepped Back
Hockey Puck



"RD-9S"

Patented
Cone Puck



Compatible with the "77-Series," "RD" cylinder technology enhances coupler locks with high-security rotating disc protection—securing RVs, trailers, and equipment worth thousands of dollars.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"RD-77S"
High Security Trailer
Coupler Lock



"RD-79A"
Universal
Coupler Lock



"RD-80A"
Hitch Receiver
Padlock



"RD-81A"
Patented Trailer
Door Lock



"RD-88A"
Shrouded
Coupler Lock



*"RD-Series" System Code
is required to purchase
additional keys or padlocks.*

Cargo Transportation



"RD-82A"
Patented Container
Door Lock



"RD-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"RD-84A-TDC"
Roll-Up Door Padlock
for Todco®



"RD-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"RD-89A"
Utility 3000R® Refrigerated
Door Handles



PACLOCK's "RD-Series" Key



"RD-445A"
1" Shrouded Single
Post Padlock*



"RD-446A"
1" Shrouded Single
Post Padlock*



"RD-447A"
2" Shrouded Single
Post Padlock*



*PACLOCK offers the industry's
largest selection of padlocks
available with rotating
disc high-security cylinder
technology, including trailer
locks, puck-style locks, block-
locks, and shackled padlocks.*

Chain Security



"RD-5S"
PAC-LINK™
(Puck & Chain Device)



"RD-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"RD-17A-600"
Block-Locks for
Gates & Chain




"RD-17A-850"
Block-Locks for
Gates & 3/8" Chain



"RD-17A-1100"
Block-Locks for
Gates & 1/2" Chain




Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Standard Rekeyable

PACLOCK's "Legacy Series" 6-pin cylinder technology with stainless steel pins (formerly brass pins).



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"SR-90A"
1/4" Diameter
Shackled Padlock




"SR-1A"
1/4" Diameter
Shackled Padlock



"SR-2A"
5/16" Diameter
Shackled Padlock



"SR-3A"
3/8" Diameter
Shackled Padlock



"SR-4A"
7/16" Diameter
Shackled Padlock



"SR-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"SR-7S"
Flat Back
Hockey Puck



"SR-8A"
Stepped Back
Hockey Puck



"SR-9S"
Patented
Cone Puck



Protect your "1-, 2-, or 3-Series" PACLOCK with the PAC-SHIELD™, a 304 stainless steel shroud that adds superior resistance against grinder and cutting attacks. Slide on the PAC-SHIELD™, secure the tab, and get to work while keeping full rekeyability.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"SR-77S"
High Security Trailer
Coupler Lock



"SR-79A"
Universal
Coupler Lock



"SR-80A"
Hitch Receiver
Padlock



"SR-81A"
Patented Trailer
Door Lock



"SR-88A"
Shrouded
Coupler Lock



"SR-CL30"
3/4" Cam Lock

Cargo Transportation



"SR-82A"
Patented Container
Door Lock



"SR-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"SR-84A-TDC"
Roll-Up Door Padlock
for Todco®



"SR-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"SR-89A"
Utility 3000R® Refrigerated
Door Handles



"SR-445A"
1" Shrouded Single
Post Padlock



"SR-446A"
1" Shrouded Single
Post Padlock



"SR-447A"
2" Shrouded Single
Post Padlock



The "81-" & "82-Series"
PACLOCKS use similar
hidden-shackle designs with
machined cutouts specifically
for flat-bar or ribbed handles.

Chain Security



"SR-5S"
PAC-LINK™
(Puck & Chain Device)



"SR-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"SR-17A-600"
Block-Locks for
Gates & Chain




"SR-17A-850"
Block-Locks for
Gates & 3/8" Chain



"SR-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information



SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Master® M1 Compatible

PACLOCKS keyable to M1 keyways commonly found in Master Lock® No. 1, No. 3, and No. 5 series.


Keyway field is not required for this cylinder technology.



Keyway



M1



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"M1-90A"
1/4" Diameter
Shackled Padlock




"M1-1A"
1/4" Diameter
Shackled Padlock



"M1-2A"
5/16" Diameter
Shackled Padlock



"M1-3A"
3/8" Diameter
Shackled Padlock



"M1-4A"
7/16" Diameter
Shackled Padlock



"M1-10A"
Universal Jobsite
Box Lock

Hockey Pucks




"M1-7S"
Flat Back
Hockey Puck



"M1-8A"
Stepped Back
Hockey Puck



"M1-9S"
Patented
Cone Puck



PACLOCK's "CL30-Series" Cam Lock fits a standard 3/4" diameter application – offering a convenient swap with existing cam locks.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"M1-77S"
High Security Trailer
Coupler Lock



"M1-79A"
Universal
Coupler Lock



"M1-80A"
Hitch Receiver
Padlock



"M1-81A"
Patented Trailer
Door Lock



"M1-88A"
Shrouded
Coupler Lock



"M1-CL30"
3/4" Cam Lock
(Call for Availability)

Cargo Transportation



"M1-82A"
Patented Container
Door Lock



"M1-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"M1-84A-TDC"
Roll-Up Door Padlock
for Todco®



"M1-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"M1-89A"
Utility 3000R® Refrigerated
Door Handles



"M1-445A"
1" Shrouded Single
Post Padlock



"M1-446A"
1" Shrouded Single
Post Padlock




"M1-447A"
2" Shrouded Single
Post Padlock



The "M1-Series" can be keyed across PACLOCK's huge product line – from the "7-Series" hidden-shackle hockey puck to trailer locks, and shackled padlocks.

Chain Security



"M1-5S"
PAC-LINK™
(Puck & Chain Device)



"M1-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"M1-17A-600"
Block-Locks for
Gates & Chain




"M1-17A-850"
Block-Locks for
Gates & 3/8" Chain



"M1-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Master® M15 Compatible

PACLOCKS keyable to M15 keyways commonly found in Master Lock Magnum® Series.

Keyway field is not required for this cylinder technology.

Cylinder Technology

SKU Example: **M15-88A-BLU-KA**

Padlock Type

Cylinder Technology

SKU Example: **M15-77S-2516-KA**

Padlock Type



Keyway



M15



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"M15-90A"

1/4" Diameter
Shackled Padlock



"M15-1A"

1/4" Diameter
Shackled Padlock




"M15-2A"

5/16" Diameter
Shackled Padlock



"M15-3A"

3/8" Diameter
Shackled Padlock



"M15-4A"

7/16" Diameter
Shackled Padlock



"M15-10A"

Universal Jobsite
Box Lock

Hockey Pucks



"M15-7S"

Flat Back
Hockey Puck



"M15-8A"

Stepped Back
Hockey Puck



"M15-9S"

Patented
Cone Puck



The "446-Series" supports Master Lock® M15 keys and provides a mid-size option between the "445-Series" and "447-Series" padlocks, expanding case-fit options on limited-rotation hasps.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"M15-77S"
High Security Trailer
Coupler Lock



"M15-79A"
Universal
Coupler Lock



"M15-80A"
Hitch Receiver
Padlock



"M15-81A"
Patented Trailer
Door Lock



"M15-88A"
Shrouded
Coupler Lock


Cargo Transportation



"M15-82A"
Patented Container
Door Lock



"M15-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"M15-84A"
Roll-Up Door Padlock
for Todco®



"M15-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"M15-89A"
Utility 3000R® Refrigerated
Door Handles



"M15-445A"
1" Shrouded Single
Post Padlock



"M15-446A"
1" Shrouded Single
Post Padlock



"M15-447A"
2" Shrouded Single
Post Padlock



The "447-Series" features a taller shackle securing hard cases, Milwaukee® PACKOUTS™, and YETI® Coolers! See the "445-" and "446-Series" for additional sizes.

Chain Security



"M15-5S"
PAC-LINK™
(Puck & Chain Device)



"M15-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"M15-17A-600"
Block-Locks for
Gates & Chain




"M15-17A-850"
Block-Locks for
Gates & 3/8" Chain



"M15-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Master® 7000B Compatible

PACLOCKS keyable to 7000B keyways commonly found in Master Lock Pro Series®.

The "7000B" keyway is omitted from the SKU.

Cylinder Technology

SKU Example: **7000B-79A-ORG-KA**

Padlock Type

Cylinder Technology

SKU Example: **7000B-1A-PRP-KA**


Color



Keyway



7000B



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"7000B-90A"
1/4" Diameter
Shackled Padlock




"7000B-1A"
1/4" Diameter
Shackled Padlock



"7000B-2A"
5/16" Diameter
Shackled Padlock



"7000B-3A"
3/8" Diameter
Shackled Padlock



"7000B-4A"
7/16" Diameter
Shackled Padlock



"7000B-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"7000B-7S"
Flat Back
Hockey Puck



"7000B-8A"
Stepped Back
Hockey Puck



"7000B-9S"
Patented
Cone Puck



PACLOCK's "81-Series" is purpose-built for swing-handle trailer doors, delivering a hidden-shackle locking solution that outperforms exposed puck-style designs vulnerable to prying or grinding.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"7000B-77S"
High Security Trailer
Coupler Lock



"7000B-79A"
Universal
Coupler Lock



"7000B-80A"
Hitch Receiver
Padlock



"7000B-81A"
Patented Trailer
Door Lock



"7000B-88A"
Shrouded
Coupler Lock

Cargo Transportation



"7000B-82A"
Patented Container
Door Lock



"7000B-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"7000B-84A"
Roll-Up Door Padlock
for Todco®



"7000B-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"7000B-89A"
Utility 3000R® Refrigerated
Door Handles



"7000B-445A"
1" Shrouded Single
Post Padlock



"7000B-446A"
1" Shrouded Single
Post Padlock



"7000B-447A"
2" Shrouded Single
Post Padlock



PACLOCK's "PL773" hasp provides enhanced security for Knaack® and RIDGID® jobsite boxes, designed for customers who want added protection beyond standard padlock use.

Chain Security



"7000B-5S"
PAC-LINK™
(Puck & Chain Device)



"7000B-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"7000B-17A-600"
Block-Locks for
Gates & Chain




"7000B-17A-850"
Block-Locks for
Gates & 3/8" Chain



"7000B-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



American® AM3 Compatible

PACLOCKS keyable to AM3 keyways commonly found in 5-pin American Locks®.

The "AM3" keyway is omitted from the SKU.

Cylinder Technology


SKU Example: **AM3-80S-600-KA**

Padlock Type

Cylinder Technology

SKU Example: **AM3-445A-BLU-KA**

Padlock Type



Keyway



AM3



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"AM3-90A"
1/4" Diameter
Shackled Padlock




"AM3-1A"
1/4" Diameter
Shackled Padlock



"AM3-2A"
5/16" Diameter
Shackled Padlock



"AM3-3A"
3/8" Diameter
Shackled Padlock



"AM3-4A"
7/16" Diameter
Shackled Padlock



"AM3-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"AM3-7S"
Flat Back
Hockey Puck



"AM3-8A"
Stepped Back
Hockey Puck



"AM3-9S"
Patented
Cone Puck



The "7-Series" Flat Back hockey puck supports American Lock® AM3 keying and features PACLOCK's Puck-to-Hasp Mounting™, preventing lost locks or padlocks left behind.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"AM3-77S"
High Security Trailer
Coupler Lock



"AM3-79A"
Universal
Coupler Lock



"AM3-80A"
Hitch Receiver
Padlock



"AM3-81A"
Patented Trailer
Door Lock



"AM3-88A"
Shrouded
Coupler Lock



"AM3-CL30"
3/4" Cam Lock
(Call for Availability)

Cargo Transportation



"AM3-82A"
Patented Container
Door Lock



"AM3-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"AM3-84A-TDC"
Roll-Up Door Padlock
for Todco®



"AM3-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"AM3-89A"
Utility 3000R® Refrigerated
Door Handles



"AM3-445A"
1" Shrouded Single
Post Padlock



"AM3-446A"
1" Shrouded Single
Post Padlock




"AM3-447A"
2" Shrouded Single
Post Padlock



Eliminate exposed shackles and upgrade to PACLOCK's "17-Series" Block-Locks for superior resistance against bolt cutters and angle grinders.

Chain Security



"AM3-5S"
PAC-LINK™
(Puck & Chain Device)



"AM3-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"AM3-17A-600"
Block-Locks for
Gates & Chain




"AM3-17A-850"
Block-Locks for
Gates & 3/8" Chain



"AM3-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



American® AM7 Compatible

PACLOCKS keyable to AM7 keyways commonly found in 6-pin American Locks®.

The "AM7" keyway is omitted from the SKU.

Cylinder Technology



SKU Example: AM7-17A-850-BLU-KA



Padlock Type



Cylinder Technology



SKU Example: AM7-10A-ORG-KA



Padlock Type

Keyway



AM7



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"AM7-90A"
1/4" Diameter
Shackled Padlock




"AM7-1A"
1/4" Diameter
Shackled Padlock



"AM7-2A"
5/16" Diameter
Shackled Padlock



"AM7-3A"
3/8" Diameter
Shackled Padlock



"AM7-4A"
7/16" Diameter
Shackled Padlock



"AM7-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"AM7-7S"
Flat Back
Hockey Puck



"AM7-8A"
Stepped Back
Hockey Puck



"AM7-9S"
Patented
Cone Puck



PACLOCK's "82-Series" includes the PAC-TETHER™ to keep the lock secured to the door when locked or unlocked, significantly reducing the risk of lost or forgotten pucks.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"AM7-77S"
High Security Trailer
Coupler Lock



"AM7-79A"
Universal
Coupler Lock



"AM7-80A"
Hitch Receiver
Padlock



"AM7-81A"
Patented Trailer
Door Lock



"AM7-88A"
Shrouded
Coupler Lock



"AM7-CL30"
3/4" Cam Lock
(Call for Availability)

Cargo Transportation



"AM7-82A"
Patented Container
Door Lock



"AM7-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"AM7-84A-TDC"
Roll-Up Door Padlock
for Todco®



"AM7-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"AM7-89A"
Utility 3000R® Refrigerated
Door Handles



"AM7-445A"
1" Shrouded Single
Post Padlock



"AM7-446A"
1" Shrouded Single
Post Padlock




"AM7-447A"
2" Shrouded Single
Post Padlock



Pair the "77-Series" trailer coupler lock with the shrouded "88-Series" to create a layered defense against cutting, prying, and forced-entry attacks.

Chain Security



"AM7-5S"
PAC-LINK™
(Puck & Chain Device)



"AM7-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"AM7-17A-600"
Block-Locks for
Gates & Chain




"AM7-17A-850"
Block-Locks for
Gates & 3/8" Chain



"AM7-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



CCL® Cabinet Lock Compatible

PACLOCKS keyable to CR keyways commonly found in CCL® locks.



Cylinder Technology



SKU Example: **CR-81A-BLU-KA**



Padlock Type



Cylinder Technology



SKU Example: **CR-446A-BLK-KA**



Padlock Type

Keyway



CR



Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"CR-90A"

1/4" Diameter
Shackled Padlock



"CR-1A"

1/4" Diameter
Shackled Padlock




"CR-2A"

5/16" Diameter
Shackled Padlock



"CR-3A"

3/8" Diameter
Shackled Padlock



"CR-4A"

7/16" Diameter
Shackled Padlock



"CR-10A"

Universal Jobsite
Box Lock

Hockey Pucks



"CR-7S"

Flat Back
Hockey Puck



"CR-8A"

Stepped Back
Hockey Puck



"CR-9S"

Patented
Cone Puck



The "5-Series" is engineered to withstand severe attacks and the harshest environments – the PAC-LINK™ is machined from 304-grade stainless steel body and includes bolt-cutter-resistant square-link hardened steel chain.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"CR-77S"
High Security Trailer
Coupler Lock



"CR-79A"
Universal
Coupler Lock



"CR-80A"
Hitch Receiver
Padlock



"CR-81A"
Patented Trailer
Door Lock



"CR-88A"
Shrouded
Coupler Lock



"CR-CL30"
3/4" Cam Lock
(Call for Availability)

Cargo Transportation



"CR-82A"
Patented Container
Door Lock



"CR-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"CR-84A-TDC"
Roll-Up Door Padlock
for Todco®



"CR-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"CR-89A"
Utility 3000R® Refrigerated
Door Handles



"CR-445A"
1" Shrouded Single
Post Padlock



"CR-446A"
1" Shrouded Single
Post Padlock



"CR-447A"
2" Shrouded Single
Post Padlock



The "17-Series" Block-Locks and "88-Series" coupler locks share a concealed-shackle design but are purpose-built with different shackle diameters to match distinct security and application requirements.

Chain Security



"CR-5S"
PAC-LINK™
(Puck & Chain Device)



"CR-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"CR-17A-600"
Block-Locks for
Gates & Chain




"CR-17A-850"
Block-Locks for
Gates & 3/8" Chain



"CR-17A-1100"
Block-Locks for
Gates & 1/2" Chain



Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Small Format Interchangeable Core Compatible

PACLOCKS compatible with 5-, 6-, and 7-pin Small Format Interchangeable Cores (SFIC). Cores not included.



SFIC PAC-SLEEVE™ SKUs

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-SFIC-25
"17-850-Series" Block-Lock	Sleeve-SFIC-30
"81, 82, & 17-1100-Series"	Sleeve-SFIC-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"SFIC-90A"
1/4" Diameter
Shackled Padlock




"SFIC-1A"
1/4" Diameter
Shackled Padlock



"SFIC-2A"
5/16" Diameter
Shackled Padlock



"SFIC-3A"
3/8" Diameter
Shackled Padlock



"SFIC-4A"
7/16" Diameter
Shackled Padlock



"SFIC-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"SFIC-7S"
Flat Back
Hockey Puck



"SFIC-8A"
Stepped Back
Hockey Puck



"SFIC-9S"
Patented
Cone Puck



PACLOCK's "79-Series" is a universal trailer coupler lock engineered with interchangeable pins and multiple locking positions to securely fit a wide range of coupler styles.

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"SFIC-77S"
High Security Trailer
Coupler Lock



"SFIC-79A"
Universal
Coupler Lock



"SFIC-80A"
Hitch Receiver
Padlock



"SFIC-81A"
Patented Trailer
Door Lock



"SFIC-88A"
Shrouded
Coupler Lock

Cargo Transportation



"SFIC-82A"
Patented Container
Door Lock



"SFIC-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"SFIC-84A-TDC"
Roll-Up Door Padlock
for Todco®



"SFIC-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"SFIC-89A"
Utility 3000R® Refrigerated
Door Handles



"SFIC-443A"
1" Shrouded Single
Post Padlock



"SFIC-445A"
1" Shrouded Single
Post Padlock



"SFIC-446A"
1" Shrouded Single
Post Padlock



"SFIC-447A"
2" Shrouded Single
Post Padlock



The "77-Series" incorporates PACLOCK's patented "9-Series" cone puck machined from 304-grade stainless steel, significantly increasing resistance to drilling compared to standard flat-face pucks.

Chain Security



"SFIC-5S"
PAC-LINK™
(Puck & Chain Device)



"SFIC-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"SFIC-17A-600"
Block-Locks for
Gates & Chain




"SFIC-17A-850"
Block-Locks for
Gates & 3/8" Chain



"SFIC-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information


SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106




ASSA® Compatible

PACLOCKS compatible with ASSA® 6- and 7-pin Large Format Interchangeable Cores. Cores not included.

SKU Example:



SKU Example:



ASSA® PAC-SLEEVE™ SKUs

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-LFIC-ASA-25
"17-850-Series" Block-Lock	Sleeve-LFIC-ASA-30
"81, 82, & 17-1100-Series"	Sleeve-LFIC-ASA-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"LFIC-ASA-90A"
1/4" Diameter
Shackled Padlock*




"LFIC-ASA-1A"
1/4" Diameter
Shackled Padlock



"LFIC-ASA-2A"
5/16" Diameter
Shackled Padlock



"LFIC-ASA-3A"
3/8" Diameter
Shackled Padlock



"LFIC-ASA-4A"
7/16" Diameter
Shackled Padlock



"LFIC-ASA-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"LFIC-ASA-7S"
Flat Back
Hockey Puck



"LFIC-ASA-8A"
Stepped Back
Hockey Puck



"LFIC-ASA-9S"
Patented
Cone Puck



PACLOCK's "6-Series" "PUCK-LINK" is a shackleless chain locking system with a pop-top puck design that allows quick, one-handed chain installation using custom selected chain lengths.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"LFIC-ASA-77S"
High Security Trailer
Coupler Lock



"LFIC-ASA-79A"
Universal
Coupler Lock



"LFIC-ASA-80A"
Hitch Receiver
Padlock



"LFIC-ASA-81A"
Patented Trailer
Door Lock



PACLOCK's "79-" & "77-Series" securing a
2" Bulldog® Coupler

Cargo Transportation



"LFIC-ASA-82A"
Patented Container
Door Lock



"LFIC-ASA-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"LFIC-ASA-84A-TDC"
Roll-Up Door Padlock
for Todco®



"LFIC-ASA-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"LFIC-ASA-89A"
Utility 3000R® Refrigerated
Door Handles



"LFIC-ASA-445A"
1" Shrouded Single
Post Padlock*



"LFIC-ASA-446A"
1" Shrouded Single
Post Padlock*



"LFIC-ASA-447A"
2" Shrouded Single
Post Padlock*



The "10-Series" universal jobsite
box lock consolidates jobsite
security under one key, allowing
you to keep your existing keys
while upgrading to PACLOCK
lock bodies.

Chain Security



"LFIC-ASA-5S"
PAC-LINK™
(Puck & Chain Device)



"LFIC-ASA-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"LFIC-ASA-17A-600"
Block-Locks for
Gates & Chain




"LFIC-ASA-17A-850"
Block-Locks for
Gates & 3/8" Chain



"LFIC-ASA-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Medeco® M32 Compatible

PACLOCKS compatible with Medeco® M32 6- and 7-pin
Large Format Interchangeable Cores. Cores not included.



Cylinder Technology



SKU Example: **LFIC-M32-3S-S02**



Padlock Type

Cylinder Technology



SKU Example: **LFIC-M32-81A-BLK**



Padlock Type

Medeco® PAC-SLEEVE™ SKUs

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-LFIC-M32-25
"17-850-Series" Block-Lock	Sleeve-LFIC-M32-30
"81, 82, & 17-1100-Series"	Sleeve-LFIC-M32-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"LFIC-M32-90A"
1/4" Diameter
Shackled Padlock*




"LFIC-M32-1A"
1/4" Diameter
Shackled Padlock



"LFIC-M32-2A"
5/16" Diameter
Shackled Padlock



"LFIC-M32-3A"
3/8" Diameter
Shackled Padlock



"LFIC-M32-4A"
7/16" Diameter
Shackled Padlock



"LFIC-M32-10A"
Universal Jobsite
Box Lock

Hockey Pucks




"LFIC-M32-7S"
Flat Back
Hockey Puck



"LFIC-M32-8A"
Stepped Back
Hockey Puck



"LFIC-M32-9S"
Patented
Cone Puck



Custom laser engraving
on PACLOCK padlocks
requires no minimum order
quantities, creating a low-
risk value-add opportunity
for distributors.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"LFIC-M32-77S"
High Security Trailer
Coupler Lock



"LFIC-M32-79A"
Universal Coupler
Lock



"LFIC-M32-80A"
Hitch Receiver
Padlock



"LFIC-M32-81A"
Patented Trailer
Door Lock



Cargo Transportation



"LFIC-M32-82A"
Patented Container
Door Lock



"LFIC-M32-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"LFIC-M32-84A-TDC"
Roll-Up Door Padlock
for Todco®



"LFIC-M32-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"LFIC-M32-89A"
Utility 3000R® Refrigerated
Door Handles



"LFIC-M32-445A"
1" Shrouded Single
Post Padlock*



"LFIC-M32-446A"
1" Shrouded Single
Post Padlock*




"LFIC-M32-447A"
2" Shrouded Single
Post Padlock*



PACLOCK's flat-back hockey pucks match application-specific hasps for secure, flush engagement, while stepped-back pucks introduce prying and torque vulnerabilities.

Chain Security



"LFIC-M32-5S"
PAC-LINK™
(Puck & Chain Device)



"LFIC-M32-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"LFIC-M32-17A-600"
Block-Locks for
Gates & Chain



"LFIC-M32-17A-850"
Block-Locks for
Gates & 3/8" Chain



"LFIC-M32-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106

Body
Material



LFIC-M32-7S

Corbin Russwin® Compatible

**PACLOCKS compatible with Corbin Russwin® 6- and 7-pin
Large Format Interchangeable Cores. Cores not included.**



Cylinder Technology

SKU Example: LFIC-COR-4A-BLU

Padlock Type



Cylinder Technology

SKU Example: LFIC-COR-445A-SLV

Padlock Type

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-LFIC-COR-25
"17-850-Series" Block-Lock	Sleeve-LFIC-COR-30
"81, 82, & 17-1100-Series"	Sleeve-LFIC-COR-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"LFIC-COR-90A"
1/4" Diameter
Shackled Padlock*




"LFIC-COR-1A"
1/4" Diameter
Shackled Padlock



"LFIC-COR-2A"
5/16" Diameter
Shackled Padlock



"LFIC-COR-3A"
3/8" Diameter
Shackled Padlock



"LFIC-COR-4A"
7/16" Diameter
Shackled Padlock



"LFIC-COR-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"LFIC-COR-7A"
Flat Back
Hockey Puck



"LFIC-COR-8A"
Stepped Back
Hockey Puck



"LFIC-COR-9S"
Patented
Cone Puck



PACLOCK's "17-Series" Block-Locks support a wide range of use cases, including securing underbody storage compartments on delivery trucks. The lock shown is a "17-850-Series" Block-Lock.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"LFIC-COR-77S"
High Security Trailer
Coupler Lock



"LFIC-COR-79A"
Universal
Coupler Lock



"LFIC-COR-80A"
Hitch Receiver
Padlock



"LFIC-COR-81A"
Patented Trailer
Door Lock



Cargo Transportation



"LFIC-COR-82A"
Patented Container
Door Lock



"LFIC-COR-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"LFIC-COR-84A-TDC"
Roll-Up Door Padlock
for Todco®



"LFIC-COR-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"LFIC-COR-89A"
Utility 3000R® Refrigerated
Door Handles




"LFIC-COR-445A"
1" Shrouded Single
Post Padlock*



"LFIC-COR-446A"
1" Shrouded Single
Post Padlock*




"LFIC-COR-447A"
2" Shrouded Single
Post Padlock*



PACLOCK's "1-, 2-, 3-, and 4-Series" padlocks are available in aluminum, stainless steel, brass, and hardened steel (by request).

Chain Security



"LFIC-COR-55"
PAC-LINK™
(Puck & Chain Device)



"LFIC-COR-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"LFIC-COR-17A-600"
Block-Locks for
Gates & Chain




"LFIC-COR-17A-850"
Block-Locks for
Gates & 3/8" Chain



"LFIC-COR-17A-1100"
Block-Locks for
Gates & 1/2" Chain



Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Sargent® Compatible

PACLOCKS compatible with Sargent® 6- and 7-pin Large Format Interchangeable Cores. Cores not included.



SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-LFIC-SGT-25
"17-850-Series" Block-Lock	Sleeve-LFIC-SGT-30
"81, 82, & 17-1100-Series"	Sleeve-LFIC-SGT-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"LFIC-SGT-90A"
1/4" Diameter
Shackled Padlock*




"LFIC-SGT-1A"
1/4" Diameter
Shackled Padlock



"LFIC-SGT-2A"
5/16" Diameter
Shackled Padlock



"LFIC-SGT-3A"
3/8" Diameter
Shackled Padlock



"LFIC-SGT-4A"
7/16" Diameter
Shackled Padlock



"LFIC-SGT-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"LFIC-SGT-7S"
Flat Back
Hockey Puck



"LFIC-SGT-8A"
Stepped Back
Hockey Puck



"LFIC-SGT-9S"
Patented
Cone Puck



Designed for demanding environments, PACLOCK's "17-1100-Series" Block-Lock secures up to 1/2" (13 mm) chain and also supports heavy-duty applications including gates and select shipping containers.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"LFIC-SGT-77S"
High Security Trailer
Coupler Lock




"LFIC-SGT-79A"
Universal
Coupler Lock



"LFIC-SGT-80A"
Hitch Receiver
Padlock



"LFIC-SGT-81A"
Patented Trailer
Door Lock



Cargo Transportation



"LFIC-SGT-82A"
Patented Container
Door Lock



"LFIC-SGT-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"LFIC-SGT-84A-TDC"
Roll-Up Door Padlock
for Todco®



"LFIC-SGT-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"LFIC-SGT-89A-SEAL"
Utility 3000R® Refrigerated
Door Handles




"LFIC-SGT-445A"
1" Shrouded Single
Post Padlock*



"LFIC-SGT-446A"
1" Shrouded Single
Post Padlock*



"LFIC-SGT-447A"
2" Shrouded Single
Post Padlock*



PAC-BAND™ keeps dirt and grime out of the cylinder on most PACLOCKS, while PAC-COVER™ protects "1-, 2-, and 3-Series" shackled padlocks and surrounding surfaces from dings.

Chain Security



"LFIC-SGT-5S"
PAC-LINK™
(Puck & Chain Device)



"LFIC-SGT-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"LFIC-SGT-17A-600"
Block-Locks for
Gates & Chain




"LFIC-SGT-17A-850"
Block-Locks for
Gates & 3/8" Chain



"LFIC-SGT-17A-1100"
Block-Locks for
Gates & 1/2" Chain




Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Yale®/Medeco® M31

**PACLOCKS compatible with Yale® & Medeco M31
6- or 7-pin Large Format Interchangeable Cores.
Cores not included.**



SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-LFIC-M31-Y6-25
"17-850-Series" Block-Lock	Sleeve-LFIC-M31-Y6-30
"81, 82, & 17-1100-Series"	Sleeve-LFIC-M31-Y6-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"LFIC-Y6-90A"
1/4" Diameter
Shackled Padlock*




"LFIC-Y6-1A"
1/4" Diameter
Shackled Padlock



"LFIC-Y6-2A"
5/16" Diameter
Shackled Padlock



"LFIC-Y6-3A"
3/8" Diameter
Shackled Padlock



"LFIC-Y6-4A"
7/16" Diameter
Shackled Padlock



"LFIC-Y6-10A"
Universal Jobsite
Box Lock

Hockey Pucks




"LFIC-Y6-7S"
Flat Back
Hockey Puck



"LFIC-Y6-8A"
Stepped Back
Hockey Puck



"LFIC-Y6-9S"
Patented
Cone Puck



The "4-Series" padlock shown features a 304-grade stainless steel body and a 7/16"-diameter shackle for exceptional strength and corrosion resistance where a shackled padlock is required.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"LFIC-Y6-77S"
High Security Trailer
Coupler Lock



"LFIC-Y6-79A"
Universal
Coupler Lock



"LFIC-Y6-80A"
Hitch Receiver
Padlock



"LFIC-Y6-81A"
Patented Trailer
Door Lock



Cargo Transportation



"LFIC-Y6-82A"
Patented Container
Door Lock



"LFIC-Y6-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"LFIC-Y6-84A-TDC"
Roll-Up Door Padlock
for Todco®



"LFIC-Y6-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"LFIC-Y6-89A"
Utility 3000R® Refrigerated
Door Handles



"LFIC-Y6-445A"
1" Shrouded Single
Post Padlock*



"LFIC-Y6-446A"
1" Shrouded Single
Post Padlock*



"LFIC-Y6-447A"
2" Shrouded Single
Post Padlock*



PACLOCK's "82-Series" features a purpose-built cutout designed to accommodate ribbed handles on Conex boxes and shipping containers.

Chain Security



"LFIC-Y6-5S"
PAC-LINK™
(Puck & Chain Device)



"LFIC-Y6-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"LFIC-Y6-17A-600"
Block-Locks for
Gates & Chain




"LFIC-Y6-17A-850"
Block-Locks for
Gates & 3/8" Chain



"LFIC-Y6-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Restricted Keyway	101
Keying	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Key-in-Knob (Screw-On Cap) Compatible

*PACLOCKS compatible with Key-in-Knob or Key-in-Lever
Cylinders from companies like Schlage® and Kwikset®.
Cores not included.*

Cylinder Technology

SKU Example: **KIK-SC-7S**



Cylinder Technology

SKU Example: **KIK-SC-6A**

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-KIK-SC-25
"17-850-Series" Block-Lock	Sleeve-KIK-SC-30
"81, 82, & 17-1100-Series"	Sleeve-KIK-SC-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"KIK-SC-90A"
1/4" Diameter
Shackled Padlock*




"KIK-SC-1A"
1/4" Diameter
Shackled Padlock



"KIK-SC-2A"
5/16" Diameter
Shackled Padlock



"KIK-SC-3A"
3/8" Diameter
Shackled Padlock



"KIK-SC-4A"
7/16" Diameter
Shackled Padlock



"KIK-SC-10A"
Universal Jobsite
Box Lock




"KIK-SC-7S"
Flat Back
Hockey Puck



"KIK-SC-8A"
Stepped Back
Hockey Puck



"KIK-SC-9S"
Patented
Cone Puck



PACLOCK's "1-Series" supports "KIK" or "KIL" cylinder compatibility and features a 1/4-inch shackle diameter to fit tight hasps and confined locking applications.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"KIK-SC-77S"
High Security Trailer
Coupler Lock



"KIK-SC-79A"
Universal
Coupler Lock



"KIK-SC-80A"
Hitch Receiver
Padlock



"KIK-SC-81A"
Patented Trailer
Door Lock



Cargo Transportation



"KIK-SC-82A"
Patented Container
Door Lock



"KIK-SC-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"KIK-SC-84A-TDC"
Roll-Up Door Padlock
for Todco®



"KIK-SC-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"KIK-SC-89A"
Utility 3000R® Refrigerated
Door Handles



"KIK-SC-445A"
1" Shrouded Single
Post Padlock*



"KIK-SC-446A"
1" Shrouded Single
Post Padlock*



"KIK-SC-447A"
2" Shrouded Single
Post Padlock*



Keep your existing KIK or KIL keys—PACLOCK's "79-Series" and "77-Series" coupler locks support KIK/KIL compatibility, allowing customers to upgrade lock bodies without changing keys.

Chain Security



"KIK-SC-5S"
PAC-LINK™
(Puck & Chain Device)



"KIK-SC-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"KIK-SC-17A-600"
Block-Locks for
Gates & Chain




"KIK-SC-17A-850"
Block-Locks for
Gates & 3/8" Chain



"KIK-SC-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Keying Options	101
Key Retaining Options	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



KIK-SL-79S-202

Key-in-Knob (Slotted) Compatible

*PACLOCKS compatible with Key-in-Knob or Key-in-Lever
Cylinders from companies like Schlage® and Kwikset®.
Cores not included.*



Cylinder Technology



SKU Example: **KIK-SL-77S-2178**

Cylinder Technology



SKU Example: **KIK-SL-5S**

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-KIK-SL-25
"17-850-Series" Block-Lock	Sleeve-KIK-SL-30
"81, 82, & 17-1100-Series"	Sleeve-KIK-SL-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"KIK-SL-90A"
1/4" Diameter
Shackled Padlock*




"KIK-SL-1A"
1/4" Diameter
Shackled Padlock



"KIK-SL-2A"
5/16" Diameter
Shackled Padlock



"KIK-SL-3A"
3/8" Diameter
Shackled Padlock



"KIK-SL-4A"
7/16" Diameter
Shackled Padlock



"KIK-SL-10A"
Universal Jobsite
Box Lock



"KIK-SL-75S"
Flat Back
Hockey Puck



"KIK-SL-8A"
Stepped Back
Hockey Puck



"KIK-SL-9S"
Patented
Cone Puck



PACLOCK's "2-Series" supports "KIK" or "KIL" cylinder compatibility and features a 5/16-inch shackle diameter to fit universal locking applications.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"KIK-SL-77S"
High Security Trailer
Coupler Lock



"KIK-SL-79A"
Universal
Coupler Lock



"KIK-SL-80A"
Hitch Receiver
Padlock



"KIK-SL-81A"
Patented Trailer
Door Lock



Cargo Transportation



"KIK-SL-82A"
Patented Container
Door Lock



"KIK-SL-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"KIK-SL-84A-TDC"
Roll-Up Door Padlock
for Todco®



"KIK-SL-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"KIK-SL-89A"
Utility 3000R® Refrigerated
Door Handles



"KIK-SL-445A"
1" Shrouded Single
Post Padlock*



"KIK-SL-446A"
1" Shrouded Single
Post Padlock*




"KIK-SL-447A"
2" Shrouded Single
Post Padlock*



PACLOCK's "79-Series" universal trailer locks support KIK/KIL compatibility, allowing customers to upgrade lock bodies without changing keys. The "79-Series" is shown on an Atwood coupler.

Chain Security



"KIK-SL-5S"
PAC-LINK™
(Puck & Chain Device)



"KIK-SL-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"KIK-SL-17A-600"
Block-Locks for
Gates & Chain



"KIK-SL-17A-850"
Block-Locks for
Gates & 3/8" Chain



"KIK-SL-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Keying Options	101
Key Retaining Options	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106

Stamp

KIK-SL-81A-BLU-SCL-E10

Engraving

Key-in-Knob Sargent® Compatible

PACLOCKS compatible with Key-in-Knob Cylinders from Sargent®. Cores not included.



Cylinder Technology

SKU Example: KIK-SGT-2S-H25

Cylinder Technology

SKU Example: KIK-SGT-88A-BLK

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-KIK-SGT-25
"17-850-Series" Block-Lock	Sleeve-KIK-SGT-30
"81, 82, & 17-1100-Series"	Sleeve-KIK-SGT-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"KIK-SGT-90A"
1/4" Diameter
Shackled Padlock*




"KIK-SGT-1A"
1/4" Diameter
Shackled Padlock



"KIK-SGT-2A"
5/16" Diameter
Shackled Padlock



"KIK-SGT-3A"
3/8" Diameter
Shackled Padlock



"KIK-SGT-4A"
7/16" Diameter
Shackled Padlock



"KIK-SGT-10A"
Universal Jobsite
Box Lock



"KIK-SGT-7S"
Flat Back
Hockey Puck



"KIK-SGT-8A"
Stepped Back
Hockey Puck



"KIK-SGT-9S"
Patented
Cone Puck



Designed for demanding environments, PACLOCK's "17-850-Series" Block-Lock secures up to 3/8" (10 mm) chain and also supports gates or select shipping containers.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"KIK-SGT-77S"
High Security Trailer
Coupler Lock



"KIK-SGT-79A"
Universal
Coupler Lock



"KIK-SGT-80A"
Hitch Receiver
Padlock



"KIK-SGT-81A"
Patented Trailer
Door Lock



Cargo Transportation



"KIK-SGT-82A"
Patented Container
Door Lock



"KIK-SGT-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"KIK-SGT-84A-TDC"
Roll-Up Door Padlock
for Todco®



"KIK-SGT-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"KIK-SGT-89A"
Utility 3000R® Refrigerated
Door Handles



"KIK-SGT-445A"
1" Shrouded Single
Post Padlock*



"KIK-SGT-446A"
1" Shrouded Single
Post Padlock*




"KIK-SGT-447A"
2" Shrouded Single
Post Padlock*



Keep your existing KIK or KIL keys—PACLOCK's "77-Series" heavy duty trailer coupler locks support KIK/KIL compatibility, allowing customers to upgrade lock bodies without changing keys.

Chain Security



"KIK-SGT-5S"
PAC-LINK™
(Puck & Chain Device)



"KIK-SGT-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"KIK-SGT-17A-600"
Block-Locks for
Gates & Chain




"KIK-SGT-17A-850"
Block-Locks for
Gates & 3/8" Chain



"KIK-SGT-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Keying Options	101
Key Retaining Options	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



KIK-SGT-80A-600-RED

Key-in-Knob CLIQ™ Compatible

PACLOCKS compatible with CLIQ™ Key-in-Knob
Cylinders from Medeco®. Cores not included.



Cylinder Technology

SKU Example: **KIK-CLQ-9S**

Cylinder Technology

SKU Example: **KIK-CLQ-77S-2516**

SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-KIK-CLQ-25
"17-850-Series" Block-Lock	Sleeve-KIK-CLQ-30
"81, 82, & 17-1100-Series"	Sleeve-KIK-CLQ-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"KIK-CLQ-90A"
1/4" Diameter
Shackled Padlock*




"KIK-CLQ-1A"
1/4" Diameter
Shackled Padlock



"KIK-CLQ-2A"
5/16" Diameter
Shackled Padlock



"KIK-CLQ-3A"
3/8" Diameter
Shackled Padlock



"KIK-CLQ-4A"
7/16" Diameter
Shackled Padlock



"KIK-CLQ-10A"
Universal Jobsite
Box Lock



"KIK-CLQ-7S"
Flat Back
Hockey Puck



"KIK-CLQ-8A"
Stepped Back
Hockey Puck



"KIK-CLQ-9S"
Patented
Cone Puck



The patented "9-Series" Cone Puck supports Medeco® CLIQ™ cylinders and features PACLOCK's Puck-to-Hasp Mounting™, preventing lost locks or padlocks left behind.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"KIK-CLQ-77S"
High Security Trailer
Coupler Lock



"KIK-CLQ-79A"
Universal
Coupler Lock



"KIK-CLQ-80A"
Hitch Receiver
Padlock



"KIK-CLQ-81A"
Patented Trailer
Door Lock



Cargo Transportation



"KIK-CLQ-82A"
Patented Container
Door Lock



"KIK-CLQ-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"KIK-CLQ-84A-TDC"
Roll-Up Door Padlock
for Todco®



"KIK-CLQ-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"KIK-CLQ-89A"
Utility 3000R® Refrigerated
Door Handles



"KIK-CLQ-445A"
1" Shrouded Single
Post Padlock*



"KIK-CLQ-446A"
1" Shrouded Single
Post Padlock*



"KIK-CLQ-447A"
2" Shrouded Single
Post Padlock*



PACLOCK's "82-Series" includes the PAC-TETHER™ to keep the lock secured to the door when locked or unlocked, significantly reducing the risk of lost or forgotten padlocks.

Chain Security



"KIK-CLQ-55S"
PAC-LINK™
(Puck & Chain Device)



"KIK-CLQ-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"KIK-CLQ-17A-600"
Block-Locks for
Gates & Chain




"KIK-CLQ-17A-850"
Block-Locks for
Gates & 3/8" Chain



"KIK-CLQ-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information



SKU REFERENCE	SEE PAGE
Body Materials	99
Keying Options	101
Key Retaining Options	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



KIK-CLQ-1S-SLC

Schlage® FSIC Compatible

PACLOCKS compatible with Schlage® Full Size Interchangeable Cylinders. Cores not included.



SLEEVE TYPE	SKU
Hockey Pucks	Sleeve-FSIC-25
"17-850-Series" Block-Lock	Sleeve-FSIC-30
"81, 82, & 17-1100-Series"	Sleeve-FSIC-38

Images and SKUs shown represent typical configurations and body materials. While PACLOCK's standard production includes aluminum and stainless steel bodies, additional materials – including brass, nickel-plated brass, and hardened steel – are available by request. Contact PACLOCK to discuss application-specific requirements.

Shackled Padlocks



"FSIC-90A"
1/4" Diameter
Shackled Padlock*




"FSIC-1A"
1/4" Diameter
Shackled Padlock



"FSIC-2A"
5/16" Diameter
Shackled Padlock



"FSIC-3A"
3/8" Diameter
Shackled Padlock



"FSIC-4A"
7/16" Diameter
Shackled Padlock



"FSIC-10A"
Universal Jobsite
Box Lock

Hockey Pucks



"FSIC-7S"
Flat Back
Hockey Puck



"FSIC-8A"
Stepped Back
Hockey Puck



"FSIC-9S"
Patented
Cone Puck



PACLOCK's "80-Series" supports Schlage® "FSIC" compatibility and uses interchangeable pins to adapt the lock across a wide range of applications.

*Call for Availability

All trademarks, service marks and company names are the property of their respective owners.

Trailers & RVs



"FSIC-77S"
High Security Trailer
Coupler Lock



"FSIC-79A"
Universal
Coupler Lock



"FSIC-80A"
Hitch Receiver
Padlock



"FSIC-81A"
Patented Trailer
Door Lock



Cargo Transportation



"FSIC-82A"
Patented Container
Door Lock



"FSIC-83A"
Roll-Up Door Padlock
for Todco® & Whiting®



"FSIC-84A-TDC"
Roll-Up Door Padlock
for Todco®



"FSIC-84A-WTG"
Roll-Up Door Padlock
for Whiting®



"FSIC-89A"
Utility 3000R® Refrigerated
Door Handles



"FSIC-445A"
1" Shrouded Single
Post Padlock*



"FSIC-446A"
1" Shrouded Single
Post Padlock*




"FSIC-447A"
2" Shrouded Single
Post Padlock*



The "79-Series" Universal Coupler Lock is ideal for couplers with limited space around the latch, where the "88-Series" shrouded coupler lock won't fit.

Chain Security



"FSIC-5S"
PAC-LINK™
(Puck & Chain Device)



"FSIC-6A"
PUCK-LINK™
(Pop-Up Chain Device)



"FSIC-17A-600"
Block-Locks for
Gates & Chain




"FSIC-17A-850"
Block-Locks for
Gates & 3/8" Chain



"FSIC-17A-1100"
Block-Locks for
Gates & 1/2" Chain

Additional SKU Information

SKU REFERENCE	SEE PAGE
Body Materials	99
Keying Options	101
Key Retaining Options	101
Shroud Sizes for "77-Series"	103
Pin Sizes for the "79 & 80-Series"	104
Parts List	106



Option Group 1

		1A	1B	1C	1D	1E	1F
Hardened Stainless Steel Shackles	1-3/16"	•	•	•	•	•	•
	2-1/2"	•	•	•	•	•	•
316 Stainless Steel Shackles	1-3/16"	•	•	•	•	•	•
	2"	•	•	•	•	•	•
	3"	•	•	•	•	•	•
Hardened Steel Shackles	3/4"	•	•	•	•	•	•
	1-3/16"	•	•	•	•	•	•
	1-1/2"	•	•	•	•	•	•
	2"	•	•	•	•	•	•
	3"	•	•	•	•	•	•
	5"	•	•	•	•	•	•
Brass	1-3/16"	•	•	•	•	•	•
	3"	•	•	•	•	•	•
Cylinder Options	Zero-Bitted	•	•	•			•
	Keyed-Different	•	•	•		•	•
	Keyed-Alike	•	•	•		•	•
	Master-KD	•	•	•		•	•
	Master-KA	•	•	•		•	•
	Grand Master-KD	•	•	•		•	•
	Grand Master-KA	•	•	•		•	•
	Less Cylinder	•	•	•	•	•	•
Keyways	P0	•	•				•
	PR1	•	•	•			
	PR2	•	•				
Cylinder Retention	KR	•	•	•	•	•	•
	NKR	•	•		•	•	•
Your Logo, Your Locks™	Laser Engraving	•	•	•	•	•	•
	Hard Die Stamping	•	•	•	•	•	•
	Retail Packaging	Contact PACLOCK					

Option Group 2

		2A	2B	2C	2D	2E
Hardened Stainless Steel Shackles	1-3/16"	•	•	•	•	•
	2-1/2"	•	•	•	•	•
	5"	•	•	•	•	•
316 Stainless Steel Shackles	1-3/16"	•	•	•	•	•
	2"	•	•	•	•	•
	3"	•	•	•	•	•
Hardened Steel Shackles	1-3/16"	•	•	•	•	•
	2"	•	•	•	•	•
	3"	•	•	•	•	•
Cylinder Options	Zero-Bitted	•	•			•
	Keyed-Different (KD)	•	•		•	•
	Keyed-Alike (KA)	•	•		•	•
	Master-KD	•	•		•	•
	Master-KA	•	•		•	•
	Grand Master-KD	•	•		•	•
	Grand Master-KA	•	•		•	•
	Less Cylinder	•	•	•	•	•
Keyways	P0	•	•			•
	PR1	•	•			
	PR2	•	•			
Cylinder Retention	KR	•	•		•	•
	NKR	•	•		•	•
Your Logo, Your Locks™	Laser Engraving	•	•	•	•	•
	Hard Die Stamping	•	•	•	•	•
	Retail Packaging	Contact PACLOCK				

Option Group 3

		3A	3B	3C	3D	3E	3F	3H
Hardened Stainless Steel Shackles	1"	•	•	•	•	•	•	•
	1-3/16"	•	•	•	•	•	•	•
	2-1/2"	•	•	•	•	•	•	•
316 Stainless Steel Shackles	1-3/16"	•	•	•	•	•	•	•
	2"	•	•	•	•	•	•	•
	3"	•	•	•	•	•	•	•
Hardened Steel Shackles	1"	•	•	•	•	•	•	•
	1-3/16"	•	•	•	•	•	•	•
	2"	•	•	•	•	•	•	•
	3"	•	•	•	•	•	•	•
Cylinder Options	Zero-Bitted	•	•		•	•		•
	Keyed-Different (KD)	•	•		•	•		•
	Keyed-Alike (KA)	•	•		•	•		•
	Master-KD	•	•		•	•		•
	Master-KA	•	•		•	•		•
	Grand Master-KD	•	•		•	•		•
	Grand Master-KA	•	•		•	•		•
	Less Cylinder	•	•	•	•	•	•	•
Keyways	P0	•	•		•	•		•
	PR1	•	•			•		
	PR2	•	•			•		
Cylinder Retention	KR	•	•		•	•	•	•
	NKR	•	•		•	•	•	•
Your Logo, Your Locks™	Laser Engraving	•	•	•	•	•	•	•
	Hard Die Stamping	•	•	•	•	•	•	•
	Retail Packaging	Contact PACLOCK						

Option Group 4

		4A	4B	4C	4D	4E
Hardened Stainless Steel Shackles	1-3/16"	•	•	•	•	•
	2-1/2"	•	•	•	•	•
Cylinder Options	Zero-Bitted	•	•			•
	Keyed-Different (KD)	•	•		•	•
	Keyed-Alike (KA)	•	•		•	•
	Master-KD	•	•		•	•
	Master-KA	•	•		•	•
	Grand Master-KD	•	•		•	•
	Grand Master-KA	•	•		•	•
	Less Cylinder	•	•	•	•	•
Keyways	P0	•	•			•
	PR1	•	•			
	PR2	•	•			
Cylinder Retention	KR	•	•		•	•
	NKR	•	•		•	•
Your Logo, Your Locks™	Laser Engraving	•	•	•	•	•
	Hard Die Stamping	•	•	•	•	•
	Retail Packaging	Contact PACLOCK				

Option Group 5

		5A	5B	5C	5D	5E
Cylinder Options	Zero-Bitted	•	•			•
	Keyed-Different (KD)	•	•		•	•
	Keyed-Alike (KA)	•	•		•	•
	Master-KD	•	•		•	•
	Master-KA	•	•		•	•
	Grand Master-KD	•	•		•	•
	Grand Master-KA	•	•		•	•
	Less Cylinder	•	•	•	•	•
Keyways	P0	•	•			•
	PR1	•	•			
	PR2	•	•			
Your Logo, Your Locks™	Laser Engraving	•	•	•	•	•
	Hard Die Stamping	•	•	•	•	•
	Retail Packaging	Contact PACLOCK				

Terms & Conditions

It's easy being a PACLOCK customer. We have one simple guiding principle:

"PACLOCK wants to do good business with good customers."

When we get asked what we mean by "good business with good customers," here are some of the answers that we offer:

Depend on Us: Our company is constantly finding ways to cut down our lead times by increasing our ability to push product out the door. We generally ship all orders, even highly custom orders, within 3 to 5 business days.

Minimum Orders: We are happy to ship small orders ~ so long as you are willing to pay small invoices.

Express Order Fulfillment: Orders for any product can be put at the front of our production line. We charge an additional 15% of the total order to process and ship within your requested amount of time (minimum charge of \$15). We'll work with you to give you an anticipated lead time for this custom service.

Pay on Time: We are proud to be one of the last family owned lock manufacturers in the world and we depend on your timely payments to help us grow our business. Customers who consistently pay late won't be our customers for long.

Free Shipping: We will pay freight charges on all orders over \$750.00 (based on net prices) to a single destination within the continental United States and Canada.

Domestic Shipping: We ship via FedEx for our orders. We are willing to ship via UPS, USPS, DHL, or other carriers but will add a service charge or use your account to ship. Please call for details.

International Shipments: Please call and talk to us about shipping internationally. We have arrangements set up with forwarders but are willing to work with your forwarders as well.

Changing or Canceling an Order: Either of these situations drains value from a company. We will be as flexible as possible, but we will likely expect some value from you in return to accommodate your request.

Warranty & Returns: PACLOCK warrants our products against any manufacturing defect for the life of the product. If it is our mistake, then we will do what it takes to make it right.

The Fine Print:

Pacific Lock Company extends a limited lifetime warranty to the original user of the products against defects in material and workmanship. Upon return of the defective product to the Company accompanied by the statement of defects the Company will repair or replace the product at the discretion of the Company. This warranty is not transferable. The following costs, expenses and damages are not covered by the provisions of this limited warranty: (i) labor costs including, but not limited to, such costs for the removal and reinstallation of Products; (ii) shipping and freight expenses required to return the products to the Company or (iii) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. Pacific Lock Company does not authorize any person to create for it any obligation or liability in connection with the Products. Pacific Lock Company's maximum liability under this warranty is limited to the purchase price of the product. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. For warranty and shipping instruction contact: 661-294-3707. In no event will Pacific Lock Company be liable for incidental, consequential, indirect, special, or punitive damages including, but not limited to, loss of use of the products, loss of profits, loss of revenue, interest, lost goodwill, work stoppage, impairment of other goods, loss by reason of shutdown or non-operation, increased expenses of operation, or claims of customer's customers, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. These terms and conditions, together with any attachments or supplements specifically referenced in these terms and conditions, constitutes the entire agreement between Pacific Lock Company and customer and supersedes all previous communications, representation, or agreements, either oral or written, between the parties hereto with respect to the subject matter hereof. No agreement or understanding varying or expanding these terms and conditions will be binding upon either party hereto unless it is in writing and signed by a duly authorized representative hereof.



EVERY LOCK



ONE KEY



**REACH OUT TO OUR TEAM
– WE'RE HAPPY TO HELP!**

Address:
Pacific Lock Company
25158 Avenue Stanford, Unit A
Valencia, CA 91355

Phone: 661.294.3707
Fax: 661.320.0220
Email: sales@paclock.com
Website: www.paclock.com

FOLLOW US



© 2026 Pacific Lock Company All Rights Reserved.

All other trademarks and registered trademarks are the property of their respective owners and are used for identification purposes only.